We create chemistry

Safety Data Sheet
Headline Pro

1. Identification

Product identifier used on the label

Headline Pro

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, fungicide

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification
Substance number: 216122

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Asp. Tox.	1	Aspiration hazard
Acute Tox.	2 (Inhalation - vapour)	Acute toxicity
Acute Tox.	4 (oral)	Acute toxicity
Acute Tox.	2 (Inhalation - mist)	Acute toxicity
Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Skin Sens.	1B	Skin sensitization

Carc.	2	Carcinogenicity
Repr.	2 (unborn child)	Reproductive toxicity
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
STOT RE	1 (by inhalation)	Specific target organ toxicity — repeated exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:

Signal Word:
Danger

Hazard Statement:

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H330	Fatal if inhaled.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H304	May be fatal if swallowed and enters airways.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated inhalation exposure.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P260	Do not breathe dust/gas/mist/vapours.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P280	Wear eye protection.
P284	In case of inadequate ventilation wear respiratory protection.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P330	Rinse mouth
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P331	Do NOT induce vomiting.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

Labeling of special preparations (GHS):
The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 7 %

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

pyraclostrobin
CAS Number: 175013-18-0
Content (W/W): 23.86 %
Synonym: Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

solvent naphtha
CAS Number: 64742-94-5
Content (W/W): 25.0 - 30.0%
Synonym: Solvent naphtha, petroleum, heavy arom.

Alcohols, C16-18, ethoxylated propoxylated
CAS Number: 68002-96-0
Content (W/W): 20.0 - 25.0%
Synonym: No data available.

Naphthalene, 2-methyl-
CAS Number: 91-57-6
Content (W/W): 5.0 - 10.0%
Synonym: No data available.

Naphthalene, 1-methyl-
CAS Number: 90-12-0
Content (W/W): 3.0 - 5.0%
Synonym: No data available.

biphenyl

CAS Number: 92-52-4
Content (W/W): 1.0 - 3.0%
Synonym: 1,1'-Biphenyl; Diphenyl, Phenylbenzene

2-ethylhexan-1-ol
CAS Number: 104-76-7
Content (W/W): 1.0 - 3.0%
Synonym: 2-Ethylhexanol

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts
CAS Number: 84989-14-0
Content (W/W): 1.0 - 3.0%
Synonym: No data available.

naphthalene
CAS Number: 91-20-3
Content (W/W): 0.1 - 1.0%
Synonym: Naphthalin

4. First-Aid Measures

Description of first aid measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

If on skin:
Wash thoroughly with soap and water

If in eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, Hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Dispose of absorbed material in accordance with regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:
Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.
Protect from temperatures below: 10 °C
The product can crystallize below the limit temperature.
Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

biphenyl	ACGIH, US:	TWA value 0.2 ppm ;
	OSHA Z1:	PEL 0.2 ppm 1 mg/m3 ;
solvent naphtha	ACGIH, US:	TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures.
	ACGIH, US:	Skin Designation Non-aerosol (total hydrocarbon vapor); Danger of cutaneous absorption
	ACGIH, US:	Skin Designation Non-aerosol (total hydrocarbon vapor); Danger of cutaneous absorption
	ACGIH, US:	TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures.
Naphthalene, 1-methyl-	ACGIH, US:	TWA value 0.5 ppm ;
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption
Naphthalene, 2-methyl-	ACGIH, US:	TWA value 0.5 ppm ;
	ACGIH, US:	Skin Designation ; The substance can be absorbed through the skin.
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	faintly aromatic	
Odour threshold:	Not determined since harmful by inhalation.	
Colour:	tan	
Boiling range:	approx. 244 - 292 °C Information applies to the solvent.	
Flash point:	approx. 104 °C	(ISO 2719)
Flammability:	not highly flammable	
Lower explosion limit:	0.6 %(V) Information applies to the solvent.	
Upper explosion limit:	7 %(V) Information applies to the solvent.	
Autoignition:	425 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 0.003 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.05 g/cm3 (20 °C)	
Vapour density:	Heavier than air., Information based on the main component/s.	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	approx. 64.2 mPa.s (20 °C)	(OECD 114)
Viscosity, kinematic:	23.7 mm2/s (40 °C)	(OECD 114)
Solubility in water:	emulsifiable	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section., The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
Based on its structural properties the product is not classified as oxidizing.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid
See SDS section 7 - Handling and storage.

Incompatible materials
strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:
No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Oral
Type of value: LD50
Species: rat (female)
Value: 317 mg/kg

Inhalation
Type of value: LC50
Species: rat (male/female)
Value: > 1.14 - < 5.3 mg/l (OECD Guideline 403)
Exposure time: 4 h
An aerosol was tested.

Dermal
Type of value: LD50
Species: rat (male/female)
Value: > 4,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Assessment other acute effects
Assessment of STOT single:
Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion
Assessment of irritating effects: Skin contact causes irritation. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Skin
Species: rabbit
Result: Irritant.
Method: OECD Guideline 404

Eye
Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization
Assessment of sensitization: Sensitization after skin contact possible.

Guinea pig maximization test
Species: guinea pig
Result: sensitizing

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin
Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts
Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Toluene
Assessment of repeated dose toxicity: Repeated exposure to large quantities may affect certain organs. Damages the central nerve system. The substance may cause deafness after repeated inhalation.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity
Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity
Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity
Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Toluene
Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Other Information
Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish
LC50 (96 h) 0.0229 mg/l, Oncorhynchus mykiss (EPA 72-1, static)

Aquatic invertebrates
EC50 (48 h) 0.046 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants
EC50 (72 h) 0.69 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) 0.11 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Chronic toxicity to fish

Information on: pyraclostrobin
No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)

Chronic toxicity to aquatic invertebrates

Information on: pyraclostrobin

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)
The details of the toxic effect relate to the nominal concentration.
No observed effect concentration (28 d) 0.00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)
The statement of the toxic effect relates to the analytically determined concentration.

Persistence and degradability

Assessment biodegradation and elimination (H2O)
The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: pyraclostrobin

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential
The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: pyraclostrobin

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)
Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:
Must be sent to a suitable incineration plant, observing local regulations.

Container disposal:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport
USDOT

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA)

Sea transport
IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA)

Air transport
IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA)

Further information
Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection	TSCA, US	released / exempt
Chemical	TSCA, US	blocked / not listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

CAS Number	Chemical name
92-52-4	biphenyl
91-20-3	naphthalene
90-12-0	Naphthalene, 1-methyl-
91-57-6	Naphthalene, 2-methyl-

CERCLA RQ	CAS Number	Chemical name
5000 LBS	85-01-8	phenanthrene
1000 LBS	108-88-3	Toluene
100 LBS	142-82-5; 91-20-3; 92-52-4; 77-78-1; 123-91-1; 64742-94-5	heptane; naphthalene; biphenyl; dimethyl sulphate; 1,4-dioxane; solvent naphtha
10 LBS	71-43-2; 75-21-8	Benzene; Ethylene Oxide

State regulations

State RTK	CAS Number	Chemical name
NJ	92-52-4	biphenyl
	64742-94-5	solvent naphtha
	90-12-0	Naphthalene, 1-methyl-
	85-01-8	phenanthrene
	91-20-3	naphthalene
	108-88-3	Toluene
PA	92-52-4	biphenyl
	104-76-7	2-ethylhexan-1-ol
	64742-94-5	solvent naphtha
	90-12-0	Naphthalene, 1-methyl-
	91-57-6	Naphthalene, 2-methyl-

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2022/06/01

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET