We create chemistry

Safety data sheet

BASF Safety data sheet
According to Regulation GB16483 as amended from time to time.
Date / Revised: 18.10.2024 Version: 2.0
Date / Previous version: 17.12.2021 Previous version: 1.0
Date / First version: 17.12.2021

Product: **Palit**

(30679680/SDS_CPA_CN/EN)
Date of print 07.07.2025

1. Substance/preparation and company identification

Palit

Use: crop protection product, growth regulator

Company:
BASF (China) Co., Ltd.
300 Jiang Xin Sha Road
Pu Dong Shanghai 200137, CHINA
Telephone: +86 21 20391000
Telefax number: +86 21 20394800
E-mail address: china-psr-sds@basf.com

Emergency information:
Emergency Call Center (China):
+86 21 5861-1199
International emergency number:
Telephone: +49 180 2273-112

Company:
BASF (China) Co., Ltd.
300 Jiang Xin Sha Road
Pu Dong Shanghai 200137, CHINA
Telephone: +86 21 20391000
Telefax number: +86 21 20394800
E-mail address: china-psr-sds@basf.com

Emergency information:
Emergency Call Center (China):
+86 21 5861-1199
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:
Acute toxicity: Cat. 3 (oral)
Acute toxicity: Cat. 4 (Inhalation - mist)
Specific target organ toxicity — single exposure (Central nervous system): Cat. 2
Specific target organ toxicity — repeated exposure (Central nervous system): Cat. 2
Hazardous to the aquatic environment - acute: Cat. 1
Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:

Signal Word:
Danger

Hazard Statement:

H332	Harmful if inhaled.
H301	Toxic if swallowed.
H371	May cause damage to organs (Central nervous system).
H373	May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/gas/mist/vapours.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P308 + P311	IF exposed or concerned: Call a POISON CENTER or physician.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:
See section 12 - Results of PBT and vPvB assessment.
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May produce an allergic reaction. Contains: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

3. Composition/information on ingredients

Chemical nature: Mixture

crop protection product, insecticide, suspension concentrate (SC)

Hazardous ingredients

Chlorfenapyr

Content (W/W): 10 %	Acute Tox.: Cat. 2 (Inhalation - dust)
CAS Number: 122453-73-0	Acute Tox.: Cat. 3 (oral)
	STOT SE (Central nervous system): Cat. 2
	STOT RE (Central nervous system): Cat. 2
	Aquatic Acute: Cat. 1
	Aquatic Chronic: Cat. 1
	M-factor acute: 100
	M-factor chronic: 100

Residues (petroleum), catalytic reformer fractionator, sulfonated,polymers with formaldehyde, sodium salts

Content (W/W): < 5 %	Eye Dam./Irrit.: Cat. 2A
CAS Number: 68425-94-5	Aquatic Acute: Cat. 3
	Aquatic Chronic: Cat. 3

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): < 0.01 %	Acute Tox.: Cat. 3 (oral)
CAS Number: 55965-84-9	Acute Tox.: Cat. 2 (Inhalation - mist)
	Acute Tox.: Cat. 2 (dermal)
	Skin Corr.: Cat. 1C
	Eye Dam.: Cat. 1
	Skin Sens.: Cat. 1A
	Aquatic Acute: Cat. 1
	Aquatic Chronic: Cat. 1
	M-factor acute: 100
	M-factor chronic: 100

propane-1,2-diol

Content (W/W): < 10 %
CAS Number: 57-55-6

4. First-Aid Measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention. If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Take patient to hospital immediately. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product. Medical monitoring for at least 7 days.

Note to physician:
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Symptoms of poisoning may only appear after several hours or several days.
Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
carbon monoxide, carbon dioxide, hydrogen bromide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, sulfur oxides, silica compounds, halogenated compounds, aluminum compounds
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions:
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 60 Months

Protect from temperatures below: 0 °C
The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

Chlorfenapyr, 122453-73-0;
TWA value 0.3 mg/m3 (BASF recomm. occupational exposure limit)

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid
Colour:	off-white
Odour:	faint odour, bitter almond-like
Odour threshold:	Not determined since harmful by inhalation.
pH value:	approx. 6 - 8 (1 %(m), 21 °C)
Freezing point:	approx. 0 °C Information applies to the solvent.

Boiling point:	approx. 100 °C Information applies to the solvent.	
Flash point:	Non-flammable.	
Evaporation rate:	not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	approx. 520 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	252 °C , 240 kJ/kg	(DSC (OECD 113))
	310 °C , 130 kJ/kg	(DSC (OECD 113))
	450 °C , > 90 kJ/kg	(DSC (OECD 113))
	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	(Directive 2004/73/EC, A.21)
Vapour pressure:	approx. 23.3 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.07 g/cm3 (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Viscosity, dynamic:	approx. 68 mPa.s (20 °C, 100 1/s)	(OECD Guideline 114)

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage.

Thermal decomposition:	252 °C, 240 kJ/kg (DSC (OECD 113))
Thermal decomposition:	310 °C, 130 kJ/kg (DSC (OECD 113))
Thermal decomposition:	450 °C, > 90 kJ/kg (DSC (OECD 113))
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Of pronounced toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:
LD50 mouse (oral): > 50 - < 300 mg/kg
The data on toxicology refer to the active ingredient. Same product LD50 is assigned for precautionary reasons in view of human poisoning incidents

LC50 rat (by inhalation): 2.62 mg/l 4 h (OECD Guideline 403)
An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Information on: Chlorfenapyr
Experimental/calculated data:
LD50 mouse (oral): > 50 - < 300 mg/kg (OECD Guideline 401)

Irritation

Assessment of irritating effects:
Not irritating to eyes and skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
No sensitizing effect.

Experimental/calculated data:
Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:
A single exposure may have relevant toxic effects on organs.

Target organ: Central nervous system
Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr
Assessment of repeated dose toxicity:
Repeated exposure may affect certain organs. Affects the central nervous system.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.

Aspiration hazard

not applicable

Other relevant toxicity information

Reported human health effects after incorporation: immediate symptoms after oral ingestion may comprise nausea, vomiting, sweating and abdominal pain. Subsequent symptoms emerging with a delay of a few days up to 10-14 days may include drowsiness, tachypnea, tachycardia or arrhythmia, hypertension, fever, diaphoresis, muscle fasciculation, muscle stiffness, weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, and sudden disturbance of consciousness followed by coma and cardiac arrest. Misuse can be fatal.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

Toxicity to fish:
LC50 (96 h) 0.463 mg/l, Cyprinus carpio

Aquatic invertebrates:
EC50 (48 h) 0.0407 mg/l, Daphnia magna

Aquatic plants:
EC50 (72 h) 126 mg/l (growth rate), Pseudokirchneriella subcapitata

No observed effect concentration (72 h) 0.772 mg/l (growth rate), Pseudokirchneriella subcapitata

Information on: Chlorfenapyr
Chronic toxicity to fish:
No observed effect concentration (93 d) 0.003678 mg/l, Oncorhynchus mykiss

---

Information on: Chlorfenapyr
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (28 d), 0.000172 mg/l, Mysidopsis bahia
---

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr
Assessment transport between environmental compartments:
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr
Bioaccumulation potential:
Bioconcentration factor: 116, Cyprinus carpio
Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport
Road transport

Hazard class:	6.1, EHSM
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1, EHSM
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Rail transport

Hazard class:	6.1, EHSM
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1, EHSM
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Inland waterway transport

Hazard class:	6.1, EHSM
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1, EHSM
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Sea transport
IMDG

Hazard class:	6.1, EHSM
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1, EHSM
Marine pollutant:	YES
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Air transport
IATA/ICAO

Hazard class:	6.1
Packing group:	III

ID number:	UN 2902
Hazard label:	6.1
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

15. Regulatory Information

This product should comply with the regulations on the safety management of hazardous chemicals, for the classification of dangerous goods, see section 14 of this SDS.

Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

Registration status:

IECSC, CN

Listed in IECSC.

This MSDS is prepared pursuant to the standard on General Rules for Classification and Hazard Communication of Chemicals.

It needs to comply with Regulation on Agricultural Chemicals Administration.

It needs to comply with Pharmaceutical Administration Law of The People's Republic of China (if the product is used for pharmaceuticals), Regulations on Administration of Animal Feed and Feed Additives (if the product is used for feed) and Food Hygiene Law of The People's Republic of China (if the product is used for food).

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.