Safety data sheet

1. Identification

Product identifier

Verdict M-OMN

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company:

Emergency telephone number

National emergency number:
+27 11 203 2420
International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 5 (oral)
Acute Tox. 5 (Inhalation - mist)
Skin Corr./Irrit. 3
Eye Dam./Irrit. 2A
Skin Sens. 1B
Carc. 2
Repr. 2 (unborn child)
STOT SE 3 (irritating to respiratory system)

Aquatic Acute 1
Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Warning

Hazard Statement:

H319	Causes serious eye irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging the unborn child.
H303 + H333	May be harmful if swallowed or if inhaled
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P261	Avoid breathing mist or vapour or spray.
P201	Obtain special instructions before use.
P271	Use only outdoors or in a well-ventilated area.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical attention.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

According to UN GHS criteria

Hazard determining component(s) for labelling: dimethenamid-P, saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide, Solvent naphtha (petroleum), heavy arom., N,N-Dimethyldecan-1-amide

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, herbicide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS)
According to UN GHS criteria

dimethenamid-P

Content (W/W): 55 %	Acute Tox. 4 (oral)
CAS Number: 163515-14-8	Skin Sens. 1
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 10
	M-factor chronic: 10
	H302, H317, H400, H410

saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Content (W/W): 6.24 %	Repr. 2 (unborn child)
CAS Number: 372137-35-4	Aquatic Acute 1
	Aquatic Chronic 1
	H361, H400, H410

N,N-Dimethyldecan-1-amide

Content (W/W): < 15 %	Acute Tox. 5 (oral)
CAS Number: 14433-76-2	Skin Corr./Irrit. 2
EC-Number: 238-405-1	Eye Dam./Irrit. 2A
	STOT SE 3 (irr. to respiratory syst.)
	Aquatic Acute 2
	Aquatic Chronic 3
	H319, H315, H303, H335, H412, H401

N,N-Dimethyloctanamide

Content (W/W): < 15 %	Acute Tox. 5 (oral)
CAS Number: 1118-92-9	Acute Tox. 5 (dermal)
EC-Number: 214-272-5	Skin Corr./Irrit. 2
	Eye Dam./Irrit. 1
	STOT SE 3 (irr. to respiratory syst.)
	Aquatic Acute 2
	H318, H315, H313, H303, H335, H401

2-Ethylhexan-1-ol

Content (W/W): < 5 %	Flam. Liq. 4
CAS Number: 104-76-7	Acute Tox. 5 (oral)
EC-Number: 203-234-3	Acute Tox. 4 (Inhalation - mist)
	Skin Corr./Irrit. 2
	Eye Dam./Irrit. 2A
	STOT SE 3 (irr. to respiratory syst.)
	Aquatic Acute 3
	H227, H319, H315, H332, H303, H335, H402

Solvent naphtha (petroleum), heavy arom.

Content (W/W): < 5 %	Asp. Tox. 1
CAS Number: 64742-94-5	Carc. 2
EC-Number: 265-198-5	Aquatic Acute 2
INDEX-Number: 649-424-00-3	Aquatic Chronic 2
	H304, H351, H401, H411

Calcium dodecylbenzenesulphonate

Content (W/W): < 5 %	Acute Tox. 4 (oral)
CAS Number: 26264-06-2	Skin Corr./Irrit. 2
EC-Number: 247-557-8	Eye Dam./Irrit. 1
	Aquatic Acute 2
	Aquatic Chronic 3
	H318, H315, H302, H412, H401

Naphthalene

Content (W/W): < 1 %	Flam. Sol. 2
CAS Number: 91-20-3	Acute Tox. 4 (oral)
EC-Number: 202-049-5	Carc. 2
INDEX-Number: 601-052-00-2	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 1
	M-factor chronic: 1
	H228, H302, H351, H400, H410

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media
Suitable extinguishing media:
carbon dioxide, foam, dry powder, water spray

Special hazards arising from the substance or mixture
Carbon monoxide, Carbon dioxide, Sulphur dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, Hydrogen fluoride, hydrocarbons
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters
Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling
No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 24 Months

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid
Colour:	light brown, clear
Odour:	aromatic
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 4 - 6 (1 %(m), 25 °C)
Freezing point:	approx. -20 °C (1,013.3 hPa) Information applies to the solvent.
Boiling range:	approx. 232 - 278 °C Information applies to the solvent.
Flash point:	112.8 °C
Evaporation rate:	not applicable
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	approx. 491 °C Information applies to the solvent.
Vapour pressure:	approx. 0.05 hPa (20 °C) Information applies to the solvent.
Density:	approx. 1.092 g/cm3 (20 °C)
Relative vapour density (air):	not applicable
Solubility in water:	emulsifiable, insoluble
Partitioning coefficient n-octanol/water (log Kow):	The statements are based on the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Partitioning coefficient n-octanol/water (log Kow): 2.6
(20 °C; pH value: 1.7)
Information on: dimethenamid-P
Partitioning coefficient n-octanol/water (log Kow): 1.89

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic:	19.56 mPa.s (40 °C, 100 1/s)
Explosion hazard:	not explosive
Fire promoting properties:	not fire-propagating

Other information

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid
See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong oxidizing agents, strong bases, strong acids

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Of low toxicity after single ingestion.

Experimental/calculated data:
LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 5.77 mg/l (OECD Guideline 403)
An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
Skin contact causes slight irritation. Eye contact causes irritation.

Experimental/calculated data:
Skin corrosion/irritation rabbit: Slightly irritating. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
Sensitization after skin contact possible.

Experimental/calculated data:
modified Buehler test guinea pig: sensitizing

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Naphthalene
Assessment of mutagenicity:
The substance was not mutagenic in bacteria. The substance was mutagenic in a mammalian cell culture test system. The substance was not mutagenic in a test with mammals. Literature data.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Solvent naphtha (petroleum), heavy arom.
Assessment of carcinogenicity:
Indication of possible carcinogenic effect in animal tests. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Naphthalene
Assessment of carcinogenicity:
In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was observed. EU-classification The substance was classified as a group 3 carcinogen by the German MAK-Commission (substances for which a suspicion of a carcinogenic potential exists). IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment of teratogenicity:
Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P
Assessment of repeated dose toxicity:
Adaptive effects were observed after repeated exposure in animal studies.

Information on: N,N-Dimethyldecan-1-amide
Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. After repeated exposure the prominent effect is local irritation.

Information on: Naphthalene
Assessment of repeated dose toxicity:
The substance may cause damage to the olfactory epithelium after repeated inhalation.

Aspiration hazard

No aspiration hazard expected.
The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

Toxicity to fish:
LC50 (96 h) 18 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:
EC50 (48 h) 8.1 mg/l, Daphnia magna

Aquatic plants:
EC50 (72 h) 0.014 mg/l (growth rate), Pseudokirchneriella subcapitata

NOAEC (72 h) 0.004 mg/l, Pseudokirchneriella subcapitata

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: dimethenamid-P
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIMETHENAMID-P, SAFLUFENACIL)

Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

RID

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIMETHENAMID-P, SAFLUFENACIL)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport

ADN

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIMETHENAMID-P, SAFLUFENACIL)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIMETHENAMID-P, SAFLUFENACIL)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIMETHENAMID-P, SAFLUFENACIL)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
Carc.	Carcinogenicity
Repr.	Reproductive toxicity
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Flam. Liq.	Flammable liquids
Asp. Tox.	Aspiration hazard
Flam. Sol.	Flammable solids
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.

H410	Very toxic to aquatic life with long lasting effects.
H361	Suspected of damaging the unborn child.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H303	May be harmful if swallowed.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
H401	Toxic to aquatic life.
H318	Causes serious eye damage.
H313	May be harmful in contact with skin.
H227	Combustible liquid.
H332	Harmful if inhaled.
H402	Harmful to aquatic life.
H304	May be fatal if swallowed and enters airways.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.
H228	Flammable solid.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.