We create chemistry

Safety data sheet

1. Identification

Product identifier

Rex Duo 497 SC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)
Acute Tox. 4 (Inhalation - mist)
Muta. 2
Carc. 2
Repr. 2 (fertility)
Repr. 2 (unborn child)
Aquatic Acute 1
Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Warning

Hazard Statement:

H351	Suspected of causing cancer.
H341	Suspected of causing genetic defects.
H361	Suspected of damaging fertility. Suspected of damaging the unborn child.
H302 + H332	Harmful if swallowed or if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P201	Obtain special instructions before use.
P261	Avoid breathing mist.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical attention.
P330	Rinse mouth.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):
May produce an allergic reaction. Contains: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene, 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one

According to UN GHS criteria

Hazard determining component(s) for labelling: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane, thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients (GHS)
According to UN GHS criteria

thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene

Content (W/W): 26,27 %	Acute Tox. 4 (Inhalation - dust)
CAS Number: 23564-05-8	Skin Sens. 1
EC-Number: 245-740-7	Muta. 2
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 10
	M-factor chronic: 10
	H332, H317, H341, H400, H410

epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Content (W/W): 15,85 %	Acute Tox. 5 (oral)
CAS Number: 133855-98-8	Carc. 2
EC-Number: 406-850-2	Repr. 2 (fertility)
INDEX-Number: 613-175-00-9	Repr. 2 (unborn child)
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 10
	M-factor chronic: 10
	H303, H351, H361, H400, H410

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): < 3 %	Eye Dam./Irrit. 2A
CAS Number: 102980-04-1	Aquatic Acute 3
	Aquatic Chronic 3
	H319, H402, H412

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0,01 %	Acute Tox. 2 (Inhalation - dust)
CAS Number: 2634-33-5	Acute Tox. 4 (oral)
EC-Number: 220-120-9	Skin Irrit. 2
INDEX-Number: 613-088-00-6	Eye Dam. 1
	Skin Sens. 1A
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 1
	M-factor chronic: 1
	H318, H315, H330, H302, H317, H400, H410
	<u>Specific concentration limit:</u>
	Skin Sens. 1A: >= 0,036 %

2-Methyl-2H-isothiazol-3-one

Content (W/W): < 0,01 % CAS Number: 2682-20-4 EC-Number: 220-239-6 INDEX-Number: 613-326-00-9	Acute Tox. 2 (Inhalation - dust) Acute Tox. 3 (oral) Acute Tox. 3 (dermal) Skin Corr. 1B Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1 H330, H317, H314, H301 + H311, H400, H410 EUH071 <u>Specific concentration limit:</u> Skin Sens. 1A: >= 0,0015 %

Propane-1,2-diol
Content (W/W): < 10 %
CAS Number: 57-55-6
EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, hydrogen chloride, Hydrogen fluoride, nitrogen oxides, sulfur oxides, halogenated compounds, silica compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
The substance/product is non-combustible. Product is not explosive. No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 60 Months

Protect from temperatures below: -10 °C
Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.
Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol
23564-05-8: Thiophanate-methyl
TWA value 0,86 mg/m3 (BASF recomm. occupational exposure limit)
133855-98-8: epoxyconazole
TWA value 0,05 mg/m3 (Recommendation of BASF)

Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	liquid	
Colour:	white	
Odour:	garlic-like	
Odour threshold:	Not determined since harmful by inhalation.	
crystallization temperature:	approx. -8 °C	
Boiling point:	approx. 100 °C Information applies to the solvent.	
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Flash point:	No flash point - Measurement made up to the boiling point.	(ISO 2719)
Auto-ignition temperature:	485 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	145 °C, 80 kJ/kg (DSC (OECD 113)) (onset temperature) 300 °C, 250 kJ/kg (DSC (OECD 113)) (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	

SADT:	> 75 °C Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)
pH value:	approx. 6 - 8 (1 %(m), 20 °C) (as suspension)
Viscosity, dynamic:	64 mPa.s (20 °C, 100 1/s)
Solubility in water:	dispersible

Partitioning coefficient n-octanol/water (log Kow):
The statements are based on the properties of the individual components.

Information on: thiophanate-methyl (ISO)
Partitioning coefficient n-octanol/water (log Kow): 1,4 (OECD Guideline 107)
(25 °C)

Vapour pressure:	approx. 23 hPa (20 °C) Information applies to the solvent.
Density:	approx. 1,18 g/cm3 (20 °C)

Relative vapour density (air):
not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosives
Explosion hazard: not explosive (Directive 92/69/EEC, A.14)
Oxidizing properties
Fire promoting properties: not fire-propagating (UN Test O.2 (oxidizing liquids))

Other safety characteristics

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.
Evaporation rate:
not applicable

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after short-term inhalation. Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:
LD50 rat (oral): > 400 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 3,46 mg/l 4 h (OECD Guideline 403)
An aerosol was tested.

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
Not irritating to eyes and skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:
No sensitizing effect.

Experimental/calculated data:
modified Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene
Assessment of mutagenicity:
Mutagenic properties can not be excluded on the basis of experimental data.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Assessment of carcinogenicity:
Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Assessment of reproduction toxicity:
The results of animal studies suggest a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Assessment of teratogenicity:
Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Assessment of repeated dose toxicity:
Repeated exposure to large quantities may affect certain organs. Based on available data, the classification criteria are not met.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

Aquatic plants:
EC50 (72 h) 77,69 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) 0,34 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (7 d) 0,0507 mg/l (growth rate), Lemna gibba (OECD Guideline 221)

EC10 (72 h) 0,0113 mg/l (growth rate), Lemna gibba (OECD Guideline 221)

Information on: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene
Toxicity to fish:
LC50 (96 h) 1,07 mg/l, Oncorhynchus mykiss (static)

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Toxicity to fish:
LC50 (96 h) 3,14 mg/l, Oncorhynchus mykiss

Information on: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene
Aquatic invertebrates:
EC50 (48 h) 5,4 mg/l, Daphnia magna (Flow through.)

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Aquatic invertebrates:
EC50 (48 h) 8,69 mg/l, Daphnia magna

Information on: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene
Chronic toxicity to fish:
No observed effect concentration (28 d) 0,32 mg/l, Oncorhynchus mykiss

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Chronic toxicity to fish:
No observed effect concentration 0,003 mg/l, Pimephales promelas (OPP 72-5 (EPA-Guideline))

Information on: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene
Chronic toxicity to aquatic invertebrates:
EC50 (21 d) 0,18 mg/l, Daphnia magna

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 0,63 mg/l, Daphnia magna (OECD Guideline 202, part 2)

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Bioaccumulation potential:
Bioconcentration factor: 59 - 70, Oncorhynchus mykiss (OECD Guideline 305)
Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXICONAZOLE, THIOPHANATE-METHYL)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

RID

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXICONAZOLE, THIOPHANATE-METHYL)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport

ADN

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXICONAZOLE, THIOPHANATE-METHYL)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXICONAZOLE, THIOPHANATE-METHYL)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXICONAZOLE, THIOPHANATE-METHYL)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information
Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Muta.	Germ cell mutagenicity
Carc.	Carcinogenicity
Repr.	Reproductive toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Sens.	Skin sensitization
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Irrit.	Skin irritation
Eye Dam.	Serious eye damage
Skin Corr.	Skin corrosion
H332	Harmful if inhaled.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H303	May be harmful if swallowed.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility. Suspected of damaging the unborn child.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H330	Fatal if inhaled.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H301 + H311	Toxic if swallowed or in contact with skin.
EUH071	Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.