We create chemistry

Safety data sheet

1. Identification

Product identifier

Voraxor Herbicide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Repr. 1B (fertility)
Repr. 2 (unborn child)
STOT RE 2
Aquatic Acute 1

Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:
Danger

Hazard Statement:

H373	May cause damage to organs through prolonged or repeated exposure.
H360	May damage fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P260	Do not breathe mist or vapour.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):
May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

According to UN GHS criteria

Hazard determining component(s) for labelling: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione, saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, herbicide

Hazardous ingredients (GHS)
According to UN GHS criteria

saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Content (W/W): 21,51 %	Repr. 2 (unborn child)
CAS Number: 372137-35-4	Aquatic Acute 1
	Aquatic Chronic 1
	H361, H400, H410

trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione

Content (W/W): 10,76 %	Repr. 1B (fertility)
CAS Number: 1258836-72-4	STOT RE 2
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 1000
	M-factor chronic: 100
	H373, H360, H400, H410

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): < 3 % CAS Number: 102980-04-1	Eye Dam./Irrit. 2A Aquatic Acute 3 Aquatic Chronic 3 H319, H402, H412

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0,05 % CAS Number: 2634-33-5 EC-Number: 220-120-9 INDEX-Number: 613-088-00-6	Acute Tox. 4 (oral) Skin Corr./Irrit. 2 Eye Dam./Irrit. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1 H318, H315, H302, H317, H400, H410 <u>Specific concentration limit:</u> Skin Sens. 1: >= 0,036 %

Bronopol

Content (W/W): < 0,05 % CAS Number: 52-51-7 EC-Number: 200-143-0 INDEX-Number: 603-085-00-8	Acute Tox. 3 (Inhalation - dust) Acute Tox. 3 (oral) Acute Tox. 4 (dermal) Skin Corr./Irrit. 2 Eye Dam./Irrit. 1 STOT SE 3 (irr. to respiratory syst.) Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1 H318, H315, H312, H335, H301 + H331, H400, H410

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): < 0,0015 %
CAS Number: 55965-84-9
INDEX-Number: 613-167-00-5

Acute Tox. 3 (oral)
Acute Tox. 2 (Inhalation - mist)
Acute Tox. 2 (dermal)
Skin Corr./Irrit. 1C
Eye Dam./Irrit. 1
Skin Sens. 1A
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 100
M-factor chronic: 100
H301, H317, H314, H310 + H330, H400, H410
EUH071

Specific concentration limit:
Skin Sens. 1A: >= 0,0015 %
Eye Dam./Irrit. 1: >= 0,6 %
Eye Dam./Irrit. 2: 0,06 - < 0,6 %
Skin Corr./Irrit. 1C: >= 0,6 %
Skin Corr./Irrit. 2: 0,06 - < 0,6 %

Propane-1,2-diol
Content (W/W): < 10 %
CAS Number: 57-55-6
EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen fluoride, Hydrogen bromide, hydrogen chloride, nitrogen oxides, silicon oxides, sulfur oxides, halogenated compounds, cyanides
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 24 Months

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol
372137-35-4: Benzamide, 2-chloro-5-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-4-fluoro-N-[[methyl(1-methylethyl)amino]sulfonyl]-
TWA value 0,824 mg/m3 (BASF recomm. occupational exposure limit)

Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid
Colour:	off-white
Odour:	faint, sweetish
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 5 - 7 (100 %(m), 23 °C)
Freezing point:	approx. -5 °C
Boiling point:	The product has not been tested.
Flash point:	Non-flammable.
Evaporation rate:	not applicable
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	460 °C
Vapour pressure:	approx. 23 hPa (20 °C) Information applies to the solvent.
Density:	approx. 1,16 g/cm3 (20 °C)
Relative vapour density (air):	not applicable
Solubility in water:	dispersible
Partitioning coefficient n-octanol/water (log Kow):	The statements are based on the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Partitioning coefficient n-octanol/water (log Kow): 2,6
(20 °C; pH value: 1,7)

Thermal decomposition: > 190 °C, 620 kJ/kg (DSC (OECD 113))
Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.
Viscosity, dynamic: approx. 58 mPa.s
(20 °C, 200 1/s)
Explosion hazard: not explosive
Fire promoting properties: not fire-propagating
SADT: > 75 °C

Other information

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid
See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 2.000 mg/kg
No mortality was observed.

LC50 rat (by inhalation): > 3,4 mg/l 4 h
Highest concentration technically achievable. An aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg
No mortality was observed.

Irritation

Assessment of irritating effects:
Not irritating to eyes and skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:
No sensitizing effect.

Experimental/calculated data:
Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Bronopol
Assessment of mutagenicity:
The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Assessment of carcinogenicity:
In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. Due to the species specific mode of action, the effects are not expected to occur in humans.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Assessment of reproduction toxicity:
Causes impairment of fertility in laboratory animals.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment of teratogenicity:
Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Assessment of repeated dose toxicity:
Repeated oral exposure may affect certain organs.

Information on: Bronopol
Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Toxicity to fish:
LC50 (96 h) > 1,76 mg/l, Oncorhynchus mykiss

LC50 (96 h) > 1,68 mg/l, Cyprinus carpio

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Toxicity to fish:
LC50 (96 h) > 96,8 mg/l, Pimephales promelas (OECD Guideline 203, static)

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Aquatic invertebrates:
EC50 (48 h) > 1,95 mg/l, Daphnia magna

LC50 (48 h) 0,574 mg/l, Americamysis bahia

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Aquatic invertebrates:
EC50 (96 h) 8,0 mg/l, Daphnia magna (static)

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Aquatic plants:
EC50 (72 h) 0,000821 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 0,000486 mg/l (growth rate), Pseudokirchneriella subcapitata

EC50 (72 h) 0,000460 mg/l (growth rate), Navicula pelliculosa

EC10 (72 h) 0,000225 mg/l (growth rate), Navicula pelliculosa

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Aquatic plants:
EC50 (96 h) 0,113 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Chronic toxicity to fish:
No observed effect concentration (34 d) 0,0027 mg/l, Cyprinodon variegatus

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Chronic toxicity to fish:
No observed effect concentration (33 d) >= 10 mg/l, Pimephales promelas
---

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 0,0106 mg/l, Daphnia magna

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 2,5 mg/l, Daphnia magna
---

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Bioaccumulation potential:
Bioconcentration factor: 81,6

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: trifludimoxazin (ISO); 1,5-dimethyl-6-thioxo-3-[2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-1,3,5-triazinane-2,4-dione
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SAFLUFENACIL, TRIFLUDIMOXAZINE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

RID

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SAFLUFENACIL, TRIFLUDIMOXAZINE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport

ADN

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SAFLUFENACIL, TRIFLUDIMOXAZINE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 3082

UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SAFLUFENACIL, TRIFLUDIMOXAZINE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SAFLUFENACIL, TRIFLUDIMOXAZINE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information
Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Repr.	Reproductive toxicity
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute

Aquatic Chronic	Hazardous to the aquatic environment - chronic
Eye Dam./Irrit.	Serious eye damage/eye irritation
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity — single exposure
H361	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H373	May cause damage to organs through prolonged or repeated exposure.
H360	May damage fertility.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H312	Harmful in contact with skin.
H335	May cause respiratory irritation.
H301 + H331	Toxic if swallowed or if inhaled.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H310 + H330	Fatal in contact with skin or if inhaled.
EUH071	Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.