We create chemistry

Safety data sheet

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 31.08.2022 Version: 5.1
Product: **Myacide® GDA Technical**
(ID no. 30042523/SDS_CPA_00/EN)
Date of print 09.07.2025

1. Identification

Product identifier

Myacide® GDA Technical

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: preserving agent and disinfectant

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Global Oilfield Chemicals

Telephone: +49 621 60-0
E-mail address: RegXcellenceOilfieldChemicals@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 3 (oral)
Acute Tox. 2 (Inhalation - mist)
Acute Tox. 5 (dermal)
Skin Corr./Irrit. 1B

Eye Dam./Irrit. 1
Resp. Sens. 1
Skin Sens. 1A
Aquatic Acute 2
Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Danger

Hazard Statement:

H313	May be harmful in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H314	Causes severe skin burns and eye damage.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P260	Do not breathe dust/mist/vapours.
P273	Avoid release to the environment.
P284	In case of inadequate ventilation wear respiratory protection.
P264	Wash contaminated body parts thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353	IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):
Corrosive to the respiratory tract.

According to UN GHS criteria

Hazard determining component(s) for labelling: Glutaral

Other hazards

According to UN GHS criteria

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Glutaral (Content (W/W): 50 %), Water (Content (W/W): 50 %)

Hazardous ingredients (GHS)
According to UN GHS criteria

Glutaral

Content (W/W): >= 50 % - <= 51 %	Acute Tox. 3 (oral)
CAS Number: 111-30-8	Acute Tox. 2 (Inhalation - mist)
EC-Number: 203-856-5	Acute Tox. 5 (dermal)
INDEX-Number: 605-022-00-X	Skin Corr./Irrit. 1B
	Eye Dam./Irrit. 1
	Resp. Sens. 1
	Skin Sens. 1A
	STOT SE 3 (irr. to respiratory syst.)
	Aquatic Acute 1
	Aquatic Chronic 2
	M-factor acute: 1
	H313, H330, H301, H334, H317, H335, H314, H411, H400
	EUH071
	Specific concentration limit:
	STOT SE 3, irr. to respiratory syst.: 0,5 - < 5 %

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Relocate individual form contamination site/ source; remove all contaminated clothing avoiding exposure to yourself and/ or others.
Take off contaminated clothing and wash it before reuse. If symptoms persist or worsen seek medical advice/attention. NEVER give anything by mouth to an impaired or unconscious individual, place in recovery (left sideways) position with the knees bent and transport to a healthcare centre, bring the label or container if possible. Never leave an intoxicated individual unattended!

If inhaled:
Remove person to fresh air and keep comfortable for breathing. Keep the person calm, maintain body temperature, monitor breathing, start artificial respiration if necessary. Immediately call a POISON CENTER/doctor.

On skin contact:
Wash skin with plenty of water without rubbing.

On contact with eyes:
Rinse immediately with water at least for 15 minutes under running water with eyelids held open. Always check and remove contact lenses. Immediately call a POISON CENTER/doctor.

Most important symptoms and effects, both acute and delayed

Symptoms: Skin and eye contact: Irritation to severe burns of the skin and eyes. May induce eye lacrimation, skin sensitization and/or allergic dermatitis. Mouth contact/ingestion: Irritation to corrosion of the gastrointestinal tract. May include nausea, vomiting, ulceration of the oesophagus and/or stomach with subsequent perforation, hematemesis and/or internal bleeding.
Inhalation/aspiration: Irritation to corrosion of the respiratory tract. May include coughing, rhinitis, coryza, epistaxis, pulmonary oedema, bronchospasm, respiratory distress and/ or asthma. Other clinical manifestations may include; headache, tachycardia, palpitations, hypotension and depression of the CNS.

Indication of any immediate medical attention and special treatment needed

Treatment: Monitor vital signs for at least 24 hours and provide symptomatic and supportive treatment following local protocols. In case of ingestion evaluate realization of endoscopy and immediate dilution and/or decontamination. The use of ipecac syrup is contraindicated. If inhaled, administer a corticosteroid from a controlled/ metered dose inhaler. No known antidote is currently available. Pulmonary oedema prophylaxis.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
foam, water spray, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

nitrogen oxides, carbon oxides
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Avoid aerosol formation.

Protection against fire and explosion:
Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Stove-lacquer RDL 50, glass, Stainless steel 1.4541

Unsuitable materials for containers: Paper/Fibreboard, Carbon steel (Iron)
Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place.
Keep under inert gas.
Keep at temperature not exceeding 40 °C.

Storage stability:
Storage temperature: < 30 °C
Storage duration: 12 Months
From the data on storage duration in this safety data sheet no agreed statement regarding the warrantee of application properties can be deduced.

Specific end use(s)

See exposure scenario(s) in the attachment to this safety data sheet.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

111-30-8: Glutaral

Exposure controls

Personal protective equipment

Respiratory protection:
Breathing protection if gases/vapours are formed. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A) Respiratory protection in case of vapour/aerosol release. Combination filter for gases/vapours of organic compounds and solid and liquid particles (f.e. EN 14387 Type A-P2)

Hand protection:
Chemical resistant protective gloves (EN ISO 374-1)
Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1
butyl rubber (butyl) - 0.7 mm coating thickness
nitrile rubber (NBR) - 0.4 mm coating thickness
Manufacturer's directions for use should be observed because of great diversity of types.
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:
Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. chemical protective suit according to EN 14605 for example made of polyolefin laminate.

General safety and hygiene measures
Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required

additionally to the stated personal protection equipment. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Store work clothing separately.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid	
Colour:	colourless to yellow	
Odour:	pungent odour, Not specifically determined since toxic by inhalation.	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	5,9 (water, 0,5 %(m), 23 °C) 3,7 (water, 50 %(m), 23 °C)	
Melting point:	approx. -18 °C	(Directive 92/69/EEC, A.1)
Boiling point:	101,5 °C (987,1 hPa)	
Flash point:	> 95 °C (50 %(m)) No flash point - Measurement made up to the indicated temperature, pilot light extinguishes.	(closed cup)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability:	not flammable	(derived from flash point)
Lower explosion limit:	1,5 %(V) Product not examined: Value is calculated from the data of the components.	
Upper explosion limit:	50 %(V) Product not examined: Value is calculated from the data of the components.	
Ignition temperature:	395 °C (50 %(m))	(Directive 92/69/EEC, A.15)
Vapour pressure:	20 hPa (20,1 °C)	(measured)
	28 hPa (25,1 °C)	(measured)
	104,68 hPa (50 °C)	
Density:	1,13 g/cm3 (20 °C)	(DIN 51757)
	1,0684 g/cm3 (55 °C)	(calculated)

Relative density:	1,13 (20 °C)	(pyknometer)
Relative vapour density (air):	Water content greater than 10%.	
Solubility in water:	miscible (20,2 °C)	
Partitioning coefficient n-octanol/water (log Kow):	-0,36 (23 °C; pH value: 7)	(Directive 92/69/EEC, A.8)
Self ignition:	not self-igniting	Test type: Spontaneous self-ignition at room-temperature.
Thermal decomposition:	70 °C, 50 kJ/kg (DSC (DIN 51007)) 190 °C, 140 kJ/kg (DSC (DIN 51007)) 395 °C, > 90 kJ/kg (DSC (DIN 51007))	
Viscosity, dynamic:	20 mPa.s (50 °C)	(DIN 53015)
Viscosity, kinematic:	12,75 mm2/s (25 °C)	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	

Other information

Self heating ability:	It is not a substance capable of spontaneous heating.	
SADT:	Study scientifically not justified.	
pKA:	The substance does not dissociate.	
Information on: Glutaral *Adsorption/water - soil:*	*KOC:* 326	*(OECD Guideline 106)*

Surface tension:	68 mN/m (20 °C; 1 g/l)	(OECD-Guideline 115)
Grain size distribution:	Test substance	The substance / product is marketed or used in a non solid or granular form.
Molar mass:	100,12 g/mol	

10. Stability and Reactivity

Reactivity

Corrosion to metals:	No corrosive effect on metal.	
Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated. The product may become unstable at elevated temperatures and under pressure.

Possibility of hazardous reactions

Reacts with amines. Reacts with bases. The progress of reaction is exothermic.

Conditions to avoid
Avoid all sources of ignition: heat, sparks, open flame. See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
amines

Hazardous decomposition products

Thermal decomposition products:
Carbon monoxide, Carbon dioxide

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Experimental/calculated data:
LD50 rat (oral): approx. 154 mg/kg (similar to OECD guideline 401)

LC50 rat (by inhalation): 0,28 - 0,39 mg/l 4 h (similar to OECD guideline 403)
An aerosol was tested.

LD50 rabbit (dermal): > 2.000 mg/kg (similar to OECD guideline 402)

Information on: Glutaral
Assessment of acute toxicity:
Of high toxicity after single ingestion. Of very high toxicity after short-term inhalation. Of low toxicity after short-term skin contact.

Information on: Glutaral

Experimental/calculated data:
LD50 rat (oral): approx. 77 mg/kg (similar to OECD guideline 401)

Information on: glutaral; glutaraldehyde; 1,5-pentanedial
Experimental/calculated data:
LC50 rat (by inhalation): 0,28 - 0,39 mg/l 4 h (similar to OECD guideline 403)
An aerosol was tested.

Information on: Glutaral
Experimental/calculated data:
LD50 rabbit (dermal): > 1.000 mg/kg (similar to OECD guideline 402)
No mortality was observed.

LD50 rat (dermal): > 1.000 mg/kg (OECD Guideline 402)

Irritation

Experimental/calculated data:
Skin corrosion/irritation rabbit: Corrosive. (similar to OECD guideline 404)

Serious eye damage/irritation rabbit: irreversible damage (Draize test)

Information on: Glutaral
Assessment of irritating effects:
Corrosive! Damages skin and eyes.

Information on: Glutaral
Experimental/calculated data:
Skin corrosion/irritation rabbit: Corrosive. (similar to OECD guideline 404)

Information on: Glutaral
Experimental/calculated data:
Serious eye damage/irritation rabbit: irreversible damage (Draize test)

Respiratory/Skin sensitization

Information on: Glutaral
Assessment of sensitization:
Sensitization after skin contact possible. The substance may cause sensitization of the respiratory tract.

Information on: Glutaral
Experimental/calculated data:
Open epicutaneous test (OET) guinea pig: skin sensitizing

human: respiratory sensitizing

Germ cell mutagenicity

Information on: Glutaral
Assessment of mutagenicity:
The substance was mutagenic in various test systems with bacterias and cell cultures; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Information on: Glutaral
Assessment of carcinogenicity:
In long-term animal studies in which the substance was given in the drinking water in high concentrations, a carcinogenic effect was not observed. In long-term animal studies in which the substance was given by inhalation, a carcinogenic effect was not observed.

Reproductive toxicity

Information on: Glutaral
Assessment of reproduction toxicity:
The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Information on: Glutaral
Assessment of teratogenicity:
No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Corrosive to the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Information on: Glutaral
Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation. The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Acutely toxic for aquatic organisms. Toxic to aquatic organisms based on long-term (chronic) toxicity study data. Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

Toxicity to fish:
LC50 (96 h) 1,6 mg/l, Salmo gairdneri, syn. O. mykiss (Fish test acute, static)

LC50 (96 h) 12,4 mg/l, Cyprinodon variegatus (Fish test acute, static)

Aquatic invertebrates:
EC50 (48 h) 4,2 mg/l, Daphnia magna (Daphnia test acute, static)

EC50 (96 h) 1,56 mg/l, Crassostrea virginica (OPP 72-3 (EPA-Guideline), Flow through.)

Aquatic plants:
EC50 (72 h) 1,2 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)

No observed effect concentration (72 h) 0,05 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)
The statement of the toxic effect relates to the analytically determined concentration.

EC50 (72 h) 1,84 mg/l (growth rate), Skeletonema costatum (ISO/DIS 10253, static)
The details of the toxic effect relate to the nominal concentration.

Microorganisms/Effect on activated sludge:
EC20 (30 min) approx. 30 mg/l, activated sludge, domestic (OECD Guideline 209, aerobic)

Chronic toxicity to fish:
No observed effect concentration (97 d) 3,2 mg/l, Oncorhynchus mykiss (Flow through.)

Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 10,0 mg/l, Daphnia magna (OECD Guideline 211, semistatic)
The details of the toxic effect relate to the nominal concentration.

Information on: Glutaral
Assessment of aquatic toxicity:
Very toxic (acute effect) to aquatic organisms. Toxic to aquatic organisms based on long-term (chronic) toxicity study data. Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

Information on: Glutaral
Toxicity to fish:
LC50 (96 h) 0,8 mg/l, Salmo gairdneri, syn. O. mykiss (Fish test acute, static)
The details of the toxic effect relate to the nominal concentration.

LC50 (96 h) 6,2 mg/l, Cyprinodon variegatus (Fish test acute, static)
The details of the toxic effect relate to the nominal concentration.

Information on: Glutaral
Aquatic invertebrates:
EC50 (48 h) 2,1 mg/l, Daphnia magna (Daphnia test acute, static)
The details of the toxic effect relate to the nominal concentration.

EC50 (96 h) 0,78 mg/l, Crassostrea virginica (OPP 72-3 (EPA-Guideline), Flow through.)
The statement of the toxic effect relates to the analytically determined concentration.

Information on: Glutaral
Aquatic plants:
EC50 (72 h) 0,6 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)
The statement of the toxic effect relates to the analytically determined concentration.

No observed effect concentration (72 h) 0,025 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)
The statement of the toxic effect relates to the analytically determined concentration.

EC50 (72 h) 0,92 mg/l (growth rate), Skeletonema costatum (ISO/DIS 10253, static)
The details of the toxic effect relate to the nominal concentration.

Information on: Glutaral
Microorganisms/Effect on activated sludge:
EC20 (30 min) approx. 15 mg/l, activated sludge, domestic (OECD Guideline 209, aerobic)
The details of the toxic effect relate to the nominal concentration.

Information on: Glutaral
Chronic toxicity to fish:
No observed effect concentration (97 d) 1,6 mg/l, Oncorhynchus mykiss (Flow through.)
The details of the toxic effect relate to the nominal concentration.

Information on: Glutaral
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 5,0 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Assessment of terrestrial toxicity:
Toxic effects have been observed in studies with terrestric plants. Toxic effects have been observed in studies with soil living organisms.

Soil living organisms:
LC50 (14 d) > 500 mg/kg, Eisenia foetida (OECD Guideline 207, artificial soil)

EC10 (28 d) 21,0 mg/kg, soil dwelling microorganisms (OECD 217, natural soil)
The details of the toxic effect relate to the nominal concentration.

Terrestrial plants:
EC20 (19 d) > 450 mg/kg, Vicia sativa (OECD Guideline 208)

Information on: Glutaral
Soil living organisms:
LC50 (14 d) 170 mg/kg, Eisenia foetida (OECD Guideline 207, artificial soil)
The details of the toxic effect relate to the nominal concentration.

EC10 (28 d) 10,45 mg/kg, soil dwelling microorganisms (OECD 217, natural soil)
The details of the toxic effect relate to the nominal concentration.

Information on: Glutaral
Terrestrial plants:
EC20 (19 d) 441 mg/kg, Vicia sativa (OECD Guideline 208)

Persistence and degradability

Assessment biodegradation and elimination (H2O):
Readily biodegradable (according to OECD criteria).

Elimination information:
90 - 100 % DOC reduction (28 d) (OECD 301 A (new version)) (aerobic, activated sludge, domestic)

Information on: Glutaral
Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

Information on: Glutaral
Elimination information:
90 - 100 % DOC reduction (28 d) (OECD 301 A (new version)) (aerobic, activated sludge, domestic)

Assessment of stability in water:
In contact with water the substance will hydrolyse slowly.
Information on Stability in Water (Hydrolysis):
$t_{1/2}$ > 1 a (50 °C), (Directive 92/69/EEC, C.7, pH 7)
In contact with water the substance will hydrolyse slowly.

Information on: Glutaral
Assessment of stability in water:
In contact with water the substance will hydrolyse slowly.

Information on: Glutaral
Information on Stability in Water (Hydrolysis):
$t_{1/2}$ > 1 a (pH 7, 50 °C), (Directive 92/69/EEC, C.7)
In contact with water the substance will hydrolyse slowly.

Bioaccumulative potential

Assessment bioaccumulation potential:
No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

Information on: Glutaral
Assessment bioaccumulation potential:
No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

Mobility in soil

Assessment transport between environmental compartments:
Volatility: The substance will not evaporate into the atmosphere from the water surface.
Adsorption in soil: Adsorption to solid soil phase is possible.

Information on: Glutaral
Assessment transport between environmental compartments:
Volatility: The substance will not evaporate into the atmosphere from the water surface.
Adsorption in soil: Adsorption to solid soil phase is possible.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Sum parameter

Chemical oxygen demand (COD): 1.385 mg/g

Biochemical oxygen demand (BOD) Incubation period 5 d: 235 mg/g

Adsorbable organically-bound halogen (AOX):
This product contains no organically-bound halogen.

13. Disposal Considerations

Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Land transport

ADR

UN number or ID number:	UN2922
UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (GLUTARALDEHYDE)
Transport hazard class(es):	8, 6.1, EHSM
Packing group:	II
Environmental hazards:	yes
Special precautions for user:	Tunnel code: E

RID

UN number or ID number:	UN2922
UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (GLUTARALDEHYDE)
Transport hazard class(es):	8, 6.1, EHSM
Packing group:	II
Environmental hazards:	yes
Special precautions for	None known

user:

Inland waterway transport

ADN

UN number or ID number:	UN2922
UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (GLUTARALDEHYDE)
Transport hazard class(es):	8, 6.1, EHSM
Packing group:	II
Environmental hazards:	yes
Special precautions for user:	None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 2922
UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (GLUTARALDEHYDE)
Transport hazard class(es):	8, 6.1, EHSM
Packing group:	II
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-B

Air transport

IATA/ICAO

UN number or ID number:	UN 2922
UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (GLUTARALDEHYDE)
Transport hazard class(es):	8, 6.1
Packing group:	II
Environmental hazards:	No Mark as dangerous for the environment is needed
Special precautions for user:	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

The product has no tendency to form an aerosol when released.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

16. Other Information

Not to be used as an aerosol.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Resp. Sens.	Respiratory sensitization
Skin Sens.	Skin sensitization
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
STOT SE	Specific target organ toxicity — single exposure
H313	May be harmful in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H314	Causes severe skin burns and eye damage.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.
EUH071	Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.