1. Identification

Product identifier used on the label

Myacide® GDA Technical

Recommended use of the chemical and restriction on use

Recommended use*: preserving agent and disinfectant
Recommended use*: Approved only for uses listed on the FIFRA label.

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA
Global Oilfield Chemicals

Telephone: +49 621 60-0
E-mail address: RegXcellenceOilfieldChemicals@basf.com

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	14841
Registration number:	EPA Registration number: 33753-23
Molecular formula:	CHO(CH2)3CHO
Chemical family:	dialdehydes, aqueous solution
Synonyms:	Glutaraldehyde Pentanedial

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox.	3 (oral)	Acute toxicity
Acute Tox.	2 (Inhalation - mist)	Acute toxicity
Skin Corr./Irrit.	1B	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Resp. Sens.	1	Respiratory sensitization
Skin Sens.	1	Skin sensitization
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:

Signal Word:
Danger

Hazard Statement:

H330	Fatal if inhaled.
H301	Toxic if swallowed.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H314	Causes severe skin burns and eye damage.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P260	Do not breathe dust/gas/mist/vapours.
P273	Avoid release to the environment.
P284	In case of inadequate ventilation wear respiratory protection.
P264	Wash contaminated body parts thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353	IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Labeling of special preparations (GHS):
Corrosive to the respiratory tract.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

glutaral
CAS Number: 111-30-8
Content (W/W): >= 50.0 - <= 51.0%
Synonym: Glutaraldehyde

4. First-Aid Measures

Description of first aid measures

General advice:
Relocate individual form contamination site/ source; remove all contaminated clothing avoiding exposure to yourself and/ or others.
Take off contaminated clothing and wash it before reuse. If symptoms persist or worsen seek medical advice/attention. NEVER give anything by mouth to an impaired or unconscious individual, place in recovery (left sideways) position with the knees bent and transport to a healthcare centre, bring the label or container if possible. Never leave an intoxicated individual unattended!

If inhaled:
Remove person to fresh air and keep comfortable for breathing. Keep the person calm, maintain body temperature, monitor breathing, start artificial respiration if necessary. Immediately call a POISON CENTER/doctor.

If on skin:
Wash skin with plenty of water without rubbing.

Remove contaminated clothes.

If in eyes:
Rinse immediately with water at least for 15 minutes under running water with eyelids held open. Always check and remove contact lenses. Immediately call a POISON CENTER/doctor.

Most important symptoms and effects, both acute and delayed

Symptoms: Skin and eye contact: Irritation to severe burns of the skin and eyes. May induce eye lacrimation, skin sensitization and/or allergic dermatitis. Mouth contact/ingestion: Irritation to corrosion of the gastrointestinal tract. May include nausea, vomiting, ulceration of the oesophagus and/or stomach with subsequent perforation, hematemesis and/or internal bleeding. Inhalation/aspiration: Irritation to corrosion of the respiratory tract. May include coughing, rhinitis, coryza, epistaxis, pulmonary oedema, bronchospasm, respiratory distress and/ or asthma. Other clinical manifestations may include; headache, tachycardia, palpitations, hypotension and depression of the CNS.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Monitor vital signs for at least 24 hours and provide symptomatic and supportive treatment following local protocols. In case of ingestion evaluate realization of endoscopy and immediate dilution and/or decontamination. The use of ipecac syrup is contraindicated. If inhaled, administer a corticosteroid from a controlled/ metered dose inhaler. No known antidote is currently available. Pulmonary oedema prophylaxis.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, carbon dioxide, foam

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
No particular hazards known.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:
Do not allow to enter drains or waterways. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Impact Sensitivity:

Impact Weight:	10 kg
Height of Fall:	0.4 m
Method:	Explosive properties

Remarks: Substance/product is not impact sensitve at room temperature.

6. Accidental release measures

Further accidental release measures:
Pack in tightly closed containers for disposal. May release highly flammable and/or corrosive gases/vapours.

Personal precautions, protective equipment and emergency procedures
Wear appropriate respiratory protection. Use personal protective clothing. Ensure adequate ventilation.

Environmental precautions
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up
For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.
Spills should be contained, solidified, and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling
Ensure thorough ventilation of stores and work areas. Avoid aerosol formation.

Protection against fire and explosion:
Avoid all sources of ignition: heat, sparks, open flame.

Conditions for safe storage, including any incompatibilities
Segregate from acids and bases. Segregate from strong oxidizing agents.

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Stove-lacquer RDL 50, glass, Stainless steel 1.4541
Unsuitable materials for containers: Paper/Fibreboard, Carbon steel (Iron)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Store protected against freezing.

Storage stability:
Storage temperature: < 30 °C
Storage duration: 12 Months
From the data on storage duration in this safety data sheet no agreed statement regarding the warrantee of application properties can be deduced.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

glutaral	ACGIH, US:	CLV 0.05 ppm ;

Advice on system design:
Provide local exhaust ventilation to control vapours/mists.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection**:**
Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Do not exceed the maximum use concentration for the respirator facepiece/cartridge combination. For emergency or non-routine, high exposure situations, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection**:**
Chemical resistant protective gloves

Eye protection:
Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
Eye wash fountains and safety showers must be easily accessible. Wear protective clothing as necessary to prevent contact. Avoid inhalation of vapours/mists. Wash soiled clothing immediately. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Store work clothing separately.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	pungent odour, Not specifically determined since toxic by inhalation.	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	colourless to yellow yellow	
pH value:	5.9 (0.5 %(m), 23 °C) 3.7 (50 %(m), 23 °C)	
Melting point:	approx. -18 °C	(Directive 92/69/EEC, A.1)
Boiling point:	101.5 °C (987.1 hPa)	

Sublimation temperature:	not applicable	
Flash point:	> 95 °C (50 %(m)) No flash point - Measurement made up to the indicated temperature, pilot light extinguishes.	(closed cup)
Flammability:	not flammable	(derived from flash point)
Lower explosion limit:	1.5 %(V) Product not examined: Value is calculated from the data of the components.	
Upper explosion limit:	50 %(V) Product not examined: Value is calculated from the data of the components.	
Autoignition:	395 °C (50 %(m))	(Directive 92/69/EEC, A.15)
SADT:	Study scientifically not justified.	
Vapour pressure:	20 hPa (20.1 °C)	(measured)
	28 hPa (25.1 °C)	(measured)
	104.68 hPa (50 °C)	
Density:	1.13 g/cm3 (20 °C)	(DIN 51757)
	1.0684 g/cm3 (55 °C)	(calculated)
Relative density:	1.13 (20 °C)	(pyknometer)
Vapour density:	Water content greater than 10%.	
Partitioning coefficient n-octanol/water (log Pow):	-0.36 (23 °C)	(Directive 92/69/EEC, A.8)
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	70 °C, 50 kJ/kg (DSC (DIN 51007)) 190 °C, 140 kJ/kg (DSC (DIN 51007)) 395 °C, > 90 kJ/kg (DSC (DIN 51007))	
Viscosity, dynamic:	20 mPa.s (50 °C)	(DIN 53015)
Viscosity, kinematic:	12.75 mm2/s (25 °C)	
Solubility in water:	(20.2 °C) miscible	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	No applicable information available.	
Molar mass:	100.12 g/mol	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	

10. Stability and Reactivity

Reactivity

Corrosion to metals:
No corrosive effect on metal.

Oxidizing properties:
Based on its structural properties the product is not classified as oxidizing.

Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.

Chemical stability
The product is stable if stored and handled as prescribed/indicated. The product may become unstable at elevated temperatures and under pressure.
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
The product is chemically stable.

Conditions to avoid
See SDS section 7 - Handling and storage.

Incompatible materials
acids, bases
amines

Hazardous decomposition products

Decomposition products:
Thermal decomposition products: carbon monoxide, carbon dioxide

Thermal decomposition:
70 °C, 2.5 K/min (DSC (DIN 51007))

190 °C, 2.5 K/min (DSC (DIN 51007))

395 °C, 2.5 K/min (DSC (DIN 51007))

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Information on: glutaral

Assessment of acute toxicity:Of high toxicity after single ingestion. Of very high toxicity after short-term inhalation. Of low toxicity after short-term skin contact.

Oral
Type of value: LD50
Species: rat (female)
Value: approx. 154 mg/kg (similar to OECD guideline 401)

Information on: glutaral
Type of value: LD50
Species: rat (female)
Value: approx. 77 mg/kg (similar to OECD guideline 401)

Inhalation
Type of value: LC50
Species: rat (male/female)
Value: 0.28 - 0.39 mg/l (similar to OECD guideline 403)
Exposure time: 4 h
An aerosol was tested.

Information on: glutaral
Type of value: LC50
Species: rat (male/female)
Value: 0.28 - 0.39 mg/l (similar to OECD guideline 403)
Exposure time: 4 h
An aerosol was tested.

Dermal
Type of value: LD50
Species: rabbit (male/female)
Value: > 2,000 mg/kg (similar to OECD guideline 402)

Information on: glutaral
Type of value: LD50
Species: rabbit (male/female)
Value: > 1,000 mg/kg (similar to OECD guideline 402)
No mortality was observed.

Type of value: LD50
Species: rat (male/female)
Value: > 1,000 mg/kg (OECD Guideline 402)

Assessment other acute effects
Assessment of STOT single:
Corrosive to the respiratory tract.

Irritation / corrosion

Information on: glutaral
Assessment of irritating effects: Corrosive! Damages skin and eyes.

Skin
Species: rabbit
Result: Corrosive.
Method: similar to OECD guideline 404

Information on: glutaral
Species: rabbit
Result: Corrosive.
Method: similar to OECD guideline 404

Eye
Species: rabbit
Result: Risk of serious damage to eyes.
Method: Draize test

Information on: glutaral
Species: rabbit
Result: Risk of serious damage to eyes.
Method: Draize test

Sensitization

Information on: glutaral
Assessment of sensitization:
Sensitization after skin contact possible. The substance may cause sensitization of the respiratory tract.

Information on: glutaral
Open epicutaneous test (OET)
Species: guinea pig
Result: sensitizing

Species: human
Result: sensitizing

Aspiration Hazard
No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Information on: glutaral
Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies.

Genetic toxicity

Information on: glutaral
Assessment of mutagenicity: The substance was mutagenic in various test systems with bacterias and cell cultures; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Information on: glutaral
Assessment of carcinogenicity: In long-term animal studies in which the substance was given in the drinking water in high concentrations, a carcinogenic effect was not observed. In long-term animal studies in which the substance was given by inhalation, a carcinogenic effect was not observed.

Reproductive toxicity

Information on: glutaral
Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Information on: glutaral
Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Other Information
The data on toxicology refer to the active ingredient.

Medical conditions aggravated by overexposure
Data available do not indicate that there are medical conditions that are generally recognized as being aggravated by exposure to this substance/product. See SDS section 11 - Toxicological information.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Acutely toxic for aquatic organisms. Toxic to aquatic organisms based on long-term (chronic) toxicity study data. Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

Toxicity to fish
LC50 (96 h) 1.6 mg/l, Salmo gairdneri, syn. O. mykiss (Fish test acute, static)

LC50 (96 h) 12.4 mg/l, Cyprinodon variegatus (Fish test acute, static)

Aquatic invertebrates
EC50 (48 h) 4.2 mg/l, Daphnia magna (Daphnia test acute, static)

EC50 (96 h) 1.56 mg/l, Crassostrea virginica (OPP 72-3 (EPA-Guideline), Flow through.)

Aquatic plants
EC50 (72 h) 1.2 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)

No observed effect concentration (72 h) 0.05 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)
The statement of the toxic effect relates to the analytically determined concentration.

EC50 (72 h) 1.84 mg/l (growth rate), Skeletonema costatum (ISO/DIS 10253, static)
The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish
No observed effect concentration (97 d) 3.2 mg/l, Oncorhynchus mykiss (Flow through.)

Chronic toxicity to aquatic invertebrates
No observed effect concentration (21 d) 10.0 mg/l, Daphnia magna (OECD Guideline 211, semistatic)
The details of the toxic effect relate to the nominal concentration.

Aquatic toxicity

Information on: glutaral
Assessment of aquatic toxicity:
Very toxic (acute effect) to aquatic organisms. Toxic to aquatic organisms based on long-term (chronic) toxicity study data. Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

Toxicity to fish

Information on: glutaral
LC50 (96 h) 0.8 mg/l, Salmo gairdneri, syn. O. mykiss (Fish test acute, static)
The details of the toxic effect relate to the nominal concentration.
LC50 (96 h) 6.2 mg/l, Cyprinodon variegatus (Fish test acute, static)
The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates

Information on: glutaral
EC50 (48 h) 2.1 mg/l, Daphnia magna (Daphnia test acute, static)
The details of the toxic effect relate to the nominal concentration.
EC50 (96 h) 0.78 mg/l, Crassostrea virginica (OPP 72-3 (EPA-Guideline), Flow through.)
The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants

Information on: glutaral
EC50 (72 h) 0.6 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)
The statement of the toxic effect relates to the analytically determined concentration.
No observed effect concentration (72 h) 0.025 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)
The statement of the toxic effect relates to the analytically determined concentration.

EC50 (72 h) 0.92 mg/l (growth rate), Skeletonema costatum (ISO/DIS 10253, static)
The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish

Information on: glutaral
No observed effect concentration (97 d) 1.6 mg/l, Oncorhynchus mykiss (Flow through.)
The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to aquatic invertebrates

Information on: glutaral
No observed effect concentration (21 d) 5.0 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Assessment of terrestrial toxicity
Toxic effects have been observed in studies with terrestric plants. Toxic effects have been observed in studies with soil living organisms.

Soil living organisms

Toxicity to soil dwelling organisms:
LC50 (14 d) > 500 mg/kg, Eisenia foetida (OECD Guideline 207, artificial soil)

EC10 (28 d) 21.0 mg/kg, soil dwelling microorganisms (OECD 217, natural soil)
The details of the toxic effect relate to the nominal concentration.

Toxicity to terrestrial plants

EC20 (19 d) > 450 mg/kg, Vicia sativa (OECD Guideline 208)

Soil living organisms

Information on: glutaral
Toxicity to soil dwelling organisms:
LC50 (14 d) 170 mg/kg, Eisenia foetida (OECD Guideline 207, artificial soil)
The details of the toxic effect relate to the nominal concentration.

EC10 (28 d) 10.45 mg/kg, soil dwelling microorganisms (OECD 217, natural soil)
The details of the toxic effect relate to the nominal concentration.

Toxicity to terrestrial plants

Information on: glutaral
EC20 (19 d) 441 mg/kg, Vicia sativa (OECD Guideline 208)

Microorganisms/Effect on activated sludge

Toxicity to microorganisms
OECD Guideline 209 aerobic
activated sludge, domestic/EC20 (30 min): approx. 30 mg/l

Information on: glutaral
OECD Guideline 209 aerobic
activated sludge, domestic/EC20 (30 min): approx. 15 mg/l
The details of the toxic effect relate to the nominal concentration.

Persistence and degradability

Assessment biodegradation and elimination (H2O)
Readily biodegradable (according to OECD criteria).

Elimination information

90 - 100 % DOC reduction (28 d) (OECD 301 A (new version)) (aerobic, activated sludge, domestic)

Assessment biodegradation and elimination (H2O)

Information on: glutaral

Readily biodegradable (according to OECD criteria).

Elimination information

Information on: glutaral
90 - 100 % DOC reduction (28 d) (OECD 301 A (new version)) (aerobic, activated sludge, domestic)

Assessment of stability in water
In contact with water the substance will hydrolyse slowly.

Information on Stability in Water (Hydrolysis)
$t_{1/2}$ > 1 a (50 °C), (Directive 92/69/EEC, C.7, pH 7)
In contact with water the substance will hydrolyse slowly.

Assessment of stability in water

Information on: glutaral

In contact with water the substance will hydrolyse slowly.

Information on Stability in Water (Hydrolysis)

Information on: glutaral
$t_{1/2}$ > 1 a (pH 7, 50 °C), (Directive 92/69/EEC, C.7)
In contact with water the substance will hydrolyse slowly.

Bioaccumulative potential

Assessment bioaccumulation potential
No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

Assessment bioaccumulation potential

Information on: glutaral

No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

Mobility in soil

Assessment transport between environmental compartments
The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is possible.

Information on: glutaral

The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is possible.

Additional information

Sum parameter

Chemical oxygen demand (COD): 1,385 mg/g

Biochemical oxygen demand (BOD) Incubation period 5 d: 235 mg/g

Ratio BOD/COD: 63 %

Ratio BOD/COD: 78 %

Ratio BOD/COD: 86 %

Adsorbable organically-bound halogen(AOX):
This product contains no organically-bound halogen.

13. Disposal considerations

Waste disposal of substance**:**
Incinerate in suitable incineration plant, observing local authority regulations.
Do not discharge substance/product into sewer system. Incinerate or dispose of in a RCRA-licensed facility.

Container disposal:
Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport
USDOT

Hazard class:	8
Packing group:	II
ID number:	UN 2922

Hazard label:	8, 6.1, EHSM
Proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (contains GLUTARALDEHYDE)

Sea transport
IMDG

Hazard class:	8
Packing group:	II
ID number:	UN 2922
Hazard label:	8, 6.1, EHSM
Marine pollutant:	YES
Proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (contains GLUTARALDEHYDE)

Air transport
IATA/ICAO

Hazard class:	8
Packing group:	II
ID number:	UN 2922
Hazard label:	8, 6.1
Proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (contains GLUTARALDEHYDE)

Further information
The product has no tendency to form an aerosol when released.

15. Regulatory Information

Federal Regulations

Registration status:
Biocide TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

CERCLA RQ	CAS Number	Chemical name
5000 LBS	67-56-1	Methanol

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:
Health: 3 Fire: 1 Reactivity: 0 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.
DANGER:
CORROSIVE.
CAUSES IRREVERSIBLE EYE DAMAGE.
CAUSES SKIN BURNS.
HARMFUL IF INHALED.
HARMFUL IF ABSORBED THROUGH SKIN.
May be fatal if swallowed.
Do not get in eyes, on skin, or on clothing.
Avoid inhalation of mists/vapours.
Not to be used as an aerosol.
Do not swallow.
Prolonged or repeated skin contact may cause sensitization or allergic reactions.
May cause asthmatic signs and symptoms in some hyper-reactive individuals.
Wear protective eyeware (goggles or face shield).
Wear chemical resistant protective gloves.
Wear protective clothing.
Wash thoroughly with soap and water after handling and before eating, drinking and using tobacco.
Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2022/09/10

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Myacide® GDA Technical is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY

UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET