We create chemistry

# Safety data sheet



## 1. Substance/preparation and manufacturer/supplier identification

**Product name:**
BalanGut™ LS L

Manufacturer/supplier:
BASF Australia Limited (ABN 62 008 437 867)
Level 23, 40 City Road, Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600

Emergency information:
BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

Classification of the substance and mixture:
Eye irritation: Cat.2A

Label elements and precautionary statement:

Pictogram:

Signal Word:
Warning

Hazard Statement:
H319 Causes serious eye irritation.

Precautionary Statements (Prevention):

| | |
|---|---|
| P280 | Wear eye protection. |
| P264 | Wash contaminated body parts thoroughly after handling. |

Precautionary Statements (Response):

| | |
|---|---|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337 + P313 | If eye irritation persists: Get medical attention. |

Other hazards which do not result in classification:
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## 3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Blend based on:
Mono-, Di- and Triglycerides of C4, C8 and C10 saturated fatty acids, glycerol

**Hazardous ingredients**

butyric acid

| | |
|---|---|
| Content (W/W): > 0 % - < 0.2 % | Flam. Liq.: Cat. 4 |
| CAS Number: 107-92-6 | Acute Tox.: Cat. 4 (oral) |
| | Skin Corr./Irrit.: Cat. 1B |
| | Eye Dam./Irrit.: Cat. 1 |
| | Aquatic Acute: Cat. 3 |

## 4. First-Aid Measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
2-propenal, harmful vapours, carbon oxides
The substances/groups of substances mentioned can be released in case of fire. Evolution of fumes/fog. Burning produces harmful and toxic fumes.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
Cool endangered containers with water-spray.

## 6. Accidental Release Measures

Personal precautions:
Use personal protective clothing.Information regarding personal protective measures, see section 8.Ensure adequate ventilation.Do not breathe vapour/spray.Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations.

## 7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed.

Protection against fire and explosion:
Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

## 8. Exposure controls and personal protection

Components with occupational exposure limits

glycerol, 56-81-5;
TWA value 10 mg/m3 (AU NOEL), Inhalable mist
This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
TWA value 10 mg/m3 (OEL (AU)), Inhalable dust

Personal protective equipment

Respiratory protection:
Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with eyes. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

## 9. Physical and Chemical Properties

| | | |
|---|---|---|
| Form: | liquid | |
| Colour: | light brown, clear | |
| Odour: | nutty | |
| Odour threshold: | not determined | |
| pH value: | 3.0<br>(10 %(m)) | |
| Melting temperature: | -78 °C | |
| boiling temperature: | The substance / product decomposes therefore not determined. | |
| Flash point: | 176 °C | (ASTM D93) |
| Flammability (solid/gas): | hardly combustible | (derived from flash - and boiling point) |
| Lower explosion limit: | For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point. | |
| Upper explosion limit: | For liquids not relevant for classification and labelling. | |
| Ignition temperature: | 381 °C | (DIN EN ISO/IEC 80079-20-1) |
| Thermal decomposition: | >= 320 °C<br>self-accelerating reaction | (DSC (DIN 51007)) |
| Self heating ability: | not applicable | |
| SADT: | > 75 °C<br>Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4) | |
| Explosion hazard: | Based on the chemical structure there is no indication of explosive properties. | |
| Fire promoting properties: | Based on its structural properties the product is not classified as oxidizing. | |
| Vapour pressure: | not determined | |
| Density: | approx. 1.190 g/cm3<br>(20 °C) | |
| Relative vapour density (air): | > 1<br>(20 °C)<br>Heavier than air. | (calculated) |

| | | |
|---|---|---|
| | > 1<br>(20 °C)<br>Heavier than air. | (calculated) |
| Solubility in water: | partly miscible | |
| Solubility (qualitative) solvent(s): | Ethanol, ether | |
| Partitioning coefficient n-octanol/water (log Pow): | not applicable for mixtures | |
| Viscosity, dynamic: | 718 mPa.s<br>(20 °C) | |
| Viscosity, kinematic: | approx. 603 mm2/s<br>calculated | (calculated (from dynamic viscosity)) |

## 10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage.

| | |
|---|---|
| Thermal decomposition: | >= 320 °C (DSC (DIN 51007))<br>self-accelerating reaction |

Substances to avoid:
None known during use and storage if used according to instructions.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

## 11. Toxicological Information

### Routes of exposure

#### Acute oral toxicity

Experimental/calculated data:
LD50mouse (oral): > 6,000 mg/kg

#### Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

### Irritation

Assessment of irritating effects:
Eye contact causes irritation.

Experimental/calculated data:
Skin corrosion/irritation In vitro assay: non-irritant (OECD Guidelines 431/439)

Serious eye damage/irritation In vitro assay: Irritant. (In-vitro test)

### Respiratory/Skin sensitization

Assessment of sensitization:
Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Experimental/calculated data:
Bacterial reverse mutation assay
Bacteria: negative (OECD Guideline 471)

### Carcinogenicity

Assessment of carcinogenicity:
Based on available data, the classification criteria are not met.

### Reproductive toxicity

Assessment of reproduction toxicity:
Based on available data, the classification criteria are not met.

### Developmental toxicity

Assessment of teratogenicity:
Based on available data, the classification criteria are not met.

### Specific target organ toxicity (single exposure)

Remarks: Based on available data, the classification criteria are not met.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
Based on available data, the classification criteria are not met.

### Aspiration hazard

No data available.

### Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

## 12. Ecological Information

### Ecotoxicity

Assessment of aquatic toxicity:
Based on available data, the classification criteria are not met.

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, semistatic)
Limit concentration test only (LIMIT test).

Microorganisms/Effect on activated sludge:
EC10 (3 h) > 1,000 mg/l, activated sludge, domestic, non-adapted (OECD Guideline 209, aerobic)

Assessment of terrestrial toxicity:
No data available.

### Mobility

Assessment transport between environmental compartments:
not determined
not determined

### Persistence and degradability

Assessment biodegradation and elimination (H2O):
Readily biodegradable (according to OECD criteria).

Elimination information:
83 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (aerobic, activated sludge, domestic, non-adapted) Readily biodegradable (according to OECD criteria).

### Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

## 13. Disposal Considerations

Observe national and local legal requirements.

## 14. Transport Information

**Domestic transport:**

Not classified as a dangerous good under transport regulations

| | |
|---|---|
| UN number or ID number | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Sea transport**
IMDG

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable<br>Marine pollutant: no |
| Special precautions for user | None known |

**Air transport**
IATA/ICAO

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number | Not applicable |
| Proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

## 15. Regulatory Information

**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

**Registration status:**

AICIS, AU

Contains non-registered, non-listed substance., Individual registration may be required., Please contact your BASF representative.

## 16. Other Information

Any other intended applications should be discussed with the manufacturer.Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.