We create chemistry

Safety Data Sheet
Teraxxa F4 Seed Treatment

1. Identification

Product identifier used on the label

Teraxxa F4 Seed Treatment

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Repr.	2 (fertility)	Reproductive toxicity
STOT RE	2	Specific target organ toxicity — repeated exposure
Skin Sens.	1B	Skin sensitization

Carc.	2	Carcinogenicity
Repr.	Add. cat. lact.	Reproductive toxicity
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:

Signal Word:
Warning

Hazard Statement:

H317	May cause an allergic skin reaction.
H362	May cause harm to breast-fed children.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P260	Do not breathe dust or mist.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P263	Avoid contact during pregnancy and while nursing.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

Labeling of special preparations (GHS):
May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one, metalaxyl, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Benzamide, 3-(benzoylmethylamino)-N-[2-bromo-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-6-(trifluoromethyl)phenyl]-2-fluoro-
CAS Number: 1207727-04-5
Content (W/W): 1.55 %
Synonym: No data available.

Fluxapyroxad
CAS Number: 907204-31-3
Content (W/W): 0.78 %
Synonym: No data available.

Pyraclostrobin
CAS Number: 175013-18-0
Content (W/W): 1.55 %
Synonym: No data available.

Triticonazole
CAS Number: 131983-72-7
Content (W/W): 1.55 %
Synonym: Triticonazole

metalaxyl
CAS Number: 57837-19-1
Content (W/W): 0.93 %
Synonym: DL-Alanine, N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-, methyl ester

Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt
CAS Number: 119432-41-6
Content (W/W): 1.0 - 3.0%
Synonym: (NON-PLC) Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt

bronopol
CAS Number: 52-51-7
Content (W/W): < 0.1%
Synonym: 2-Bromo-2-nitro-1,3-propanediol; Bronopol

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
CAS Number: 55965-84-9
Content (W/W): < 0.1%
Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-isothiazolone

Residues (petroleum), catalytic reformer fractionator, sulfonated,polymers with formaldehyde, sodium salts
CAS Number: 68425-94-5
Content (W/W): >= 0.3 - < 3.0%
Synonym: Residues (petroleum), catalytic reformer fractionator, sulfonated,polymers with formaldehyde, sodium salts

4. First-Aid Measures

Description of first aid measures

General advice:
First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

If on skin:
Wash thoroughly with soap and water

If in eyes:
Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:
Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, Hydrogen chloride, carbon dioxide, hydrogen fluoride, hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides, silica compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters
Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up
Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling
No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities
Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.
The packed product is not damaged by low temperatures or by frost.
Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Pyraclostrobin	TWA value 0.13 mg/m3 ;

Advice on system design:
Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:
Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:
Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:
Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid
Odour:	odourless
Odour threshold:	not applicable, odour not perceivable
Colour:	red
pH value:	approx. 5.5 - 7.5 (1 %(m), 20 °C)

Melting point:	approx. 0 °C Information applies to the solvent.
Boiling point:	approx. 100 °C Information applies to the solvent.
Flash point:	No flash point - Measurement made up to pilot light extinguishes.
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	470 °C
SADT:	> 75 °C
Vapour pressure:	approx. 23 hPa (20 °C) Information applies to the solvent.
Density:	approx. 1.08 g/cm3 (20 °C)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.
Information on: metalaxyl	
Partitioning coefficient n-octanol/water (log Pow):	1.65

Thermal decomposition:	180 °C, 1,270 kJ/kg (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.
Viscosity, dynamic:	approx. 56.9 mPa.s (20 °C)
Solubility in water:	soluble
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid
See SDS section 7 - Handling and storage.

Incompatible materials
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:
180 °C
(onset temperature)
Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Oral
Type of value: LD50
Species: rat
Value: > 2,000 mg/kg
No mortality was observed.

Inhalation
Type of value: LC50
Species: rat
Value: > 5.54 mg/l

Dermal
Type of value: LD50
Species: rat
Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion
Assessment of irritating effects: Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Skin
Species: rabbit
Result: non-irritant

Eye
Species: rabbit
Result: non-irritant

Sensitization
Assessment of sensitization: Sensitization after skin contact possible. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Buehler test
Species: guinea pig
Result: sensitizing

Aspiration Hazard
not applicable

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin
Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: Triticonazole
Assessment of repeated dose toxicity: No known chronic effects.
Repeated exposure may affect certain organs.

Information on: Fluxapyroxad
Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: bronopol
Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.

Genetic toxicity
Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bronopol
Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Information on: Triticonazole
Assessment of mutagenicity: No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. The substance was not mutagenic in a test with mammals.

Carcinogenicity
Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad
Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide
Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity
Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad
Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Information on: Triticonazole
Assessment of reproduction toxicity: The potential to impair fertility cannot be excluded when given at maternally toxic doses.

Teratogenicity
Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Triticonazole
Assessment of teratogenicity: The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals.

Information on: metalaxyl

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Other Information
Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide
LC50 (96 h) 0.246 mg/l, Lepomis macrochirus

Information on: pyraclostrobin
LC50 (96 h) 0.00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

Information on: Triticonazole
LC50 (96 h) > 3.6 mg/l, Oncorhynchus mykiss

Information on: Fluxapyroxad
LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)
LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)
LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static)
LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

Information on: metalaxyl
LC50 (96 h) 27 mg/l, Lepomis macrochirus

Aquatic invertebrates

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide
LC50 (96 h) 0.000024 mg/l, Americamysis bahia
LC50 (48 h) 0.000042 mg/l, Americamysis bahia

Information on: pyraclostrobin
EC50 (48 h) 0.0157 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on: Triticonazole
EC50 (96 h) 6.6 mg/l, Americamysis bahia

Information on: Fluxapyroxad
EC50 (48 h) 6.78 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on: metalaxyl
LC50 12.5 mg/l, Daphnia magna

Aquatic plants

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide
EC50 (72 h) > 0.33 mg/l (growth rate), Skeletonema costatum
No observed effect concentration (72 h) 0.13 mg/l (growth rate), Skeletonema costatum

Information on: pyraclostrobin
EC50 (72 h) > 0.843 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)
EC10 (72 h) 0.078 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Information on: Triticonazole
EC50 (120 h) 0.31 mg/l, Skeletonema costatum
No observed effect concentration (120 h) 0.031 mg/l, Skeletonema costatum
EC50 (14 d) 1.4 mg/l, Lemna gibba
No observed effect concentration (14 d) 0.33 mg/l, Lemna gibba
EC50 (72 h) 10 mg/l, Pseudokirchneriella subcapitata
No observed effect concentration (72 h) 3.2 mg/l, Pseudokirchneriella subcapitata

Information on: Fluxapyroxad
EC50 (72 h) 0.70 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)
EC50 (96 h) 0.66 mg/l (growth rate), Pseudokirchneriella subcapitata
EC10 (72 h) 0.31 mg/l (growth rate), Pseudokirchneriella subcapitata
EC10 (96 h) 0.36 mg/l (growth rate), Pseudokirchneriella subcapitata
---

Chronic toxicity to fish

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide
No observed effect concentration (33 d) 0.051 mg/l, Pimephales promelas
No observed effect concentration (34 d) 0.010 mg/l, Cyprinodon variegatus

Information on: pyraclostrobin
No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)

Information on: Triticonazole
No observed effect concentration (28 d) 0.01 mg/l, Oncorhynchus mykiss
No observed effect concentration (175 d) 0.0114 mg/l, Pimephales promelas

Information on: Fluxapyroxad
No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)

Chronic toxicity to aquatic invertebrates

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide
No observed effect concentration (28 d) 0,0000063 mg/L, Mysidopsis bahia

Information on: pyraclostrobin
No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)
The details of the toxic effect relate to the nominal concentration.
No observed effect concentration (28 d) 0.00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)
The statement of the toxic effect relates to the analytically determined concentration.

Information on: Triticonazole
No observed effect concentration (28 d) 0.041 mg/l, Mysidopsis bahia

Information on: Fluxapyroxad
No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Persistence and degradability

Assessment biodegradation and elimination (H2O)
The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on:
Broflanilide, 3-(benzoylmethylamino)-N-[2-bromo-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-6-(trifluoromethyl)phenyl]-2-fluoro-benzamide

Not readily biodegradable (by OECD criteria).

Information on: pyraclostrobin

Not readily biodegradable (by OECD criteria).

Information on: Triticonazole

Not readily biodegradable (by OECD criteria).

Information on: Fluxapyroxad

Not readily biodegradable (by OECD criteria).

Information on: metalaxyl

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential
The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: metalaxyl

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential

Information on:
Broflanilide, 3-(benzoylmethylamino)-N-[2-bromo-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-6-(trifluoromethyl)phenyl]-2-fluoro-benzamide

Bioconcentration factor: 189 - 234 (27 d), Oncorhynchus mykiss (OECD Guideline 305 E)

Information on: pyraclostrobin

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)
Accumulation in organisms is not to be expected.

Information on: Triticonazole

Bioconcentration factor: 72.55 (42 d), Lepomis macrochirus
Does not accumulate in organisms.

Information on: Fluxapyroxad

Bioconcentration factor: 36 - 37 (28 d), Lepomis macrochirus (OECD-Guideline 305)
Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:
Broflanilide, 3-(benzoylmethylamino)-N-[2-bromo-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-6-(trifluoromethyl)phenyl]-2-fluoro-benzamide

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyraclostrobin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Triticonazole

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: Fluxapyroxad

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:
See product label for disposal and recycling instructions.

Container disposal:
Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Land transport
TDG

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains BROFLANILIDE)

Air transport
IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains BROFLANILIDE)

Further information
Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

15. Regulatory Information

Federal Regulations

Registration status:
Crop Protection DSL, CA released / exempt

Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:
WARNING:
Contains the allergen soy.
Potential skin sensitizer.
KEEP OUT OF REACH OF CHILDREN.
KEEP OUT OF REACH OF DOMESTIC ANIMALS.
The substance may cause sensitization of the skin in particularly sensitive individuals.
HARMFUL IF SWALLOWED.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

---

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2023/03/20

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET