We create chemistry

# Safety data sheet



## 1. Identification

### Product identifier

## SKYTITE® C3-2.5 R RESIN

Recommended use: polyurethane component, industrial chemicals

Not recommended use: Uses other than recommended

### Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Telephone: +49 621 60-0
E-mail address: global.info@basf.com

### Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

## 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)
Skin Irrit. 2

Carc. 2
Eye Dam. 1
Aquatic Acute 2
Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

## Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Danger

Hazard Statement:

| | |
|---|---|
| H318 | Causes serious eye damage. |
| H315 | Causes skin irritation. |
| H302 | Harmful if swallowed. |
| H351 | Suspected of causing cancer. |
| H401 | Toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary Statements (Prevention):

| | |
|---|---|
| P280 | Wear protective gloves, protective clothing and eye protection or face protection. |
| P201 | Obtain special instructions before use. |
| P273 | Avoid release to the environment. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P270 | Do not eat, drink or smoke when using this product. |
| P264 | Wash contaminated body parts thoroughly after handling. |

Precautionary Statements (Response):

| | |
|---|---|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or physician. |
| P308 + P313 | IF exposed or concerned: Get medical attention. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P330 | Rinse mouth. |
| P391 | Collect spillage. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |

Precautionary Statements (Storage):

| | |
|---|---|
| P405 | Store locked up. |

Precautionary Statements (Disposal):

| | |
|---|---|
| P501 | Dispose of contents and container to hazardous or special waste collection point. |

### Other hazards

According to UN GHS criteria

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

## 3. Composition/Information on Ingredients

### Substances

Not applicable

### Mixtures

Chemical nature

Preparation based on: polyol, catalyst, additives

Hazardous ingredients (GHS)
According to UN GHS criteria

Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched

| | |
|---|---|
| Content (W/W): >= 0 % - < 10 % | Eye Irrit. 2B |
| CAS Number: 127087-87-0 | Aquatic Chronic 2 |
| EC-Number: 500-315-8 | Aquatic Acute 2 |
| | H319, H315, H401, H411 |

Triethyl phosphate

| | |
|---|---|
| Content (W/W): >= 0,1 % - < 5 % | Acute Tox. 4 (oral) |
| CAS Number: 78-40-0 | Eye Irrit. 2A |
| EC-Number: 201-114-5 | H319, H302 |
| INDEX-Number: 015-013-00-7 | |

Cyclohexyldimethylamine

| | |
|---|---|
| Content (W/W): >= 0,1 % - < 5 % | Flam. Liq. 3 |
| CAS Number: 98-94-2 | Acute Tox. 3 (Inhalation - vapour) |
| EC-Number: 202-715-5 | Acute Tox. 3 (oral) |
| | Acute Tox. 3 (dermal) |
| | Skin Corr./Irrit. 1B |
| | Eye Dam./Irrit. 1 |
| | Aquatic Acute 2 |
| | Aquatic Chronic 3 |
| | H226, H314, H301 + H311 + H331, H412, H401 |

2,2'-Oxydiethanol

| | |
|---|---|
| Content (W/W): >= 3 % - < 10 % | Acute Tox. 4 (oral) |
| CAS Number: 111-46-6 | H302 |
| EC-Number: 203-872-2 | |
| INDEX-Number: 603-140-00-6 | |

2,2'-Dimorpholinyldiethyl ether

| | |
|---|---|
| Content (W/W): >= 0,1 % - < 5 % | Acute Tox. 5 (oral) |
| CAS Number: 6425-39-4 | Acute Tox. 5 (dermal) |
| EC-Number: 229-194-7 | Skin Corr./Irrit. 3 |
| | Eye Dam./Irrit. 2B |
| | H320, H316, H303 + H313 |

Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol

| | |
|---|---|
| Content (W/W): >= 0 % - < 20 % | Acute Tox. 4 (oral) |
| CAS Number: 940912-28-7 | Skin Corr./Irrit. 2 |
| | Eye Dam./Irrit. 1 |
| | H318, H315, H302 |

1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-

| | |
|---|---|
| Content (W/W): >= 7 % - < 15 % | Press. Gas Liquef. Gas |
| CAS Number: 102687-65-0 | Aquatic Acute 3 |
| | Aquatic Chronic 3 |
| | H280, H402, H412 |

Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide

| | |
|---|---|
| Content (W/W): >= 0,1 % - < 5 % | Skin Corr./Irrit. 2 |
| CAS Number: 34354-45-5 | Eye Dam./Irrit. 1 |
| | Acute Tox. 4 (oral) |
| | H318, H315, H302 |

Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes

| | |
|---|---|
| Content (W/W): >= 0,1 % - < 5 % | Acute Tox. 5 (oral) |
| CAS Number: 2365490-81-7 | Skin Irrit. 2 |
| | Eye Dam. 1 |
| | Skin Sens. 1 |
| | Muta. 2 |
| | H318, H315, H303, H317, H341 |

Ixol M 125

| | |
|---|---|
| Content (W/W): >= 1 % - < 7 % | Acute Tox. 4 (oral) |
| CAS Number: 86675-46-9 | H302 |

Aromatic Amino Polyol

| | |
|---|---|
| Content (W/W): >= 0 % - < 20 % | Acute Tox. 4 (dermal) |
| CAS Number: 302933-85-3 | Eye Dam./Irrit. 1 |
| | Aquatic Acute 1 |
| | Aquatic Chronic 1 |
| | Acute Tox. 5 (oral) |
| | M-factor acute: 1 |
| | M-factor chronic: 1 |
| | H318, H312, H303, H400, H410 |

Tris(2-chloro-1-methylethyl) phosphate

| | |
|---|---|
| Content (W/W): >= 3 % - < 10 % | Acute Tox. 4 (oral) |
| CAS Number: 13674-84-5 | Carc. 2 |
| EC-Number: 237-158-7 | Aquatic Acute 3 |
| | Aquatic Chronic 3 |
| | H302, H351, H402, H412 |

Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched

| | |
|---|---|
| Content (W/W): >= 1 % - < 3 % | Acute Tox. 4 (Inhalation - vapour) |
| CAS Number: 127087-87-0 | Acute Tox. 4 (oral) |
| EC-Number: 500-315-8 | Eye Dam. 1 |
| | Skin Irrit. 2 |
| | Aquatic Acute 2 |
| | Aquatic Chronic 2 |
| | H318, H315, H302 + H332, H401, H411 |

Ethane-1,2-diol

| | |
|---|---|
| Content (W/W): >= 0 % - < 5 % | Acute Tox. 4 (oral) |
| CAS Number: 107-21-1 | STOT RE (Kidney) 2 |
| EC-Number: 203-473-3 | H302, H373 |
| INDEX-Number: 603-027-00-1 | |

1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol

Content (W/W): >= 1 % - < 5 %
CAS Number: 77098-07-8

Bismuth tris(2-ethylhexanoate)

| | |
|---|---|
| Content (W/W): >= 0,1 % - < 1 % | Acute Tox. 5 (oral) |
| CAS Number: 67874-71-9 | Skin Corr./Irrit. 2 |
| EC-Number: 267-499-7 | Eye Dam./Irrit. 1 |
| INDEX-Number: 607-230-00-6 | Repr. 2 (unborn child) |
| | H318, H315, H303, H361 |

For the classifications not written out in full in this section the full text can be found in section 16.

## 4. First-Aid Measures

### Description of first aid measures

Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

If irritation develops, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Remove contact lenses, if present.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

### Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

### Special hazards arising from the substance or mixture

Carbon dioxide, Carbon monoxide, nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## 6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8.

### Environmental precautions

Do not empty into drains. Do not discharge into the subsoil/soil.

### Methods and material for containment and cleaning up

For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of contaminated material as prescribed.

## 7. Handling and Storage

### Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Protect against moisture.

Protection against fire and explosion:
No special precautions necessary.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Suitable materials for containers: Carbon steel (Iron), High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4301 (V2)
Further information on storage conditions: From this information no suitability of the materials mentioned above for the design of installations, including containers for permanent storage, can be inferred. Special conditions apply to the selection of materials in this regard, which we can communicate on request.
Keep container tightly closed.

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## 8. Exposure Controls/Personal Protection

### Control parameters

Components with occupational exposure limits

78-40-0: Triethyl phosphate
98-94-2: Cyclohexyldimethylamine
107-21-1: Ethane-1,2-diol
111-46-6: 2,2'-Oxydiethanol
112-60-7: 3,6,9-Trioxaundecane-1,11-diol

### Exposure controls

Personal protective equipment

Respiratory protection:
Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied.

## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

| | |
|---|---|
| State of matter: | liquid |
| Form: | liquid |
| Colour: | amber |
| Odour: | amine-like |

| | | |
|---|---|---|
| Odour threshold: | No applicable information available. | |
| Freezing point: | > 0,00 °C | |
| Melting point: | No data available. | |
| Boiling point: | > 100,00 °C | |
| Sublimation point: | No applicable information available. | |
| Flammability: | not flammable | (derived from flash point) |
| Lower explosion limit: | For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point. | |
| Upper explosion limit: | For liquids not relevant for classification and labelling. | |
| Flash point: | > 200,00 °F | (closed cup) |
| Auto-ignition temperature: | Unspecified | |
| Thermal decomposition: | No decomposition if stored and handled as prescribed/indicated. | |
| pH value: | >= 7,0 | |
| Viscosity, kinematic: | not determined | |
| Viscosity, dynamic: | 320,000 mPa.s (22,00 °C) | |
| Solubility in water: | slightly soluble | |
| Solubility (qualitative) : | No applicable information available. | |
| Solubility (quantitative): | No applicable information available. | |
| Partitioning coefficient n-octanol/water (log Kow): | Unspecified | |
| Vapour pressure: | < 0,1 hPa (25 °C) | |
| Relative density: | No applicable information available. | |
| Density: | 2,25 - 2,45 lb/USg (23,88 °C) | |
| Relative vapour density (air): | No applicable information available. | |

## 9.2. Other information

**Information with regard to physical hazard classes**

Explosives
Explosion hazard: not explosive
Oxidizing properties
Fire promoting properties: Not an oxidizer.
Self-heating substances and mixtures
Self heating ability: not applicable, the product is a liquid
Corrosion to metals

No corrosive effect on metal.

**Other safety characteristics**

| | |
|---|---|
| Other Information: | If necessary, information on other physical and chemical parameters is indicated in this section. |
| Evaporation rate: | Value can be approximated from Henry's Law Constant or vapor pressure. |

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

### Chemical stability

The product is chemically stable.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Temperature: < 0 °C

See SDS section 7 - Handling and storage.

### Incompatible materials

Substances to avoid:
acids, oxidizing agents, isocyanates

### Hazardous decomposition products

:
No hazardous decomposition products if stored and handled as prescribed/indicated.

## 11. Toxicological Information

### Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after single ingestion.

Experimental/calculated data:
ATE (oral): 1.675 mg/kg

(by inhalation):No applicable information available.

(dermal):No applicable information available.

*Information on: 2,2'-Oxydiethanol*
*Assessment of acute toxicity:*
*Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.*

*Information on: Tris(2-chloro-1-methylethyl) phosphate*
*Assessment of acute toxicity:*
*Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.*

*Information on: Triethyl phosphate*
*Assessment of acute toxicity:*
*Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.*

*Information on: Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol*
*Assessment of acute toxicity:*
*Of moderate toxicity after single ingestion.*

*Information on: Cyclohexyldimethylamine*
*Assessment of acute toxicity:*
*Of pronounced toxicity after short-term skin contact. Of pronounced toxicity after short-term inhalation. Of pronounced toxicity after single ingestion.*

*Information on: Ixol M 125*
*Assessment of acute toxicity:*
*Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation.*

*Information on: Polyetherpolyol, halogenated*
*Information on: Aromatic Amino Polyol*
*Assessment of acute toxicity:*
*Of moderate toxicity after short-term skin contact. Of low toxicity after single ingestion.*

*Information on: Ethane-1,2-diol*
*Assessment of acute toxicity:*
*Of moderate toxicity after single ingestion. Classification according to the effects on man. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.*

*Information on: 2,2'-Dimorpholinyldiethyl ether*
*Assessment of acute toxicity:*
*Of low toxicity after single ingestion. Of low toxicity after short-term skin contact.*

*Information on: Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched----------*

Irritation

Assessment of irritating effects:

May cause severe damage to the eyes. Skin contact causes irritation.

*Information on: Triethyl phosphate*
*Assessment of irritating effects:*
*Not irritating to the skin. Eye contact causes irritation.*

*Information on: 2,2'-Dimorpholinyldiethyl ether*
*Assessment of irritating effects:*
*Eye contact causes irritation. Skin contact causes slight irritation.*

*Information on: Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol*
*Assessment of irritating effects:*
*Skin contact causes irritation. May cause severe damage to the eyes.*

*Information on: Cyclohexyldimethylamine*
*Assessment of irritating effects:*
*Corrosive! Damages skin and eyes.*

*Information on: Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes*
*Information on: Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched*
*Information on: Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide*
*Assessment of irritating effects:*
*Skin contact causes irritation. May cause severe damage to the eyes.*

*Information on: Aromatic Amino Polyol*
*Assessment of irritating effects:*
*May cause severe damage to the eyes.*

*Information on: Bismuth tris(2-ethylhexanoate)*
*Assessment of irritating effects:*
*Skin contact causes irritation. May cause severe damage to the eyes.*
---

Germ cell mutagenicity

Assessment of mutagenicity:
The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

Carcinogenicity

Assessment of carcinogenicity:
Indication of possible carcinogenic effect in animal tests.

*Information on: Tris(2-chloro-1-methylethyl) phosphate*
*Assessment of carcinogenicity:*
*Indication of possible carcinogenic effect in animal tests.*
---

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Origin of data: expert judgement

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
Repeated oral uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. Repeated dermal uptake of the substance did not cause substance-related effects.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

## 12. Ecological Information

### Toxicity

Assessment of aquatic toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Acutely toxic for aquatic organisms. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

*Information on: Tris(2-chloro-1-methylethyl) phosphate*
*Toxicity to fish:*
*LC50 (96 h) 51 mg/l, Pimephales promelas (OECD Guideline 203, static)*
*The statement of the toxic effect relates to the analytically determined concentration.*

*Information on: Cyclohexyldimethylamine*
*Toxicity to fish:*
*LC50 (96 h) 28 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EWG, C.1, static)*

*Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-*
*Toxicity to fish:*
*LC50 (96 h) 38 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EWG, C.1, static)*

*Information on: Aromatic Amino Polyol*
*Toxicity to fish:*
*LC50 (96 h) 1,07 mg/l (Flow through.)*

*Information on: 1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol*
*Toxicity to fish:*
*LC50 (96 h) 12 mg/l, Lepomis macrochirus (EPA 72-3, static)*
*The product has not been tested. The statement has been derived from the properties of the individual components.*
---

*Information on: Tris(2-chloro-1-methylethyl) phosphate*
*Aquatic invertebrates:*
*EC50 (48 h) 131 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*
*The statement of the toxic effect relates to the analytically determined concentration.*

*Information on: Cyclohexyldimethylamine*
*Aquatic invertebrates:*
*LC50 (48 h) 75 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*
*The statement of the toxic effect relates to the analytically determined concentration.*

*Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-*
*Aquatic invertebrates:*
*EC50 (48 h) 82 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*

*Information on: Aromatic Amino Polyol*
*Aquatic invertebrates:*
*EC50 (48 h) 8,35 mg/l (Flow through.)*

*Information on: 1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol*
*Aquatic invertebrates:*
*EC50 (48 h) 1,27 - 4,95 mg/l, daphnia (calculated, other)*
---

*Information on: Tris(2-chloro-1-methylethyl) phosphate*
*Aquatic plants:*
*EC50 (72 h) 82 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*Nominal concentration.*

*No observed effect concentration (72 h) 42 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*Nominal concentration.*

*Information on: Cyclohexyldimethylamine*
*Aquatic plants:*
*EC50 (72 h) 3,5 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*Nominal values (confirmed by concentration control analytics)*

*EC10 (72 h) 0,6 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*Nominal values (confirmed by concentration control analytics)*

*Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-*
*Aquatic plants:*
*EC50 (72 h) > 215 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*

*No observed effect concentration (72 h) 115 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*

*Information on: Aromatic Amino Polyol*
*Aquatic plants:*
*No observed effect concentration (96 h) 0,0986 mg/l (static)*

*EC50 (96 h) 0,59 mg/l (static)*

*Information on: 1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol*
*Aquatic plants:*
*EC50 (96 h) 4,391 mg/l, algae (calculated)*
*The product has not been tested. The statement has been derived from the structure of the product.*
---

*Information on: Tris(2-chloro-1-methylethyl) phosphate*
*Microorganisms/Effect on activated sludge:*
*EC50 (3 h) 784 mg/l, activated sludge (DIN EN ISO 8192, aquatic)*
*Nominal concentration.*

*Information on: Cyclohexyldimethylamine*
*Microorganisms/Effect on activated sludge:*
*EC10 (17 h) 137 mg/l, Pseudomonas putida (DIN 38412 Part 8, static)*
*Nominal concentration.*
---

*Information on: Tris(2-chloro-1-methylethyl) phosphate*
*Chronic toxicity to aquatic invertebrates:*
*No observed effect concentration (21 d) 32 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)*
*Nominal concentration.*

*Information on: Cyclohexyldimethylamine*
*Chronic toxicity to aquatic invertebrates:*
*No observed effect concentration (21 d) 0,754 mg/l, Daphnia magna (other, static)*
---

## Persistence and degradability

Assessment biodegradation and elimination (H2O):
Poorly biodegradable.

Elimination information:
Poorly biodegradable.

## Bioaccumulative potential

Assessment bioaccumulation potential:
Does not significantly accumulate in organisms.

## Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Adsorption to solid soil phase is not expected.

### Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### Additional information

Adsorbable organically-bound halogen (AOX):
This product contains no organically-bound halogen.

Other ecotoxicological advice:
Do not allow to enter soil, waterways or waste water channels. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## 13. Disposal Considerations

### Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.

Waste key:
07 02 08¤ other still bottoms and reaction residues

Contaminated packaging:
Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

## 14. Transport Information

**Land transport**

ADR

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

RID

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |

| | |
|---|---|
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Inland waterway transport**

ADN

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user: | None known |

Transport in inland waterway vessel
Not evaluated

**Sea transport**

IMDG

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Air transport**

IATA/ICAO

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

## Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

## 15. Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

| | |
|---|---|
| Acute Tox. | Acute toxicity |
| Skin Irrit. | Skin irritation |
| Carc. | Carcinogenicity |
| Eye Dam. | Serious eye damage |
| Aquatic Acute | Hazardous to the aquatic environment - acute |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic |
| Eye Irrit. | Eye irritation |
| Flam. Liq. | Flammable liquids |
| Skin Corr./Irrit. | Skin corrosion/irritation |
| Eye Dam./Irrit. | Serious eye damage/eye irritation |
| Press. Gas | Gases under pressure |
| Skin Sens. | Skin sensitization |
| Muta. | Germ cell mutagenicity |
| STOT RE | Specific target organ toxicity — repeated exposure |
| Repr. | Reproductive toxicity |
| H319 | Causes serious eye irritation. |
| H315 | Causes skin irritation. |
| H401 | Toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H302 | Harmful if swallowed. |
| H226 | Flammable liquid and vapour. |
| H314 | Causes severe skin burns and eye damage. |
| H301 + H311 + H331 | Toxic if swallowed, in contact with skin or if inhaled. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H320 | Causes eye irritation. |
| H316 | Causes mild skin irritation. |
| H303 + H313 | May be harmful if swallowed or in contact with skin. |
| H318 | Causes serious eye damage. |
| H280 | Contains gas under pressure; may explode if heated. |
| H402 | Harmful to aquatic life. |
| H303 | May be harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H341 | Suspected of causing genetic defects. |
| H312 | Harmful in contact with skin. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H351 | Suspected of causing cancer. |
| H302 + H332 | Harmful if swallowed or if inhaled. |
| H373 | May cause damage to organs (Kidney) through prolonged or repeated |

| | |
|---|---|
| | exposure. |
| H361 | Suspected of damaging the unborn child. |

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.