## 1. Identification

### Product identifier used on the label

## SKYTITE® C3-2.8 S RESIN

### Recommended use of the chemical and restriction on use
Recommended use*: polyurethane component; industrial chemicals
Suitable for use in industrial sector: Polymers industry; chemical industry
Unsuitable for use: Uses other than recommended

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

### Details of the supplier of the safety data sheet

Company:
BASF Mexicana S.A. de C.V.
Av. Insurgentes Sur 975
Col. CD. De Los Deportes,
C.P. 03710 Ciudad de México
MÉXICO

Telephone: +52 55 5325 2600

### Emergency telephone number
24 Hour Emergency Response Information
SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)
Telephone: +1-800-849-5204 or +1-833-229-1000

### Other means of identification
Synonyms: Urethane System Resin Component

## 2. Hazards Identification

**According to Regulation NOM-018-STPS-2015**

### Classification of the product

| | | |
|---|---|---|
| Acute Tox. | 4 (oral) | Acute toxicity |
| Skin Irrit. | 2 | Skin irritation |
| Repr. | 2 (unborn child) | Reproductive toxicity |

| | | |
|---|---|---|
| Skin Sens. | 1 | Skin sensitization |
| Eye Dam. | 1 | Serious eye damage |
| Aquatic Chronic | 2 | Hazardous to the aquatic environment - chronic |
| Aquatic Acute | 2 | Hazardous to the aquatic environment - acute |
| Carc. | 2 | Carcinogenicity |

### Label elements

Pictogram:

Signal Word:
Danger

Hazard Statement:

| | |
|---|---|
| H318 | Causes serious eye damage. |
| H315 | Causes skin irritation. |
| H302 | Harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H351 | Suspected of causing cancer. |
| H361 | Suspected of damaging the unborn child. |
| H401 | Toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary Statements (Prevention):

| | |
|---|---|
| P280 | Wear protective gloves, protective clothing and eye protection or face protection. |
| P201 | Obtain special instructions before use. |
| P261 | Avoid breathing mist or vapour or spray. |
| P273 | Avoid release to the environment. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P270 | Do not eat, drink or smoke when using this product. |
| P264 | Wash contaminated body parts thoroughly after handling. |

Precautionary Statements (Response):

| | |
|---|---|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or physician. |
| P308 + P313 | IF exposed or concerned: Get medical attention. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P330 | Rinse mouth. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| P391 | Collect spillage. |

Precautionary Statements (Storage):

| | |
|---|---|
| P405 | Store locked up. |

Precautionary Statements (Disposal):

| | |
|---|---|
| P501 | Dispose of contents/container in accordance with local regulations. |

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

## 3. Composition / Information on Ingredients

**According to Regulation NOM-018-STPS-2015**

triethyl phosphate
CAS Number: 78-40-0
Content (W/W): >= 1.0 - < 5.0%
Synonym: Phosphoric acid triethyl ester; Triethyl phosphate

cyclohexyldimethylamine
CAS Number: 98-94-2
Content (W/W): >= 0.1 - < 5.0%
Synonym: N,N-Dimethyl cyclohexanamine; Cyclohexyldimethylamine

diethylene glycol
CAS Number: 111-46-6
Content (W/W): >= 3.0 - < 10.0%
Synonym: 2,2'-Oxybisethanol

tris(2-chloro-1-methylethyl)phosphate
CAS Number: 13674-84-5
Content (W/W): >= 3.0 - < 10.0%
Synonym: 1-Chloro-2-propanol phosphate (3:1); Tris (2-chloro-1-methylethyl)phosphate

1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-
CAS Number: 102687-65-0
Content (W/W): >= 3.0 - < 10.0%
Synonym: No data available.

4-Nonylphenol, branched, ethoxylated
CAS Number: 127087-87-0
Content (W/W): >= 0.0 - < 12.0%
Synonym: 4-Nonylphenol, branched, ethoxylated

Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide
CAS Number: 34354-45-5
Content (W/W): >= 0.0 - < 5.0%
Synonym: (POLYMER) Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide

Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol
CAS Number: 940912-28-7
Content (W/W): >= 0.0 - < 20.0%
Synonym: (POLYMER) Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol

Aromatic Amino Polyol
CAS Number: 302933-85-3
Content (W/W): >= 0.0 - < 20.0%
Synonym: (POLYMER) Formaldehyde, reaction products with branched 4-nonylphenol, diethanolamine and diisopropanolamine, ethoxylated propoxylated

2,2'-dimorpholinyldiethylether
CAS Number: 6425-39-4
Content (W/W): >= 0.1 - < 5.0%
Synonym: 2,2-Dimorpholinodiethyl ether

4-Nonylphenol, branched, ethoxylated
CAS Number: 127087-87-0
Content (W/W): >= 1.0 - < 3.0%
Synonym: (POLYMER) Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched

Hexanoic acid, 2-ethyl-, bismuth(3+) salt
CAS Number: 67874-71-9
Content (W/W): >= 0.1 - < 3.0%
Synonym: No data available.

Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes
CAS Number: 2365490-81-7
Content (W/W): >= 0.1 - < 1.0%
Synonym: No data available.

Polyetherpolyol, halogenated
CAS Number: 68441-62-3
Content (W/W): >= 1.0 - < 5.0%
Synonym: 2-Butyne-1,4-diol polymer with (chloromethyl)oxirane, brominated, dehydrochlorinated, methoxylated

## 4. First-Aid Measures

### Description of first aid measures

**General advice:**
Remove contaminated clothing.

**If inhaled:**
Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

**If on skin:**
If irritation develops, seek medical attention.

**If in eyes:**
Remove contact lenses, if present.

**If swallowed:**
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting. Immediate medical attention required.

### Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

skin irritation, corneal injury, Ingestion may cause gastrointestinal irritation with nausea, vomiting and diarrhea., allergic symptoms

*Information on: diethylene glycol*
*Symptoms: Overexposure may cause:, vomiting, coma, abdominal cramps, lethargy, nausea, diarrhea, headache*

*Information on: tris(2-chloro-1-methylethyl)phosphate*
*Symptoms: Overexposure may cause:, convulsions, depression, hypoxemia, tremors*

*Information on: triethyl phosphate*
*Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps*

*Information on: cyclohexyldimethylamine*
*Symptoms: Overexposure may cause:, corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps*

*Information on: 2,2'-dimorpholinyldiethylether*
*Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps*

*Information on: Polyetherpolyol, halogenated*

*Information on: Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes*
---
Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

Note to physician

| | |
|---|---|
| Treatment: | Treat according to symptoms (decontamination, vital functions), no known specific antidote. |

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:
water spray, dry powder, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons:
water jet

### Special hazards arising from the substance or mixture
Hazards during fire-fighting:
No particular hazards known.

### Advice for fire-fighters
Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

**Further information:**
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## 6. Accidental release measures

Further accidental release measures:
High risk of slipping due to leakage/spillage of product.

### Personal precautions, protective equipment and emergency procedures
Use personal protective clothing.

### Environmental precautions
Do not empty into drains. Do not discharge into the subsoil/soil.

### Methods and material for containment and cleaning up
Spills should be contained, solidified, and placed in suitable containers for disposal.

## 7. Handling and Storage

### Precautions for safe handling
Ensure thorough ventilation of stores and work areas. Avoid inhalation of mists/vapours. When using do not eat, drink or smoke. Wear suitable gloves and eye/face protection. Protect against moisture.

Protection against fire and explosion:
No special precautions necessary.

### Conditions for safe storage, including any incompatibilities
Segregate from foods and animal feeds.

Suitable materials for containers: Carbon steel (Iron), High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4301 (V2)

Further information on storage conditions: From this information no suitability of the materials mentioned above for the design of installations, including containers for permanent storage, can be inferred. Special conditions apply to the selection of materials in this regard, which we can communicate on request.
Containers should be stored tightly sealed in a dry place.

Storage stability:
Storage temperature: 16 - 27 °C
Protect against moisture.
The stated storage temperature is noted for health and safety in the workplace. With regard to Quality, please refer to the product specific Technical Bulletin.

## 8. Exposure Controls/Personal Protection

**Components with occupational exposure limits**

| | | |
|---|---|---|
| ethylene glycol | OEL, MX: | CLV 100 mg/m3 aerosol ; |

**Advice on system design:**
Provide local exhaust ventilation to control vapours/mists.

**Personal protective equipment**

**Respiratory protection:**
Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed.

**Hand protection:**
Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

**Eye protection:**
Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

**Body protection:**
Standard work clothes and shoes., Body protection must be chosen based on level of activity and exposure.

**General safety and hygiene measures:**
Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Wear protective clothing as necessary to prevent contact. Avoid inhalation of vapours/mists. Wash soiled clothing immediately. Do not eat, drink or use tobacco while working. Wash thoroughly after handling.

## 9. Physical and Chemical Properties

| | | |
|---|---|---|
| Form: | liquid | |
| Odour: | amine-like | |
| Odour threshold: | No applicable information available. | |
| Colour: | amber | |
| pH value: | >= 7.0 | |
| Freezing point: | > 0.00 °C | |
| Melting point: | No data available. | |
| Boiling point: | > 100.00 °C | |
| Sublimation point: | No applicable information available. | |
| Flash point: | > 200.00 °F | (closed cup) |
| Flammability: | not flammable | (derived from flash point) |
| Lower explosion limit: | For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point. | |
| Upper explosion limit: | For liquids not relevant for classification and labelling. | |
| Autoignition: | Unspecified | |
| Vapour pressure: | < 0.1 hPa<br>( 25 °C) | |
| Density: | 2.45 - 2.65 lb/USg<br>( 23.88 °C) | |
| Relative density: | No applicable information available. | |
| Vapour density: | No applicable information available. | |
| Partitioning coefficient n-octanol/water (log Pow): | Unspecified | |

| | |
|---|---|
| Self-ignition temperature: | not self-igniting |
| Thermal decomposition: | No decomposition if stored and handled as prescribed/indicated. |
| Viscosity, dynamic: | 400.000 mPa.s<br>( 22.00 °C) |
| Viscosity, kinematic: | not determined |
| Solubility in water: | slightly soluble |
| Solubility (quantitative): | No applicable information available. |
| Solubility (qualitative): | No applicable information available. |
| Molar mass: | No data available. |
| Evaporation rate: | Value can be approximated from Henry's Law Constant or vapor pressure. |
| Other Information: | If necessary, information on other physical and chemical parameters is indicated in this section. |

## 10. Stability and Reactivity

### Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
No corrosive effect on metal.

Oxidizing properties:
Not an oxidizer.

### Chemical stability
The product is chemically stable.

### Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid
Temperature: < 0 degrees Celsius

### Incompatible materials
acids, oxidizing agents, isocyanates

### Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: carbon monoxide, carbon dioxide, nitrogen oxide, hydrogen cyanide

Thermal decomposition:
No decomposition if stored and handled as prescribed/indicated.

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Of moderate toxicity after single ingestion.

*Information on: diethylene glycol*
*Assessment of acute toxicity:Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.*

*Information on: Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol*
*Assessment of acute toxicity:Of moderate toxicity after single ingestion.*

*Information on: tris(2-chloro-1-methylethyl)phosphate*
*Assessment of acute toxicity:Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.*

*Information on: triethyl phosphate*
*Assessment of acute toxicity:Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.*

*Information on: cyclohexyldimethylamine*
*Assessment of acute toxicity:Of pronounced toxicity after short-term skin contact. Of pronounced toxicity after short-term inhalation. Of pronounced toxicity after single ingestion.*

*Information on: Aromatic Amino Polyol*
*Assessment of acute toxicity:Of moderate toxicity after short-term skin contact.*

*Information on: 4-Nonylphenol, branched, ethoxylated*

*Information on: Polyetherpolyol, halogenated*
---

Oral
Type of value: ATE
Value: 1,882 mg/kg

Inhalation
No applicable information available.

Dermal
No applicable information available.

Assessment other acute effects
Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Origin of data: expert judgement

Irritation / corrosion

Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.

*Information on: cyclohexyldimethylamine*
*Assessment of irritating effects: Corrosive! Damages skin and eyes.*

*Information on: triethyl phosphate*
*Assessment of irritating effects: Not irritating to the skin. Eye contact causes irritation.*

*Information on: 4-Nonylphenol, branched, ethoxylated*

*Information on: Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol*
*Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.*

*Information on: Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide*
*Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.*

*Information on: Aromatic Amino Polyol*
*Assessment of irritating effects: May cause severe damage to the eyes.*

*Information on: 2,2'-dimorpholinyldiethylether*
*Assessment of irritating effects: Eye contact causes irritation. Skin contact causes slight irritation.*

*Information on: Hexanoic acid, 2-ethyl-, bismuth(3+) salt*
*Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.*

*Information on: Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes*
---

Sensitization
Assessment of sensitization: Sensitization after skin contact possible.

*Information on: Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes*
---

Aspiration Hazard
No aspiration hazard expected.

### Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. Repeated dermal uptake of the substance did not cause substance-related effects.

*Information on: diethylene glycol*
*Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The effects were only*

*observed at doses/concentrations not relevant for classification and/or practical use conditions. These effects are not relevant to humans at occupational levels of exposure.*
---

Genetic toxicity
Assessment of mutagenicity: The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

Carcinogenicity
Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

*Information on: tris(2-chloro-1-methylethyl)phosphate*
*Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*
---

Reproductive toxicity
Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

Teratogenicity
Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

*Information on: Hexanoic acid, 2-ethyl-, bismuth(3+) salt*
*Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The product has not been tested. The statement has been derived from the properties of the individual components.*
---

Other Information
The product has not been tested. The statement has been derived from the properties of the individual components.

Medical conditions aggravated by overexposure
The substance may cause sensitization of the skin in particularly sensitive individuals. Individuals with allergic history or pre-existing dermatitis should use extra precautions when handling this product.

## 12. Ecological Information

### Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Acutely toxic for aquatic organisms. Acutely harmful for aquatic organisms.

Toxicity to fish

*Information on: tris(2-chloro-1-methylethyl)phosphate*

*LC50 (96 h) 51 mg/l, Pimephales promelas (OECD Guideline 203, static)*
*The statement of the toxic effect relates to the analytically determined concentration.*

*Information on: cyclohexyldimethylamine*
*LC50 (96 h) 28 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EWG, C.1, static)*

*Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-*
*LC50 (96 h) 38 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EWG, C.1, static)*

*Information on: Aromatic Amino Polyol*
*LC50 (96 h) 1.07 mg/l (Flow through.)*
---

Aquatic invertebrates

*Information on: tris(2-chloro-1-methylethyl)phosphate*
*EC50 (48 h) 131 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*
*The statement of the toxic effect relates to the analytically determined concentration.*

*Information on: cyclohexyldimethylamine*
*LC50 (48 h) 75 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*
*The statement of the toxic effect relates to the analytically determined concentration.*

*Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-*
*EC50 (48 h) 82 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*

*Information on: Aromatic Amino Polyol*
*EC50 (48 h) 8.35 mg/l (Flow through.)*
---

Aquatic plants

*Information on: tris(2-chloro-1-methylethyl)phosphate*
*EC50 (72 h) 82 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*Nominal concentration.*
*No observed effect concentration (72 h) 42 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*Nominal concentration.*

*Information on: cyclohexyldimethylamine*
*EC50 (72 h) 3.5 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*Nominal values (confirmed by concentration control analytics)*
*EC10 (72 h) 0.6 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*Nominal values (confirmed by concentration control analytics)*

*Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-*
*EC50 (72 h) > 215 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*No observed effect concentration (72 h) 115 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*

*Information on: Aromatic Amino Polyol*
*No observed effect concentration (96 h) 0.0986 mg/l (static)*
*EC50 (96 h) 0.59 mg/l (static)*
---

Chronic toxicity to aquatic invertebrates

*Information on: tris(2-chloro-1-methylethyl)phosphate*
*No observed effect concentration (21 d) 32 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)*
*Nominal concentration.*

*Information on: cyclohexyldimethylamine*
*No observed effect concentration (21 d) 0.754 mg/l, Daphnia magna (other, static)*
---

### Microorganisms/Effect on activated sludge

Toxicity to microorganisms

*Information on: tris(2-chloro-1-methylethyl)phosphate*
*DIN EN ISO 8192 aquatic*
*activated sludge/EC50 (3 h): 784 mg/l*
*Nominal concentration.*

*Information on: cyclohexyldimethylamine*
*DIN 38412 Part 8 static*
*bacterium/EC10 (17 h): 137 mg/l*
*Nominal concentration.*
---

### Persistence and degradability

Assessment biodegradation and elimination (H2O)
Poorly biodegradable.

Elimination information

Poorly biodegradable.

### Bioaccumulative potential

Assessment bioaccumulation potential
Does not significantly accumulate in organisms.

### Mobility in soil

Assessment transport between environmental compartments
Adsorption to solid soil phase is not expected.

### Additional information

Adsorbable organically-bound halogen(AOX):
This product contains no organically-bound halogen.

Other ecotoxicological advice:
Do not allow to enter soil, waterways or waste water channels. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## 13. Disposal considerations

**Waste disposal of substance:**
Incinerate or dispose of in a licensed facility. Do not discharge substance/product into sewer system.

**Container disposal:**
Do not reuse empty containers. Under no circumstances should empty drums be burned or cut open with gas or electric torch as toxic decomposition products may be liberated. Steel drums must be emptied and can be sent to a licensed drum reconditioner for reuse, a scrap metal dealer or an approved landfill. Do not attempt to refill or clean containers since residue is difficult to remove.

## 14. Transport Information

**Land transport**
TDG

Not classified as a dangerous good under transport regulations

**Sea transport**
IMDG

Not classified as a dangerous good under transport regulations

**Air transport**
IATA/ICAO

Not classified as a dangerous good under transport regulations

## 15. Regulatory Information

**Federal Regulations**

Not applicable

**NFPA Hazard codes:**
Health: 3 Fire: 1 Reactivity: 1 Special:

**HMIS III rating**
Health: 3¤ Flammability: 1 Physical hazard: 1

## 16. Other Information

**SDS Prepared by:**
BASF NA Product Regulations
SDS Prepared on: 2024/08/08

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring

the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

SKYTITE® C3-2.8 S RESIN is a registered trademark of BASF Mexicana or BASF SE

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET