We create chemistry

# Safety data sheet



## 1. Identification

### Product identifier

## Kauramin® Impregnating Resin 800

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

### Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Division Monomers

Telephone: +49 621 60 42737
E-mail address: pss.monomers@basf.com

### Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

## 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

Skin Sens. 1
Carc. 1B
Skin Irrit. 3

For the classifications not written out in full in this section the full text can be found in section 16.

## Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Danger

Hazard Statement:

| | |
|---|---|
| H316 | Causes mild skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H350 | May cause cancer. |

Precautionary Statements (Prevention):

| | |
|---|---|
| P280 | Wear protective gloves, protective clothing and eye protection or face protection. |
| P201 | Obtain special instructions before use. |
| P261 | Avoid breathing mist or vapour or spray. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |

Precautionary Statements (Response):

| | |
|---|---|
| P308 + P313 | IF exposed or concerned: Get medical attention. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P333 + P313 | If skin irritation or rash occurs: Get medical attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| P332 + P313 | If skin irritation occurs: Get medical attention. |

Precautionary Statements (Storage):

| | |
|---|---|
| P405 | Store locked up. |

Precautionary Statements (Disposal):

| | |
|---|---|
| P501 | Dispose of contents and container to hazardous or special waste collection point. |

## Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

## 3. Composition/Information on Ingredients

### Substances

Not applicable

### Mixtures

Chemical nature

Polymer based on: Melamine, Formaldehyde

in water, partially etherified, modified

Hazardous ingredients (GHS)
According to UN GHS criteria

Formaldehyde

| | |
|---|---|
| Content (W/W): >= 0,5 % - <= 0,5 %<br>CAS Number: 50-00-0<br>EC-Number: 200-001-8<br>INDEX-Number: 605-001-00-5 | Flam. Liq. 4<br>Acute Tox. 2 (Inhalation - vapour)<br>Acute Tox. 3 (oral)<br>Acute Tox. 3 (dermal)<br>Skin Corr. 1B<br>Eye Dam. 1<br>Skin Sens. 1A<br>Carc. 1B<br>Aquatic Acute 2<br>H227, H330, H317, H350, H314, H301 + H311, H401<br><br>Specific concentration limit:<br>Eye Dam./Irrit. 2: 5 - < 25 %<br>STOT SE 3, irr. to respiratory syst.: >= 5 %<br>Skin Sens. 1: >= 0,2 %<br>Skin Corr./Irrit. 2: 5 - < 25 %<br>Skin Corr./Irrit. 1B: >= 25 % |

Methanol

| | |
|---|---|
| Content (W/W): >= 0,3 % - <= 0,3 %<br>CAS Number: 67-56-1<br>EC-Number: 200-659-6<br>INDEX-Number: 603-001-00-X | Flam. Liq. 2<br>Acute Tox. 3 (Inhalation - vapour)<br>Acute Tox. 3 (oral)<br>Acute Tox. 3 (dermal)<br>STOT SE (Central nervous system, Optic nerve) 1<br>H225, H301 + H311 + H331, H370<br><br><u>Specific concentration limit:</u><br>STOT SE 2: 3 - < 10 %<br>STOT SE 1: >= 10 % |

Sodium hydroxide

| | |
|---|---|
| Content (W/W): >= 0,2 % - <= 0,2 %<br>CAS Number: 1310-73-2<br>EC-Number: 215-185-5<br>INDEX-Number: 011-002-00-6 | Met. Corr. 1<br>Skin Corr. 1A<br>Eye Dam. 1<br>H290, H314<br><br><u>Specific concentration limit:</u><br>Skin Irrit. 2: 0,5 - < 2 %<br>Eye Irrit. 2: 0,5 - < 2 %<br>Skin Corr. 1A: >= 5 %<br>Skin Corr. 1B: 2 - < 5 % |

For the classifications not written out in full in this section the full text can be found in section 16.

## 4. First-Aid Measures

### Description of first aid measures

Remove contaminated clothing.

If inhaled:
If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

### Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:
water spray, foam, carbon dioxide, dry powder

### Special hazards arising from the substance or mixture

Formaldehyde, Methanol, Carbon monoxide, Carbon dioxide, nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Further information:
Fire debris must be disposed of in accordance with offical regulations. In case of combustion evolution of toxic gases/vapours possible. Do not allow to enter drains or waterways. Forms slippery surfaces with water.

## 6. Accidental Release Measures

Forms slippery surfaces with water.

### Personal precautions, protective equipment and emergency procedures

Spilled material may cause slippery floors. Avoid contact with skin and eyes.

### Environmental precautions

Prevent entry into sewage systems, ground and surface waters. Do not discharge into waterways or sewer systems without proper authorization.

### Methods and material for containment and cleaning up

For large amounts: Sweep/shovel up.
For residues: Pick up with suitable absorbent material.

## 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Inform workers about possible hazards caused by the release of formaldehyde during processing.

Protection against fire and explosion:

Sources of ignition should be kept well clear. Vapours may form explosive mixture with air. Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances.

Suitable materials for containers: Low density polyethylene (LDPE), glass, High density polyethylene (HDPE)
Unsuitable materials for containers: Paper/Fibreboard
Further information on storage conditions: Keep at temperature not exceeding 25 °C.

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## 8. Exposure Controls/Personal Protection

### Control parameters

Components with occupational exposure limits

50-00-0: Formaldehyde
67-56-1: Methanol
112-27-6: 2,2'-(Ethylenedioxy)diethanol
1310-73-2: Sodium hydroxide

### Exposure controls

Personal protective equipment

Respiratory protection:
Breathing protection if gases/vapours are formed. (Gas filter EN 14387 A)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures
Handle in accordance with good industrial hygiene and safety practice. Do not inhale vapours or dust. When using do not eat or drink. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Wash contaminated clothing before reuse.

# 9. Physical and Chemical Properties

## 9.1. Information on basic physical and chemical properties

| | | |
|---|---|---|
| State of matter: | liquid | |
| Form: | liquid | |
| Colour: | colourless | |
| Odour: | pungent | |
| Odour threshold: | No data available. | |
| Melting point: | 0 °C<br>(approx. 1.013 hPa) | |
| boiling temperature: | approx. 102 °C | |
| Flammability: | not highly flammable | |
| Flash point: | No flash point - Measurement made up to pilot light extinguishes. | (DIN 51755) |
| Auto-ignition temperature: | approx. 435 °C | (DIN 51794) |
| Thermal decomposition: | No decomposition if correctly stored and handled. | |
| pH value: | approx. 9<br>(20 °C) | (DIN ISO 976) |
| Viscosity, kinematic: | 45 mm2/s<br>(23 °C) | |
| Viscosity, dynamic: | 150 - 300 mPa.s<br>(20 °C) | (DIN EN ISO 3219, Annex B) |
| Solubility in water: | miscible<br>(20 °C)<br>miscible<br>(90 °C) | |
| Partitioning coefficient n-octanol/water (log Kow): | < 3,0<br>The statements are based on the properties of the individual components. | |
| Vapour pressure: | approx. 100 mbar<br>(50 °C) | |
| Relative density: | No data available. | |
| Density: | approx. 1,18 g/cm3<br>(20 °C) | (ISO 2811-1) |

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

## 9.2. Other information

**Information with regard to physical hazard classes**

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

**Other safety characteristics**

Other Information: none

Evaporation rate: Value can be approximated from Henry's Law Constant or vapor pressure.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### Chemical stability

The product is chemically stable.

### Possibility of hazardous reactions

During processing with acids, water and / or heat formaldehyde will be released, which may act as a sensitizer.

### Conditions to avoid

> 30 °C
Avoid heat. Avoid freezing. See SDS section 7 - Handling and storage.

### Incompatible materials

Substances to avoid:
Organic Peroxides, strong bases, strong acids, acid anhydrides

### Hazardous decomposition products

:
Formaldehyde

## 11. Toxicological Information

### Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Inhalation-risk test (IRT): No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
LD50 rat (oral): approx. 10.000 mg/kg

Irritation

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization:
After continuous contact with the skin, sensitization cannot be excluded. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Carcinogenicity

Assessment of carcinogenicity:
Limited evidence of a carcinogenic effect. After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia.

*Information on: Formaldehyde*
*Assessment of carcinogenicity:*
*After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.*
---

Reproductive toxicity

Assessment of reproduction toxicity:
No reproductive toxic effects reported.

Developmental toxicity

Assessment of teratogenicity:
Not a teratogen.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

*Information on: Formaldehyde*
*Assessment of repeated dose toxicity:*
*After repeated exposure the prominent effect is local irritation.*

*Information on: Methanol*
*Assessment of repeated dose toxicity:*
*The substance may cause blindness after repeated ingestion. The substance may cause blindness after repeated inhalation.*
---

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## 12. Ecological Information

### Toxicity

Assessment of aquatic toxicity:
Acutely harmful for aquatic organisms. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:
LC50 (96 h) > 500 mg/l, Leuciscus idus (DIN 38412 Part 15, static)
Nominal concentration.

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants:
EC50 (72 h) 88,2 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)
The statement of the toxic effect relates to the analytically determined concentration.

Microorganisms/Effect on activated sludge:
EC20 (30 min) > 1.000 mg/l, activated sludge, domestic (OECD Guideline 209, aquatic)
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

### Persistence and degradability

Elimination information:
No data available.

### Bioaccumulative potential

Assessment bioaccumulation potential:
Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

### Mobility in soil

Assessment transport between environmental compartments:
Volatility: The substance will not evaporate into the atmosphere from the water surface.

*Information on: Formaldehyde*
*Assessment transport between environmental compartments:*
*Volatility: The substance will not evaporate into the atmosphere from the water surface.*
*Adsorption in soil: Adsorption to solid soil phase is not expected.*

*Information on: Methanol*
*Assessment transport between environmental compartments:*
*Volatility: The substance will not evaporate into the atmosphere from the water surface.*
*Adsorption in soil: Adsorption to solid soil phase is not expected.*
---

### Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### Additional information

Other ecotoxicological advice:
Do not release untreated into natural waters. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## 13. Disposal Considerations

### Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.
No disposal via sewage or waste water systems.

## 14. Transport Information

**Land transport**

ADR

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

RID

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Inland waterway transport**

ADN

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user: | None known |

Transport in inland waterway vessel
Not evaluated

**Sea transport**

IMDG

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |

| | |
|---|---|
| Special precautions for user | None known |

**Air transport**

IATA/ICAO

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

### Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

## 15. Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

| | |
|---|---|
| Skin Sens. | Skin sensitization |
| Carc. | Carcinogenicity |
| Skin Irrit. | Skin irritation |
| Flam. Liq. | Flammable liquids |
| Acute Tox. | Acute toxicity |
| Skin Corr. | Skin corrosion |
| Eye Dam. | Serious eye damage |
| Aquatic Acute | Hazardous to the aquatic environment - acute |
| STOT SE | Specific target organ toxicity — single exposure |
| Met. Corr. | Corrosive to metals |
| Eye Dam./Irrit. | Serious eye damage/eye irritation |
| Skin Corr./Irrit. | Skin corrosion/irritation |
| Eye Irrit. | Eye irritation |
| H227 | Combustible liquid. |
| H330 | Fatal if inhaled. |
| H317 | May cause an allergic skin reaction. |
| H350 | May cause cancer. |
| H314 | Causes severe skin burns and eye damage. |
| H301 + H311 | Toxic if swallowed or in contact with skin. |

| | |
|---|---|
| H401 | Toxic to aquatic life. |
| H225 | Highly flammable liquid and vapour. |
| H301 + H311 + H331 | Toxic if swallowed, in contact with skin or if inhaled. |
| H370 | Causes damage to organs (Central nervous system, Optic nerve). |
| H290 | May be corrosive to metals. |

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.