We create chemistry

Safety data sheet

BASF BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 01.09.2021 Version: 3.0
Product: **Laromer® EA 9161**
(ID no. 30737565/SDS_GEN_00/EN)
Date of print 10.07.2025

1. Identification

Product identifier

Laromer® EA 9161

Chemical name: Soybean oil, epoxidized, acrylate
CAS Number: 91722-14-4

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material for coatings for industrial or professional use, UV acrylic varnish

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Global Business Unit Resins and Additives

Telephone: +49 621 60-0
E-mail address: ed-psr@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Aquatic Acute 3

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Hazard Statement:
H402 Harmful to aquatic life.

Precautionary Statements (Prevention):
P273 Avoid release to the environment.

Precautionary Statements (Disposal):
P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/Information on Ingredients

Substances

Chemical nature

Soybean oil, epoxidized, acrylate

Hazardous ingredients (GHS)
According to UN GHS criteria

Acrylic acid

Content (W/W): >= 0 % - < 1 % CAS Number: 79-10-7 EC-Number: 201-177-9	Flam. Liq. 3 Acute Tox. 4 (Inhalation - vapour) Acute Tox. 4 (oral) Skin Corr./Irrit. 1A Eye Dam./Irrit. 1 Aquatic Acute 1 Aquatic Chronic 2 M-factor acute: 1 H226, H314, H302 + H332, H411, H400 Specific concentration limit: STOT SE 3, irr. to respiratory syst.: 1 - 5 %

Mequinol

Content (W/W): >= 0,1 % - < 0,2 % CAS Number: 150-76-5 EC-Number: 205-769-8 INDEX-Number: 604-044-00-7	Acute Tox. 4 (oral) Skin Corr./Irrit. 3 Skin Sens. 1 Aquatic Acute 2 Aquatic Chronic 3 H316, H302, H317, H412, H401

For the classifications not written out in full in this section the full text can be found in section 16.

Mixtures

Not applicable

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:
If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

Most important symptoms and effects, both acute and delayed
Symptoms: (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media
Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture
harmful vapours
Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters
Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures
Use personal protective clothing. Breathing protection required.

Environmental precautions
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up
For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:
Heated containers should be cooled to prevent polymerization. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Protect against heat. Protect from the effects of light. Avoid direct sunlight. Ensure adequate inhibitor and dissolved oxygen level. The stabilizer is only effective in the presence of oxygen. Maintain contact with atmosphere containing 5 - 21% oxygen.

Storage stability:
Storage temperature: -15 - 45 °C

Protect from temperatures below: -15 °C
Protect from temperatures above: 45 °C

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

79-10-7: Acrylic acid
150-76-5: Mequinol

Exposure controls

Personal protective equipment

Respiratory protection:
Respiratory protection not required.

Hand protection:
Chemical resistant protective gloves (EN ISO 374-1)
Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):
e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures
Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid	
Colour:	yellowish	
Odour:	acrylic-like	
pH value:	approx. 4 (10 g/kg)	
Melting temperature:	< -20 °C No data available.	(Directive 92/69/EEC, A.1)
boiling temperature:	> 400 °C (1.013,25 hPa) No data available.	(OECD Guideline 103)
Flash point:	> 200 °C	(Directive 92/69/EEC, A.9)
Flammability:	not flammable	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	> 400 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	1 hPa (20 °C)	
Density:	1,042 g/cm3 (20 °C)	(ISO 2811-3)
	1,02 g/cm3 (50 °C)	(ISO 2811-3)
Solubility in water:	291 mg/l (20 °C, pH 4)	(OECD Guideline 105)
Solubility (qualitative) solvent(s):	organic solvents soluble	
Partitioning coefficient n-octanol/water (log Kow):	> 0,89 - 2,96 (25 °C; pH value: approx. 7) No data available.	(OECD Guideline 117)

Self ignition:	Temperature: 20 °C not self-igniting	Test type: Spontaneous self-ignition at room-temperature. (Method: Directive 92/69/EEC, A.13)
Viscosity, dynamic:	13.000 - 20.000 mPa.s (23 °C)	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	

Other information

pKA:	The substance does not dissociate.	
Hygroscopy:	Non-hygroscopic	
Adsorption:	log KOC: 1,97	(OECD Guideline 121)
Surface tension:	52,6 mN/m (20 °C; 140 mg/l)	(OECD-Guideline 115, OECD harmonized ring method)
Grain size distribution:	The substance / product is marketed or used in a non solid or granular form.	

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:	No corrosive effect on metal.	
Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
The product can polymerize if the shelf life or storage temperature are greatly exceeded. Heat develops during polymerization. Reacts with peroxides and other radical components.
The product is stabilized against spontaneous polymerization prior to despatch.

Conditions to avoid
Avoid direct sunlight. Avoid extreme heat. Avoid inhibitor loss. To maintain inhibitor activity, oxygen must not be eliminated from the atmosphere above the product. Avoid oxygen content above the product of less than 5 %.

Incompatible materials

Substances to avoid:
radical formers, peroxides, strong acids, strong bases, Inert gas

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:
LD50 rat (oral): > 5.000 mg/kg (OECD Guideline 423)

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:
Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:
The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture.

Carcinogenicity

Assessment of carcinogenicity:
No data available.

Reproductive toxicity

Assessment of reproduction toxicity:
The results of animal studies gave no indication of a fertility impairing effect. The results were determined in a Screening test (OECD 421/422).

Developmental toxicity

Assessment of teratogenicity:
No indications of a developmental toxic / teratogenic effect were seen in animal studies. The results were determined in a Screening test (OECD 421/422).

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
Repeated oral uptake of the substance did not cause substance-related effects.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Harmful to aquatic life. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:
LC50 (96 h) > 100 mg/l, Salmo gairdneri, syn. O. mykiss (EPA 72-1, Flow through.)

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna (Daphnia test acute, Flow through.)

Aquatic plants:
EC50 (72 h) > 10 - 100 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3, static)
The product has not been tested. The statement has been derived from the properties of the individual components.

Microorganisms/Effect on activated sludge:
EC50 (3 h) 787,68 mg/l, (OECD Guideline 209)

Chronic toxicity to fish:
No data available.

Chronic toxicity to aquatic invertebrates:
No data available.

Assessment of terrestrial toxicity:
No data available concerning terrestrial toxicity.

Soil living organisms:
No data available.

Terrestrial plants:
No data available.

Other terrestrial non-mammals:
No data available.

Persistence and degradability

Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria). Biodegradable. Under enhanced conditions
The ecotoxic component(s) is/are readily biodegradable.

Elimination information:
64 % BOD of the ThOD (60 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge)

Assessment of stability in water:
Experimental data did not show abiotic degradation by hydrolysis
Information on Stability in Water (Hydrolysis):
< 10 % (5 d) (pH value 7), (OECD Guideline 111, pH 7)

< 10 % (5 d) (pH value 4), (OECD Guideline 111, pH 4)

Bioaccumulative potential

Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: Adsorption to solid soil phase is not expected.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Additional information

Add. remarks environm. fate & pathway:
Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:
Uncontaminated packaging can be re-used.
Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known

user

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated

Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

16. Other Information

This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Aquatic Acute	Hazardous to the aquatic environment - acute
Flam. Liq.	Flammable liquids
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity — single exposure
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H302 + H332	Harmful if swallowed or if inhaled
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.
H316	Causes mild skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
H401	Toxic to aquatic life.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.