1. Identification

Product identifier used on the label

Sodium Nitrite FG 0,6% SiO2

Recommended use of the chemical and restriction on use

Recommended use*: food additive(s)
Unsuitable for use: Not intended for sale to or use by the general public.
Recommended use*: Raw material; Intermediate; food additive(s); corrosion inhibitor; Surface treatment agent
Suitable for use in industrial sector: chemical industry; metal-working

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Molecular formula:	NANO(2)		
Chemical family:	No data available.		
Synonyms:	Sodium Nitrite	Use:	Chemical

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Ox. Sol.	2	Oxidising solids
Acute Tox.	3 (oral)	Acute toxicity
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Aquatic Acute	1	Hazardous to the aquatic environment - acute

Label elements

Pictogram:

Signal Word:
Danger

Hazard Statement:

H272	May intensify fire; oxidizer.
H319	Causes serious eye irritation.
H301	Toxic if swallowed.
H400	Very toxic to aquatic life.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves and eye protection or face protection.
P280	Wear eye protection.
P264	Wash contaminated body parts thoroughly after handling.
P220	Keep away from clothing and other combustible materials.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P330	Rinse mouth.
P391	Collect spillage.
P337 + P313	If eye irritation persists: Get medical attention.
P370 + P378	In case of fire: Use water spray for extinction.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

sodium nitrite
CAS Number: 7632-00-0
Content (W/W): >= 75.0 - <= 100.0%
Synonym: Sodium nitrite

4. First-Aid Measures

Description of first aid measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

If on skin:
Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, vomiting, convulsions, cyanosis, death, coma, methaemoglobinaemia, nausea
Hazards: Risk of pulmonary edema. Symptoms can appear later. Danger of methaemoglobin formation after ingestion.

Indication of any immediate medical attention and special treatment needed

Note to physician
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray

Unsuitable extinguishing media for safety reasons:
ABC powder, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire. Has a fire-promoting effect due to release of oxygen.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear a self-contained breathing apparatus.

Further information:
Substance/product is an oxidizing agent and can supply oxygen to stimulate or accelerate the combustion of organic or other combustible substances/products.

Impact Sensitivity:
Remarks: Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with eyes.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into waterways or sewer systems without proper authorization.

Methods and material for containment and cleaning up

For residues: Pick up with suitable appliance and dispose of.

7. Handling and Storage

Precautions for safe handling

Keep container tightly sealed. Breathing must be protected when large quantities are decanted without local exhaust ventilation. Processing machines must be fitted with local exhaust ventilation. Protect against moisture. Protect against heat. Do not mix with combustible substances. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:
The substance/product is non-combustible. Has a fire-promoting effect due to release of oxygen. Where required Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from oxidizable substances. Segregate from acids. Segregate from ammonium salts.

Suitable materials for containers: Carbon steel (Iron), Stainless steel 1.4541, Stainless steel 1.4571, High density polyethylene (HDPE), Low density polyethylene (LDPE), rubberized

Further information on storage conditions: Keep container tightly closed and in a well-ventilated place. This product is classified as a dangerous substance for storage. The authority permits and storage regulations must be observed. Keep away from food, drink and animal feeding stuffs.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:
Wear a NIOSH-certified (or equivalent) particulate respirator.

Hand protection:
Chemical resistant protective gloves, Suitable materials, polyvinylchloride (Pylox), nitrile rubber (Buna N), chloroprene rubber (Neoprene)

Eye protection:
Tightly fitting safety goggles (chemical goggles).

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
Wear protective clothing as necessary to prevent contact. Keep away from food, drink and animal feeding stuffs. No eating, drinking, smoking or tobacco use at the place of work. Take off immediately all contaminated clothing. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Form:	crystalline	
Odour:	odourless	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	white to slightly yellow	
pH value:	approx. 7 - 9 (100 g/l) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	
Melting point:	280 °C	(other)
Freezing point:	No data available.	
Boiling point:	(1,013.25 hPa) The substance / product decomposes therefore not determined.	
Flash point:	Study scientifically not justified.	
Flammability:	not highly flammable	(other)
Lower explosion limit:	For solids not relevant for classification and labelling.	

Upper explosion limit:	For solids not relevant for classification and labelling.	
Vapour pressure:	Study scientifically not justified.	
Density:	2.17 g/cm3 (20 °C) Information based on the main component/s.	(ISO 2811-3)
Relative density:	2.17 (20 °C) Literature data.	
Bulk density:	1,100 - 1,300 kg/m3	(other)
Vapour density:	The product is a non-volatile solid.	
Partitioning coefficient n-octanol/water (log Pow):	Study scientifically not justified.	
Thermal decomposition:	> 320 °C nitrogen monoxide, nitrogen dioxide, disodium oxide	
Viscosity, dynamic:	Study scientifically not justified., not applicable, the product is a solid	
Viscosity, kinematic:	not applicable, the product is a solid	
Particle size:	D50 200 - 400 µm	(measured)
Solubility in water:	readily soluble, Formation of sediments	
Evaporation rate:	The product is a non-volatile solid.	

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
Corrosive effects to metal are not anticipated. In the presence of water or moisture metal corrosion cannot be excluded.

Oxidizing properties:
Oxidizing. (UN Test O.1 (oxidizing solids))

Chemical stability
The product is chemically stable.

Possibility of hazardous reactions
The product is stable if stored and handled as prescribed/indicated. Reacts with organic substances. Hazardous reactions in presence of mentioned substances to avoid.

Conditions to avoid
Avoid heating while in contact with easily oxidizable materials.

Incompatible materials
reducing agents, oxidizable substances, ammonium salts, amines, amine compounds, acids

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: disodium oxide, nitrogen oxides

Thermal decomposition:
> 320 °C

Possible thermal decomposition products:
nitrogen monoxide, nitrogen dioxide, disodium oxide

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Of high toxicity after single ingestion. There is a risk of damage to the blood (methemoglobinemia) after a single uptake.

Oral
Type of value: LD50
Species: rat
Value: 180 mg/kg

Inhalation
Study scientifically not justified.

Dermal
Study scientifically not justified.

Assessment other acute effects
Assessment of STOT single:
There is a risk of damage to the blood (methemoglobinemia) after a single uptake.

Irritation / corrosion
Assessment of irritating effects: Not irritating to the skin. Eye contact causes irritation.

Skin
Species: rabbit
Result: non-irritant
Method: OECD Guideline 404

Eye
Species: rabbit
Result: Irritant.
Method: OECD Guideline 405

Sensitization
Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Study scientifically not justified.

Aspiration Hazard
No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: After repeated administration the prominent effect is damage of the blood (methemoglobin formation).

Genetic toxicity
Assessment of mutagenicity: The data available on mutagenic action are not consistent.

Carcinogenicity
Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by drinking-water, a carcinogenic effect was not observed. Under certain conditions nitrites can enhance the formation of nitrosamines in vivo. Nitrosamines are carcinogenic in animal studies.

Reproductive toxicity
Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity
Assessment of teratogenicity: In animal studies the substance did not cause malformations. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. After the uptake of small doses toxicity to development will not be expected in humans.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Very toxic (acute effect) to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish
LC50 (96 h) 0.54 - 26.3 mg/l, Salmo gairdneri, syn. O. mykiss (other, Flow through.)

Aquatic invertebrates
LC50 (96 h) 4.93 mg/l, aquatic crustacea (static)
Literature data.

EC50 (48 h) 15.4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants
EC50 (72 h) > 100 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)
The statement of the toxic effect relates to the analytically determined concentration.

Chronic toxicity to fish
No observed effect concentration (31 d) 6.16 mg/l, Ictalurus punctatus, syn: I. robustus (other, Flow through.)

Chronic toxicity to aquatic invertebrates
No observed effect concentration (80 d) 9.86 mg/l, aquatic crustacea (Daphnia test chronic, static)

Assessment of terrestrial toxicity
No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms
OECD Guideline 209 static
activated sludge, domestic/EC10 (3 h): 210 mg/l
The details of the toxic effect relate to the nominal concentration.

other static
other protozoa/EC50 (48 h): 421 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)
Inorganic product which cannot be eliminated from water by biological purification processes. Can be oxidized to nitrate, or be reduced to nitrogen, by microorganisms.

Elimination information

not applicable

Assessment of stability in water
According to structural properties, hydrolysis is not expected/probable.

Information on Stability in Water (Hydrolysis)
not applicable

Bioaccumulative potential

Assessment bioaccumulation potential
Accumulation in organisms is not to be expected.

Bioaccumulation potential
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments
The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is not expected.

Additional information

Other ecotoxicological advice:
Do not allow to enter soil, waterways or waste water channels. Do not release untreated into natural waters. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

13. Disposal considerations

Waste disposal of substance:
Incinerate or dispose of in a licensed facility. Observe all local regulations.

14. Transport Information

Land transport
TDG

Hazard class:	5.1
Packing group:	III
ID number:	UN 1500
Hazard label:	5.1, 6.1, EHSM
Proper shipping name:	SODIUM NITRITE

Sea transport
IMDG

Hazard class:	5.1
Packing group:	III
ID number:	UN 1500
Hazard label:	5.1, 6.1, EHSM
Marine pollutant:	YES
Proper shipping name:	SODIUM NITRITE

Air transport
IATA/ICAO

Hazard class:	5.1
Packing group:	III
ID number:	UN 1500
Hazard label:	5.1, 6.1
Proper shipping name:	SODIUM NITRITE

15. Regulatory Information

Federal Regulations

Registration status:

Chemical	DSL, CA	released / listed
Food	DSL, CA	released / listed

NFPA Hazard codes:
Health: 2 Fire: 0 Reactivity: 1 Special: OX

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Ox. Sol.	2	Oxidising solids
Acute Tox.	3 (oral)	Acute toxicity
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Aquatic Acute	1	Hazardous to the aquatic environment - acute

16. Other Information

SDS Prepared by:

BASF NA Product Regulations
SDS Prepared on: 2024/09/20

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET