We create chemistry

Safety data sheet

1. Identification

Product identifier

Entigris

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (Inhalation - dust)
Acute Tox. 3 (oral)
Skin Irrit. 3
STOT SE 3 (irritating to respiratory system)
STOT RE (Nervous system) 2
Aquatic Acute 1
Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Danger

Hazard Statement:

H316	Causes mild skin irritation.
H332	Harmful if inhaled.
H301	Toxic if swallowed.
H335	May cause respiratory irritation.
H373	May cause damage to organs (Nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/gas/mist/vapours.
P264	Wash contaminated body parts thoroughly after handling.
P262	Do not get in eyes, on skin, or on clothing.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):
May cause paraesthesia. Contains: α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
May produce an allergic reaction. Contains: Formaldehyde

According to UN GHS criteria

Hazard determining component(s) for labelling: α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, insecticide, water dispersible granules

Hazardous ingredients (GHS)
According to UN GHS criteria

α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Content (W/W): 22 %	Acute Tox. 4 (Inhalation - dust)
CAS Number: 67375-30-8	Acute Tox. 3 (oral)
EC-Number: 257-842-9	Skin Corr./Irrit. 3
INDEX-Number: 607-422-00-X	STOT SE 3 (irr. to respiratory syst.)
	STOT RE (Nervous system) 2
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 10000
	M-factor chronic: 1000
	H301, H316, H332, H335, H373, H400, H410

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Content (W/W): 14,08 %	Acute Tox. 5 (Inhalation - dust)
CAS Number: 165252-70-0	Acute Tox. 4 (oral)
	Acute Tox. 5 (dermal)
	Skin Irrit. 3
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 10
	M-factor chronic: 10
	H316, H302, H313 + H333, H400, H410

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): < 20 %	Eye Dam./Irrit. 2A
CAS Number: 102980-04-1	Aquatic Acute 3
	Aquatic Chronic 3
	H319, H402, H412

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt

Content (W/W): < 20 %	Acute Tox. 5 (oral)
CAS Number: 9084-06-4	H303

Citric acid

Content (W/W): < 2 %	Acute Tox. 5 (oral)
CAS Number: 77-92-9	Eye Dam./Irrit. 2A
EC-Number: 201-069-1	STOT SE 3 (irr. to respiratory syst.)
	H319, H303, H335

Phenol

Content (W/W): < 0,5 % CAS Number: 108-95-2 EC-Number: 203-632-7 INDEX-Number: 604-001-00-2	Acute Tox. 3 (oral) Acute Tox. 3 (Inhalation - mist) Acute Tox. 3 (dermal) Skin Corr. 1B Eye Dam. 1 Muta. 2 STOT RE 2 Aquatic Acute 2 Aquatic Chronic 2 H373, H341, H314, H301 + H311 + H331, H401, H411 <u>Specific concentration limit:</u> Skin Corr./Irrit. 1B: >= 3 % Skin Corr./Irrit. 2: 1 - < 3 % Eye Dam./Irrit. 2: 1 - < 3 %

Formaldehyde

Content (W/W): < 0,1 % CAS Number: 50-00-0 EC-Number: 200-001-8 INDEX-Number: 605-001-00-5	Flam. Liq. 4 Acute Tox. 2 (Inhalation - vapour) Acute Tox. 3 (oral) Acute Tox. 3 (dermal) Skin Corr. 1B Eye Dam. 1 Skin Sens. 1A Carc. 1B Aquatic Acute 2 H227, H330, H317, H350, H314, H301 + H311, H401 <u>Specific concentration limit:</u> Eye Dam./Irrit. 2: 5 - < 25 % STOT SE 3, irr. to respiratory syst.: >= 5 % Skin Sens. 1: >= 0,2 % Skin Corr./Irrit. 2: 5 - < 25 % Skin Corr./Irrit. 1B: >= 25 %

Sodium sulphate

Content (W/W): < 10 %
CAS Number: 7757-82-6
EC-Number: 231-820-9

2-Pyrrolidinone, 1-ethenyl-, homopolymer

Content (W/W): < 3 %
CAS Number: 9003-39-8

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide, water jet

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, hydrogen chloride, nitrogen oxides, halogenated compounds, sulfur oxides, silica compounds, cyanides
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.
For large amounts: Sweep/shovel up.
Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:
Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Storage stability:
Storage duration: 36 Months

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

77-92-9: Citric acid
7757-82-6: Sodium sulphate
67375-30-8: alpha-Cypermethrin
TWA value 0,11 mg/m3 (BASF recomm. occupational exposure limit)
9003-39-8: 2-Pyrrolidinone, 1-ethenyl-, homopolymer

Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	solid
Form:	solid
Colour:	beige
Odour:	faint odour, sweetish

Odour threshold:
Not determined since harmful by inhalation.
melting range: 70 - 90 °C
Boiling point:
The product has not been tested.
Flammability: not flammable
Lower explosion limit:
As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:
As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Flash point:
not applicable, the product is a solid
Thermal decomposition: 150 °C, 630 kJ/kg (DSC (OECD 113)) (onset temperature)
450 °C, 20 kJ/kg (DSC (OECD 113)) (onset temperature)
Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.
SADT: > 75 °C
pH value: approx. 3 - 5 (CIPAC standard water D, 1 %(m), 20 °C)
Viscosity, dynamic:
not applicable, the product is a solid
Solubility in water: dispersible
Partitioning coefficient n-octanol/water (log Kow):
The statements are based on the properties of the individual components.
Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Partitioning coefficient n-octanol/water (log Kow): -0,549 (25 °C)

Vapour pressure:
not applicable
Relative vapour density (air):
not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosives
Explosion hazard: not explosive (Part I (Explosives))
Oxidizing properties
Fire promoting properties: not fire-propagating (UN Test O.1 (oxidizing solids))

Self-heating substances and mixtures

Self heating ability:	It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2. (Volume: 1 cm3, Storage temperature: 140 °C)	(UN Test N.4 (self heating substances))

Other safety characteristics

Bulk density:	699 - 722 kg/m3 (20 °C)
Evaporation rate:	not applicable

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of pronounced toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:
LD50 rat (oral): > 50 - < 300 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 2,3 mg/l 4 h (OECD Guideline 403)
Tested as dust aerosol.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:
Skin contact causes slight irritation. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: Slightly irritating. (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
No sensitizing effect.

Experimental/calculated data:
Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Phenol
Assessment of mutagenicity:
Mutagenic properties can not be excluded on the basis of experimental data.

Information on: Citric acid
Assessment of mutagenicity:
The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Information on: Formaldehyde
Assessment of mutagenicity:
Reliable studies did not give evidence for systemic genotoxicity in experimental animals or in humans. Although positive in various in vitro studies, the substance does not induce local mutagenic effects in the absence of chronic irritation based on today's knowledge.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Phenol
Assessment of carcinogenicity:
Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The substance was classified as a group 3 carcinogen by the German MAK-Commission (substances for which a suspicion of a carcinogenic potential exists). IARC Group 3 (not classifiable as to human carcinogenicity).

Information on: Formaldehyde
Assessment of carcinogenicity:
After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
Assessment of repeated dose toxicity:
Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Information on: Phenol
Assessment of repeated dose toxicity:

Repeated inhalation exposure may affect certain organs. Repeated dermal exposure may affect certain organs. Repeated oral exposure may affect certain organs.

Information on: Formaldehyde
Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

Toxicity to fish:
LC50 (96 h) 1,12 mg/l, Oncorhynchus mykiss (OECD Guideline 203)

Aquatic invertebrates:
EC50 (48 h) 0,841 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:
EC50 (72 h) 33,094 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) 5,361 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

No observed effect concentration (72 h) 3,10 mg/l,

Information on: α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
Chronic toxicity to fish:
No observed effect concentration (34 d) 0,03 µg/L, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)

Information on: α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 0,03 µg/L, Daphnia magna (OPP 72-4 (EPA-Guideline), semistatic)

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Chronic toxicity to aquatic invertebrates:

No observed effect concentration 0,089 mg/l, Mysidopsis bahia

No observed effect concentration (27 d) 0,003 mg/l, Chironomus riparius
---

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
Bioaccumulation potential:
Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number:	UN3349
UN proper shipping name:	PYRETHROID PESTICIDE, SOLID, TOXIC (ALPHA-CYPERMETHRIN, DINOTEFURAN)
Transport hazard class(es):	6.1, EHSM
Packing group:	III
Environmental hazards:	yes

Special precautions for user:	Tunnel code: E

RID

UN number or ID number:	UN3349
UN proper shipping name:	PYRETHROID PESTICIDE, SOLID, TOXIC (ALPHA-CYPERMETHRIN, DINOTEFURAN)
Transport hazard class(es):	6.1, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport

ADN

UN number or ID number:	UN3349
UN proper shipping name:	PYRETHROID PESTICIDE, SOLID, TOXIC (ALPHA-CYPERMETHRIN, DINOTEFURAN)
Transport hazard class(es):	6.1, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 3349
UN proper shipping name:	PYRETHROID PESTICIDE, SOLID, TOXIC (ALPHA-CYPERMETHRIN, DINOTEFURAN)
Transport hazard class(es):	6.1, EHSM
Packing group:	III
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-A

Air transport

IATA/ICAO

UN number or ID number:	UN 3349

UN proper shipping name:	PYRETHROID PESTICIDE, SOLID, TOXIC (ALPHA-CYPERMETHRIN, DINOTEFURAN)
Transport hazard class(es):	6.1
Packing group:	III
Environmental hazards:	No Mark as dangerous for the environment is needed
Special precautions for user:	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Corr.	Skin corrosion
Eye Dam.	Serious eye damage
Muta.	Germ cell mutagenicity
Flam. Liq.	Flammable liquids
Skin Sens.	Skin sensitization
Carc.	Carcinogenicity
H301	Toxic if swallowed.
H316	Causes mild skin irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs (Nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H302	Harmful if swallowed.
H313 + H333	May be harmful in contact with skin or if inhaled.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H303	May be harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.

H341	Suspected of causing genetic defects.
H314	Causes severe skin burns and eye damage.
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H227	Combustible liquid.
H330	Fatal if inhaled.
H317	May cause an allergic skin reaction.
H350	May cause cancer.
H301 + H311	Toxic if swallowed or in contact with skin.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.