We create chemistry

Safety data sheet

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 22.09.2015 Version: 1.0
Product: **PT 221L Pressurized Insecticide**
(ID no. 30701176/SDS_CPA_00/EN)
Date of print 02.07.2025

1. Identification

Product identifier

PT 221L Pressurized Insecticide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Aerosol 1
Asp. Tox. 1
Acute Tox. 5 (oral)
Aquatic Acute 1

Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H229	Pressurized container: May burst if heated.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing spray.

Precautionary Statements (Response):

P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P391	Collect spillage.
P331	Do NOT induce vomiting.

Precautionary Statements (Storage):

P410 + P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.

According to UN GHS criteria

Hazard determining component(s) for labelling: KEROSENE (PETROLEUM), CARBON DIOXIDE, LAMBDA-CYHALOTHRIN

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

insecticide

Hazardous ingredients (GHS)
According to UN GHS criteria

lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate

Content (W/W): 0,05 %	Flam. Liq. 4
CAS Number: 91465-08-6	Acute Tox. 2 (Inhalation - dust)
	Acute Tox. 3 (oral)
	Acute Tox. 3 (dermal)
	Eye Dam./Irrit. 2B
	Repr. 2 (fertility)
	STOT SE 3 (drowsiness and dizziness)
	STOT SE 3 (irr. to respiratory syst.)
	H227, H320, H311, H330, H301, H336, H335, H361

Distillates (petroleum), hydrotreated light;

Content (W/W): < 90 %	Asp. Tox. 1
CAS Number: 64742-47-8	H304

propan-2-ol; isopropyl alcohol; isopropanol

Content (W/W): < 20 % CAS Number: 67-63-0 INDEX-Number: 603-117-00-0	Flam. Liq. 2 Acute Tox. 5 (oral) Eye Dam./Irrit. 2A STOT SE 3 (drowsiness and dizziness) H225, H319, H303, H336

Carbon dioxide

Content (W/W): < 10 % CAS Number: 124-38-9 EC-Number: 204-696-9	Press. Gas Compr. Gas H280

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Storage stability:
Storage temperature: 22 °C
Storage duration: 12 Months

Protect from temperatures above: 50 °C
The packed product must be protected against exceeding the indicated temperature.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

67-63-0: propan-2-ol; isopropyl alcohol; isopropanol
124-38-9: Carbon dioxide
64742-47-8: Distillates (petroleum), hydrotreated light; Kerosine - unspecified

Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:
Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	aerosol	
Colour:	clear	
Odour:	characteristic	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 9,5 - 11,5 (25 °C)	
pour point:	approx. -50 °C Information applies to the solvent.	
Boiling point:	approx. 193 - 245 °C Information applies to the solvent.	
Flash point:	> -13 °C Information applies to the solvent.	
Evaporation rate:	not applicable	
Flammability:	Highly flammable.	
Flammability of Aerosol Products:	> 18 in no flashback	(ASTM D 3065)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	approx. 220 - 250 °C Information applies to the solvent.	

Vapour pressure:	approx. 6205 - 6895 hPa (20 °C)
Density:	approx. 0,78 g/cm3 (20 °C)
Relative vapour density (air):	not applicable
Solubility in water:	dispersible
Partitioning coefficient n-octanol/water (log Kow):	The statements are based on the properties of the individual components.

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate

Partitioning coefficient n-octanol/water (log Kow): 7
(20 °C)

Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	approx. 1 mPa.s (25 °C)
Explosion hazard:	Based on the chemical structure there is no indicating of explosive properties.
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.

Other information

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid
See MSDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of low toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:
LD50 rat (oral): > 2.000 mg/kg

LC50 rat (by inhalation): > 2,40 mg/l
No mortality was observed.

LD50 rabbit (dermal): > 5.000 mg/kg

Irritation

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:
modified Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Information on: propan-2-ol; isopropyl alcohol; isopropanol
Assessment of carcinogenicity:
In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was not observed. IARC Group 3 (not classifiable as to human carcinogenicity).

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Assessment of reproduction toxicity:
The results of animal studies suggest a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Assessment of teratogenicity:
Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Information on: Carbon dioxide
Assessment of teratogenicity:
The potential to cause toxicity to development cannot be excluded at maternally toxic doses.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
The available information is not sufficient for evaluation.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: propan-2-ol; isopropyl alcohol; isopropanol
Assessment of repeated dose toxicity:
No adverse effects were observed after repeated inhalative exposure in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses.

Information on: Carbon dioxide
Assessment of repeated dose toxicity:
The substance may cause damage to the lung after repeated inhalation of high doses. The substance may cause damage to the heart after repeated inhalation of high doses, as shown in animal studies.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.
May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

Misuse can be harmful to health.

Has a degreasing effect on skin.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-

phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Toxicity to fish:
LC50 (96 h) 0,00024 mg/l, Oncorhynchus mykiss (OECD Guideline 203, Flow through.)

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Aquatic invertebrates:
EC50 (48 h) 0,00036 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

EC50 (96 h) 0,0000248 mg/l, Asellus sp.

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Aquatic plants:
EC50 (96 h) > 0,3 mg/l (growth rate), Selenastrum capricornutum
---

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Chronic toxicity to fish:
No observed effect concentration (300 d) 0,000031 mg/l, Pimephales promelas
---

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (28 d) 0,00000022 mg/l, Mysidopsis bahia
---

Assessment of terrestrial toxicity:
Acutely toxic to birds.

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-

phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible.

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: lambda-cyhalothrin (ISO); A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethy lcyclopropanecarboxylate; (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarb oxylate
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.
Emptied gas pressure vessels must not be opened.

14. Transport Information

Land transport

ADR

UN number	UN1950
UN proper shipping name:	AEROSOLS (contains 2-PROPANOL, LAMBDA-CYHALOTHRIN)
Transport hazard class(es):	2.1, EHSM
Packing group:	Not applicable
Environmental hazards:	yes
Special precautions for user:	Tunnel code: D

RID

UN number	UN1950
UN proper shipping name:	AEROSOLS (contains 2-PROPANOL, LAMBDA-CYHALOTHRIN)
Transport hazard class(es):	2.1, EHSM
Packing group:	Not applicable
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport
ADN

UN number	UN1950
UN proper shipping name:	AEROSOLS (contains 2-PROPANOL, LAMBDA-CYHALOTHRIN)
Transport hazard class(es):	2.1, EHSM
Packing group:	Not applicable
Environmental hazards:	yes
Special precautions for user:	None known

Transport in inland waterway vessel:	Not evaluated

Sea transport

IMDG

UN number:	UN 1950
UN proper shipping name:	AEROSOLS (contains 2-PROPANOL, LAMBDA-CYHALOTHRIN)
Transport hazard class(es):	2.1, EHSM
Packing group:	Not applicable
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	None known

Air transport

IATA/ICAO

UN number:	UN 1950
UN proper shipping name:	AEROSOLS, FLAMMABLE
Transport hazard class(es):	2.1
Packing group:	Not applicable
Environmental hazards:	No Mark as dangerous for the environment is needed
Special precautions for user:	None known

UN number
See corresponding entries for “UN number” for the respective regulations in the tables above.

UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

Special precautions for user

See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Aerosol	Aerosols
Asp. Tox.	Aspiration hazard
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Flam. Liq.	Flammable liquids
Eye Dam./Irrit.	Serious eye damage/eye irritation
Repr.	Reproductive toxicity
STOT SE	Specific target organ toxicity — single exposure
Press. Gas	Gases under pressure
H227	Combustible liquid.
H320	Causes eye irritation.
H311	Toxic in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility.
H304	May be fatal if swallowed and enters airways.
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H303	May be harmful if swallowed.
H280	Contains gas under pressure; may explode if heated.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's

properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.