We create chemistry

Safety Data Sheet
PT 221L Pressurized Insecticide

1. Identification

Product identifier used on the label

PT 221L Pressurized Insecticide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	397433
EPA Registration number:	499-473
Synonyms:	lambda-Cyhalothrin

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Asp. Tox.	1	Aspiration hazard
Flam. Liq.	2	Flammable liquids
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic
Flam. Aerosol	1	Flammable aerosols

Label elements

Pictogram:

Signal Word:
Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H229	Pressurized container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P331	Do NOT induce vomiting.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Lambda-Cyhalothrin
CAS Number: 91465-08-6
Content (W/W): 0.05 %

Synonym: Lambda-Cyhalothrin

2-Propanol
CAS Number: 67-63-0
Content (W/W): 10.0 - 15.0%
Synonym: Isopropyl alcohol

Distillates, petroleum
CAS Number: 64742-47-8
Content (W/W): 75.0 - 100.0%
Synonym: Distillates, petroleum, hydrotreated light

Content (W/W): 3.0 - 5.0%
Synonym: Liquid carbon dioxide

4. First-Aid Measures

Description of first aid measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

If on skin:
Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Treat according to symptoms (decontamination, vital functions), no known specific antidote.
Treatment:	Vomiting may cause aspiration pneumonia due to the ingredients. Chlormequat chloride is a weak ganglionic stimulant with with an action similar to that of nicotine.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
foam, dry powder, carbon dioxide, water spray

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:
Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container

tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:
Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:
May be kept indefinitely if stored properly.
If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.
Protect from temperatures above: 130 °F
Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

2-Propanol	ACGIH, US:	STEL value 400 ppm ;
	ACGIH, US:	TWA value 200 ppm ;
	OSHA Z1:	PEL 400 ppm 980 mg/m3 ;
carbon dioxide	ACGIH, US:	TWA value 5,000 ppm ;
	ACGIH, US:	STEL value 30,000 ppm ;
	OSHA Z1:	PEL 5,000 ppm 9,000 mg/m3 ;
Distillates, petroleum	ACGIH, US:	TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures.
	ACGIH, US:	Skin Designation Non-aerosol (total hydrocarbon vapor); Danger of cutaneous absorption

Advice on system design:
Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:
Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:
Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:
Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	aerosol	
Odour:	characteristic	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	clear	
pH value:	approx. 9.5 - 11.5 (25 °C)	
pour point:	approx. -50 °C Information applies to the solvent.	
Boiling point:	approx. 193 - 245 °C Information applies to the solvent.	
Flash point:	> -13 °C Information applies to the solvent.	
Flammability:	Highly flammable.	
Flammability of Aerosol Products:	> 18 in no flashback	(ASTM D 3065)
NFPA 30B flammability:	Level 3 Aerosol	

Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	approx. 220 - 250 °C Information applies to the solvent.
Vapour pressure:	approx. 6,205 - 6,895 hPa (20 °C)
Density:	approx. 0.78 g/cm3 (20 °C)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*

Partitioning coefficient n-octanol/water (log Pow):	7 (20 °C)

Thermal decomposition:	carbon monoxide, carbon dioxide, halogenated hydrocarbons, Hydrogen chloride, hydrogen fluoride, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.
Viscosity, dynamic:	approx. 1 mPa.s (25 °C)
Solubility in water:	dispersible
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
Corrosive effects to metal are not anticipated.

Oxidizing properties:
Based on its structural properties the product is not classified as oxidizing.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
The product is chemically stable.

Conditions to avoid
Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials
strong oxidizing agents

Hazardous decomposition products

Decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:
Possible thermal decomposition products:
carbon monoxide, carbon dioxide, halogenated hydrocarbons, Hydrogen chloride, hydrogen fluoride, nitrogen dioxide, nitrogen oxide
Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral
Type of value: LD50
Species: rat
Value: > 2,000 mg/kg

Inhalation
Type of value: LC50
Species: rat
Value: > 2.40 mg/l
No mortality was observed.

Dermal
Type of value: LD50
Species: rabbit
Value: > 5,000 mg/kg

Assessment other acute effects
Assessment of STOT single:
The available information is not sufficient for the evaluation of specific target organ toxicity.

Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Not irritating to the skin. Not irritating to the eyes.

Skin
Species: rabbit
Result: non-irritant
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Eye
Species: rabbit
Result: non-irritant

Sensitization
Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test
Species: guinea pig
Result: Non-sensitizing.

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-Propanol
Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated inhalation.

Information on: carbon dioxide
Assessment of repeated dose toxicity: Prolonged or repeated exposure by inhalation to high concentrations may cause circulatory insufficiency leading to headache, nausea, vomiting and potentially death.

Genetic toxicity
Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity
Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Information on: 2-Propanol
Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was not observed. IARC Group 3 (not classifiable as to human carcinogenicity).

Reproductive toxicity
Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*
Assessment of reproduction toxicity: The results of animal studies suggest a fertility impairing effect.

Teratogenicity
Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*
Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Information on: carbon dioxide
Assessment of teratogenicity: Not classified, due to lack of data.

Other Information
Misuse can be harmful to health.
Has a degreasing effect on skin.

12. Ecological Information

Toxicity

Toxicity to fish

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*
LC50 (96 h) 0.00019 mg/l, Oncorhynchus mykiss (OECD Guideline 203, Flow through.)

Information on: 2-Propanol
LC50 (96 h) 9,640 mg/l, Pimephales promelas (EPA 72-1, Flow through.)
The statement of the toxic effect relates to the analytically determined concentration. Literature data.

Information on: Distillates, petroleum
LL50 (96 h) 2 - 5 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic)
The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal values (confirmed by concentration control analytics)

Aquatic invertebrates

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*
EL50 (48 h) 0.00004 mg/l, Daphnia magna

Information on: 2-Propanol
LC50 (24 h) > 10,000 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The details of the toxic effect relate to the nominal concentration.

Information on: Distillates, petroleum
EL50 (48 h) 1.4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*
EC50 (96 h) > 0.3 mg/l (growth rate), Selenastrum capricornutum

Information on: 2-Propanol
Toxic limit concentration (7 d) 1,800 mg/l, Scenedesmus quadricauda (other, static)
Literature data.

Information on: Distillates, petroleum
EL50 (72 h) 1 - 3 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
No observed effect concentration (72 h) 1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to fish

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*

Chronic toxicity to aquatic invertebrates

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*

Persistence and degradability

Assessment biodegradation and elimination (H2O)

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential
The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible.

Mobility in soil

Assessment transport between environmental compartments
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Cyclopropanecarboxylic acid, 3-(2-chloro-3,3,3-trifluoro-1-propenyl)- 2,2-dimethyl-, cyano(3-phenoxyphenyl)methyl ester, [1.alpha.(S *),3.alpha.(Z)]-*

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:
Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:
Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport
USDOT

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Proper shipping name:	AEROSOLS

Sea transport
IMDG

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Marine pollutant:	YES
Proper shipping name:	AEROSOLS (contains 2-PROPANOL, LAMBDA-CYHALOTHRIN)

Air transport
IATA/ICAO

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS, FLAMMABLE

Further information
DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical	TSCA, US	blocked / not listed
Crop Protection	TSCA, US	released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

CERCLA RQ	CAS Number	Chemical name
100 LBS	67-63-0	2-Propanol

State regulations

State RTK	CAS Number	Chemical name
PA	67-63-0	2-Propanol
	124-38-9	carbon dioxide
	64742-47-8	Distillates, petroleum
MA	67-63-0	2-Propanol
	124-38-9	carbon dioxide
	64742-47-8	Distillates, petroleum
NJ	124-38-9	carbon dioxide
	64742-47-8	Distillates, petroleum
	67-63-0	2-Propanol

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s) described in this section below, this product does not require a California Proposition 65 Warning:

NFPA Hazard codes:
Health: 2 Fire: 4 Reactivity: 1 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace

labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.
CAUTION:
KEEP OUT OF REACH OF CHILDREN.
KEEP OUT OF REACH OF DOMESTIC ANIMALS.
HARMFUL IF SWALLOWED.
May cause moderate but temporary irritation to the eyes.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.
Flammable Liquid
Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2021/11/05

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET