We create chemistry

# Safety data sheet



BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)
Date / Revised: 04.04.2024 Version: 3.3
Product: **Kaurit® Impregnating System 820**
(ID no. 30034949/SDS_GEN_00/EN)
Date of print 04.07.2025

## 1. Identification

### Product identifier

## Kaurit® Impregnating System 820

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical
Recommended use: Chemical, for industrial and professional users

### Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Division Monomers

Telephone: +49 621 60 42737
E-mail address: pss.monomers@basf.com

### Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

## 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

### Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):
May produce an allergic reaction. Contains: Formaldehyde

### Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

## 3. Composition/Information on Ingredients

### Substances

Not applicable

### Mixtures

Chemical nature

Polymer based on: acrylic resin, Melamine, Formaldehyde, Urea

modified

Hazardous ingredients (GHS)
According to UN GHS criteria

Methanol

| | |
|---|---|
| Content (W/W): >= 0,3 % - < 1 %<br>CAS Number: 67-56-1<br>EC-Number: 200-659-6<br>INDEX-Number: 603-001-00-X | Flam. Liq. 2<br>Acute Tox. 3 (Inhalation - vapour)<br>Acute Tox. 3 (oral)<br>Acute Tox. 3 (dermal)<br>STOT SE (Central nervous system, Optic nerve) 1<br>H225, H301 + H311 + H331, H370<br><br><u>Specific concentration limit:</u><br>STOT SE 2: 3 - < 10 %<br>STOT SE 1: >= 10 % |

Formaldehyde

| | |
|---|---|
| Content (W/W): > 0 % - < 0,1 %<br>CAS Number: 50-00-0<br>EC-Number: 200-001-8<br>INDEX-Number: 605-001-00-5 | Flam. Liq. 4<br>Acute Tox. 2 (Inhalation - vapour)<br>Acute Tox. 3 (oral)<br>Acute Tox. 3 (dermal)<br>Skin Corr. 1B<br>Eye Dam. 1<br>Skin Sens. 1A<br>Carc. 1B<br>Aquatic Acute 2<br>H227, H330, H317, H350, H314, H301 + H311, H401<br><br><u>Specific concentration limit:</u><br>Eye Dam./Irrit. 2: 5 - < 25 %<br>STOT SE 3, irr. to respiratory syst.: >= 5 %<br>Skin Sens. 1: >= 0,2 %<br>Skin Corr./Irrit. 2: 5 - < 25 %<br>Skin Corr./Irrit. 1B: >= 25 % |

For the classifications not written out in full in this section the full text can be found in section 16.

## 4. First-Aid Measures

### Description of first aid measures

Remove contaminated clothing.

If inhaled:
After inhalation of decomposition products, remove the affected person to a source of fresh air and keep calm. Provide medical aid.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:
water spray, foam, carbon dioxide, dry powder

### Special hazards arising from the substance or mixture

carbon oxides
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Further information:
Fire debris must be disposed of in accordance with offical regulations. In case of combustion evolution of toxic gases/vapours possible. Do not allow to enter drains or waterways. Forms slippery surfaces with water.

## 6. Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

### Environmental precautions

Do not discharge into waterways or sewer systems without proper authorization. Dispose of in compliance with the environmental protection requirements.

### Methods and material for containment and cleaning up

For large amounts: Sweep/shovel up.
For residues: Pick up with suitable absorbent material.

## 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Inform workers about possible hazards caused by the release of formaldehyde during processing.

### Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances.

Suitable materials for containers: Stainless steel 1.4401, Stainless steel 1.4301 (V2), Aluminium, Polyester resin, glass reinforced (Palatal A410), High density polyethylene (HDPE), Low density polyethylene (LDPE), glass
Unsuitable materials for containers: Paper/Fibreboard
Further information on storage conditions: Keep in a cool place.

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## 8. Exposure Controls/Personal Protection

### Control parameters

Components with occupational exposure limits

50-00-0: Formaldehyde
57-13-6: Urea
64-17-5: Ethanol
67-56-1: Methanol

### Exposure controls

Personal protective equipment

Respiratory protection:
Breathing protection if gases/vapours are formed. (Gas filter EN 14387 A)

Hand protection:
Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
No body protection required if used for intended purpose and satisfying generally accepted industrial hygiene rules.

General safety and hygiene measures
Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

State of matter: liquid

| | | |
|---|---|---|
| Form: | liquid | |
| Colour: | white | |
| Odour: | almost odourless | |
| solidification temperature: | approx. -10 °C | |
| boiling temperature: | approx. 95 °C | |
| Flash point: | 100 °C<br>No flash point - Measurement made up to the indicated temperature, pilot light extinguishes. | (ISO 2592) |
| Auto-ignition temperature: | approx. 510 °C | (DIN 51794) |
| Thermal decomposition: | No decomposition if correctly stored and handled. | |
| pH value: | approx. 8<br>(20 °C) | (DIN ISO 976) |
| Viscosity, dynamic: | 10 - 30 mPa.s<br>(20 °C) | (DIN EN ISO 3219, Annex B) |
| Solubility in water: | miscible | |
| Partitioning coefficient n-octanol/water (log Kow): | not determined | |
| Vapour pressure: | approx. 23 mbar<br>(20 °C) | |
| Density: | approx. 1,13 g/cm3<br>(20 °C) | (DIN 53217-5) |

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

### 9.2. Other information

**Information with regard to physical hazard classes**

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:
Forms no flammable gases in the presence of water.

**Other safety characteristics**

Other Information: none

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

| | | |
|---|---|---|
| Formation of flammable gases: | Remarks: | Forms no flammable gases in the presence of water. |

### Chemical stability

The product is chemically stable.

Peroxides: Substance contains no organic peroxides.

### Possibility of hazardous reactions

During processing with acids, water and / or heat formaldehyde will be released, which may act as a sensitizer.

### Conditions to avoid

> 30 °C
Avoid heat. Avoid humidity. Avoid dust formation.

### Incompatible materials

Substances to avoid:
Organic Peroxides, strong bases, strong acids, acid anhydrides

### Hazardous decomposition products

Possible thermal decomposition products:
Formaldehyde

## 11. Toxicological Information

### Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
LD50 rat (oral): > 2.000 mg/kg

rat (by inhalation): 8 h
Inhalation-risk test (IRT): No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard.

Irritation

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization:
After continuous contact with the skin, sensitization cannot be excluded.

Experimental/calculated data:
Guinea pig maximization test : Non-sensitizing.
This compound containing < 1% formaldehyde has no sensitizing effect (literature data).

Carcinogenicity

*Information on: Formaldehyde*
*Assessment of carcinogenicity:*
*After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.*
---

Reproductive toxicity

Assessment of reproduction toxicity:
No reproductive toxic effects reported.

Developmental toxicity

Assessment of teratogenicity:
Not a teratogen.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

*Information on: Formaldehyde*
*Assessment of repeated dose toxicity:*
*After repeated exposure the prominent effect is local irritation.*

*Information on: Methanol*
*Assessment of repeated dose toxicity:*
*The substance may cause blindness after repeated ingestion. The substance may cause blindness after repeated inhalation.*
---

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## 12. Ecological Information

### Toxicity

Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:
LC50 (96 h) > 500 mg/l, Leuciscus idus (DIN 38412 Part 15, static)
Nominal concentration.

LC50 (96 h) > 6.810 mg/l, Leuciscus idus (other, static)

LC50 (96 h) > 2.200 - < 4.600 mg/l, Leuciscus idus (DIN 38412 Part 15, static)
Nominal concentration.

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants:
EC50 (72 h) 88,2 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)
The statement of the toxic effect relates to the analytically determined concentration.

### Persistence and degradability

Elimination information:
No data available.

### Bioaccumulative potential

Assessment bioaccumulation potential:
The product will not be readily bioavailable due to its consistency and insolubility in water.
The product has not been tested. The statement has been derived from the properties of the individual components.

### Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### Additional information

Other ecotoxicological advice:
Do not release untreated into natural waters. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## 13. Disposal Considerations

### Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.
No disposal via sewage or waste water systems.

Waste key:
08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

## 14. Transport Information

**Land transport**

ADR

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

RID

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Inland waterway transport**
ADN

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |

| | |
|---|---|
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user: | None known |

Transport in inland waterway vessel
Not evaluated

**Sea transport**

IMDG

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Air transport**

IATA/ICAO

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

### Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

## 15. Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

| | |
|---|---|
| Flam. Liq. | Flammable liquids |
| Acute Tox. | Acute toxicity |
| STOT SE | Specific target organ toxicity — single exposure |
| Skin Corr. | Skin corrosion |
| Eye Dam. | Serious eye damage |
| Skin Sens. | Skin sensitization |
| Carc. | Carcinogenicity |
| Aquatic Acute | Hazardous to the aquatic environment - acute |
| Eye Dam./Irrit. | Serious eye damage/eye irritation |
| Skin Corr./Irrit. | Skin corrosion/irritation |
| H225 | Highly flammable liquid and vapour. |
| H301 + H311 + H331 | Toxic if swallowed, in contact with skin or if inhaled. |
| H370 | Causes damage to organs (Central nervous system, Optic nerve). |
| H227 | Combustible liquid. |
| H330 | Fatal if inhaled. |
| H317 | May cause an allergic skin reaction. |
| H350 | May cause cancer. |
| H314 | Causes severe skin burns and eye damage. |
| H301 + H311 | Toxic if swallowed or in contact with skin. |
| H401 | Toxic to aquatic life. |

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.