1. Identification

Product identifier used on the label

Mythic

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Molecular formula: C(15) H(11) Br Cl F(3) N(2) O

Synonyms: chlorfenapyr

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Acute Tox.	3 (oral)	Acute toxicity
Acute Tox.	2 (Inhalation - mist)	Acute toxicity

STOT SE	2	Specific target organ toxicity — single exposure
STOT RE	2	Specific target organ toxicity — repeated exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:

Signal Word:
Danger

Hazard Statement:

H330	Fatal if inhaled.
H301	Toxic if swallowed.
H371	May cause damage to organs (Central nervous system).
H373	May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P260	Do not breathe dust/gas/mist/vapours.
P284	In case of inadequate ventilation wear respiratory protection.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth
P391	Collect spillage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Chlorfenapyr
CAS Number: 122453-73-0
Content (W/W): 21.45 %

Synonym: No data available.

Acetic acid
CAS Number: 64-19-7
Content (W/W): 0.3%
Synonym: Acetic acid; Glacial acetic acid

4. First-Aid Measures

Description of first aid measures

General advice:
First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

If inhaled:
Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary.

If on skin:
Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:
Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

If swallowed:
If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Do not give solids or liquids. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far, Symptoms of poisoning may only appear after several hours or several days.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen bromide, nitrogen oxides, silicon oxides, halogenated compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. No special measures necessary if stored and handled correctly. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Keep away from heat. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Chlorfenapyr	TWA value 0.3 mg/m3 ;

Personal protective equipment

Respiratory protection:
Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:
Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:
Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid
Odour:	sweetish, characteristic
Odour threshold:	Not determined since toxic by inhalation.
Colour:	white to light brown
pH value:	approx. 6 - 8 (approx. 25 °C) (measured with the undiluted substance)

Freezing point:	approx. 0 °C (1,013.3 hPa) Information applies to the solvent.	
Boiling point:	approx. 100 °C (1,013 mbar) Information applies to the solvent.	
Flash point:	Non-flammable.	(Regulation 440/2008/EC, A.9)
Flammability:	not applicable	
Autoignition:	> 651 °C	(Regulation 440/2008/EC, A.15)
Vapour pressure:	approx. 23.3 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.13 g/cm3 (20 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Thermal decomposition:	210 °C, 260 kJ/kg (DSC (OECD 113)) (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 757 mPa.s (20 °C)	
Solubility in water:	dispersible	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating (Regulation 440/2008/EC, A.21)

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid
See SDS section 7 - Handling and storage.

Incompatible materials
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:
210 °C (DSC (OECD 113))
(onset temperature)
Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Of high toxicity after short-term inhalation. Of pronounced toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Oral
Type of value: LD50
Species: mouse (male)
Value: > 50 - < 300 mg/kg
The data on toxicology refer to the active ingredient. Same product LD50 is assigned for precautionary reasons in view of human poisoning incidents

Information on: chlorfenapyr
Type of value: LD50
Species: mouse (male)
Value: > 50 - < 300 mg/kg (OECD Guideline 401)

Inhalation
Type of value: LC50
Species: rat (male)
Value: 0.411 mg/l (OECD Guideline 403)
Exposure time: 4 h
An aerosol was tested.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Dermal
Type of value: LD50
Species: rabbit (male/female)
Value: > 2,000 mg/kg
No mortality was observed.

Assessment other acute effects
Assessment of STOT single:
A single exposure may have relevant toxic effects on organs.

Target organ: Central nervous system
The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion
Assessment of irritating effects: Skin contact causes slight irritation. Not irritating to the eyes.

Skin
Species: rabbit
Result: Slightly irritating.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Eye
Species: rabbit
Result: non-irritant

Sensitization
Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test
Species: guinea pig
Result: Non-sensitizing.
Method: OECD Guideline 406

Aspiration Hazard
No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr
Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. Affects the central nervous system.

Genetic toxicity
Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity
Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity
Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity
Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information
Reported human health effects after incorporation: immediate symptoms after oral ingestion may comprise nausea, vomiting, sweating and abdominal pain. Subsequent symptoms emerging with a delay of a few days up to 10-14 days may include drowsiness, tachypnea, tachycardia or arrhythmia, hypertension, fever, diaphoresis, muscle fasciculation, muscle stiffness, weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, and sudden disturbance of consciousness followed by coma and cardiac arrest. Misuse can be fatal.

Medical conditions aggravated by overexposure
Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

Toxicity to fish
LC50 (96 h) 0.108 mg/l, Oncorhynchus mykiss (Flow through.)

Aquatic invertebrates
EC50 (48 h) 0.0121 mg/l, Daphnia magna (static)

Aquatic plants
EC50 (72 h) 4.09 mg/l, Selenastrum capricornutum (OECD Guideline 201)

Chronic toxicity to fish

Information on: chlorfenapyr
No observed effect concentration (93 d) 0.003678 mg/l, Oncorhynchus mykiss
---

Chronic toxicity to aquatic invertebrates

Information on: chlorfenapyr
No observed effect concentration (28 d) 0.000172 mg/l, Mysidopsis bahia
---

Assessment of terrestrial toxicity
Acutely very toxic to terrestrial organisms.

Persistence and degradability

Assessment biodegradation and elimination (H2O)
The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: chlorfenapyr

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential
The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: chlorfenapyr

Bioconcentration factor: 116, Cyprinus carpio
Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:
See product label for disposal and recycling instructions.

Container disposal:
Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Land transport
TDG

Hazard class:	6.1
Packing group:	III
ID number:	UN 2902

Hazard label:	6.1, EHSM
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains CHLORFENAPYR)

Sea transport
IMDG

Hazard class:	6.1
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1, EHSM
Marine pollutant:	YES
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains CHLORFENAPYR)

Air transport
IATA/ICAO

Hazard class:	6.1
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains CHLORFENAPYR)

15. Regulatory Information

Federal Regulations

Registration status:
Crop Protection DSL, CA released / exempt

Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Warning: Poison
KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
May be fatal if swallowed.
May be fatal if inhaled.
Harmful if absorbed through skin.
Do not breathe vapours/mists.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2022/12/16

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET