We create chemistry

Safety data sheet

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 30.06.2025 Version: 5.0
Date / Previous version: not applicable Previous version: 4.0
Product: **Joncryl® 74-C ap**

(ID no. 30682279/SDS_GEN_DE/EN)

Date of print 07.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Joncryl® 74-C ap

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: polymers for inks, varnishes or coatings

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Global Business Unit Resins and Additives

Telephone: +49 621 60-0
E-mail address: ed-psr@basf.com

1.4. Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2	H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:

Signal Word:

Warning

Hazard Statement:

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: 2-methylisothiazol-3(2H)-one, 2-ethylhexyl acrylate

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Ammonium salt of modified acrylic copolymers

Regulatory relevant ingredients

Alcohols, C11-15-secondary, ethoxylated

Content (W/W): >= 1 % - < 1,5 %	Acute Tox. 4 (oral)
CAS Number: 68131-40-8	Eye Dam. 1
	H318, H302

ammonia solution 20 wt% -25 wt% in water

Content (W/W): >= 0 % - < 0,1 %	Skin Corr. 1B
CAS Number: 1336-21-6	Eye Dam. 1
EC-Number: 215-647-6	STOT SE 3 (irr. to respiratory syst.)
REACH registration number: 01-2119488876-14	Aquatic Acute 1
	Aquatic Chronic 2
INDEX-Number: 007-001-01-2	M-factor acute: 1
	H314, H335, H411, H400
Substance with EU occupational exposure limit	Specific concentration limit:
	STOT SE 3: >= 5 %

2-ethylhexyl acrylate

Content (W/W): >= 0,1 % - < 0,2 %	Skin Irrit. 2
CAS Number: 103-11-7	Skin Sens. 1
EC-Number: 203-080-7	STOT SE 3 (irr. to respiratory syst.)
REACH registration number: 01-2119453158-37	Aquatic Chronic 3
	H315, H317, H335, H412
INDEX-Number: 607-107-00-7	Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008
	Skin Sens. 1B
	STOT SE 3 (irr. to respiratory syst.)
	Skin Irrit. 2
	Aquatic Chronic 3

2-methylisothiazol-3(2H)-one

Content (W/W): >= 0 % - < 0,01 % CAS Number: 2682-20-4 EC-Number: 220-239-6 REACH registration number: 01-2120764690-50 INDEX-Number: 613-326-00-9	Acute Tox. 2 (Inhalation - dust) Acute Tox. 3 (oral) Acute Tox. 3 (dermal) Skin Corr. 1B Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1 H330, H317, H314, H301 + H311, H400, H410 EUH071 Specific concentration limit: Skin Sens. 1A: >= 0,0015 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Immediately remove contaminated clothing.

If inhaled:
If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours
Advice: Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Further information:
Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary provided product is used correctly.

Implement proper technical protective measures to prevent product release during handling and processing.

Protection against fire and explosion:
No special precautions necessary.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE)
Further information on storage conditions: Keep container tightly closed and in a cool place.

Storage class according to TRGS 510 (originally VCI, Germany): (10) Combustible liquids

Protect from temperatures below:5 °C
Protect from temperatures above:40 °C

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

The surveillance of the workplace by exposure measurements may be necessary, in order to prove the efficiency of safety measures, for example ventilation or the need of respiratory protection. Since this requires a specific competency, only accredited laboratories should be contracted. Regarding suitable methods to assess inhalation exposure, the European Standards EN 482, 689 and 14042 are to be considered. In addition, the TRGS 402 has to be observed in Germany.

1336-21-6: ammonia ... %
STEL value 36 mg/m3 ; 50 ppm (OEL (EU))
indicative
TWA value 14 mg/m3 ; 20 ppm (OEL (EU))
indicative
TWA value 14 mg/m3 ; 20 ppm (EU SCOEL)
Ceiling limit value/factor: 8HR
STEL value 36 mg/m3 ; 50 ppm (EU SCOEL)
Ceiling limit value/factor: 15 min

103-11-7: 2-ethylhexyl acrylate
Short Term Exposure Classification: (TRGS 900 (DE)), Vapor and aerosol
Category I: Substances for which the localized effect has an assigned exposure limit or for substances with a sensitizing effect in respiratory passages
OEL 38 mg/m3 ; 5 ppm (TRGS 900 (DE)), Vapor and aerosol
Ceiling limit value/factor: 1
If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

Components with PNEC

1336-21-6: ammonia ... %

freshwater: 0,00135 mg/l
marine water: 0,00135 mg/l
intermittent release: 0,0083 mg/l
STP:
No hazard identified.
sediment (freshwater):
No hazard identified.
soil: 0,0221 mg/kg
sediment (marine water):
No hazard identified.
air:
No hazard identified.
oral (secondary poisoning):
No PNEC oral derived, as accumulation in organisms is not to be expected.

103-11-7: 2-ethylhexyl acrylate

STP: 2,3 mg/l
freshwater: 0,0027 mg/l
marine water: 0,0003 mg/l
sediment (freshwater): 0,108 mg/kg
sediment (marine water): 0,0108 mg/kg
soil: 1 mg/kg

Components with DNEL

1336-21-6: ammonia ... %

worker: Long- and short-term exposure - systemic effects, Inhalation: 47,6 mg/m3
worker: Long-term exposure - local effects, Inhalation: 14 mg/m3
worker: Short-term exposure - local effects, Inhalation: 36 mg/m3
worker: Long- and short-term exposure - systemic effects, dermal: 6,8 mg/kg
consumer: Long- and short-term exposure - systemic effects, Inhalation: 23,8 mg/m3
consumer: Long- and short-term exposure - systemic effects, dermal: 6,8 mg/kg
consumer: Long- and short-term exposure - systemic effects, oral: 6,8 mg/kg
worker: Long-term exposure - local effects, dermal: 9,999 mg/cm2

103-11-7: 2-ethylhexyl acrylate

worker: Long-term exposure- systemic effects, dermal: 6,5 mg/kg
worker: Long-term exposure - local effects, Inhalation: 38 mg/m3
worker: Short-term exposure - local effects, Inhalation: 38 mg/m3
consumer: Long-term exposure- systemic effects, dermal: 2,34 mg/kg
consumer: Long-term exposure- systemic effects, oral: 0,23 mg/kg
consumer: Long-term exposure - local effects, Inhalation: 4,5 mg/m3

8.2. Exposure controls

Personal protective equipment

Respiratory protection:
Respiratory protection not required.

Hand protection:
Chemical resistant protective gloves (EN ISO 374-1)
Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):
e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.
Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	liquid	
Colour:	white	
Odour:	ammonia-like	
Odour threshold:	No data available.	
Freezing point:	0 °C Information applies to the solvent.	
Boiling point:	> 93 °C Information applies to the solvent.	
Flammability:	not flammable	(derived from flash - and boiling point)
Lower explosion limit:	For liquids not relevant for classification and labelling.	

Upper explosion limit:		
	For liquids not relevant for classification and labelling.	
Flash point:	> 100 °C No flash point - Measurement made up to the boiling point.	
Auto-ignition temperature:		
	Based on the water content the product does not ignite.	
Thermal decomposition:	Stable up to boiling point.	
pH value:	8 - 8,5 (100 %(m), 25 °C)	(DIN ISO 976)
Viscosity, dynamic:	500 - 1.300 mPa.s (25 °C)	(ISO 1652)
Thixotropy:	not thixotropic	
Solubility in water:	dispersible (20 °C) not soluble	
Solubility (qualitative) solvent(s):	alcohols	
Partitioning coefficient n-octanol/water (log Kow):		
	Study scientifically not justified.	
Vapour pressure:	23,4 hPa (20 °C) Information applies to the solvent.	
Relative density:		
	No data available.	
Density:	approx. 1,03 g/cm3 (20 °C)	(ISO 2811-1)
	approx. 1,027 g/cm3 (55 °C)	(ISO 2811-1)
Relative vapour density (air):		
	Water content greater than 10%.	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of spontaneous heating.

Corrosion to metals

No corrosive effect on metal.

Other safety characteristics

Radioactivity:		not radioactive for transport purposes
Bulk density:	not applicable	
Hygroscopy:	Non-hygroscopic	
Surface tension:	not determined	
Solids content:	47,5 - 49,0 % (145 °C)	(DIN EN ISO 3251)
SAPT-Temperature:	Product does not fulfil criteria for polymerizing substances according to transport regulations.	
Evaporation rate:	No data available.	

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

10.2. Chemical stability

The product is chemically stable.

Peroxides: The product does not contain peroxides. The product/the substance has not a tendency towards the formation of peroxide.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

No substances known that should be avoided.

10.6. Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Experimental/calculated data:

LD50 rat (oral): > 5.000 mg/kg
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
LC50 rat (by inhalation): 4 h
not determined
LD50 rat (dermal):
not determined

Irritation

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (BASF-Test)
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation

rabbit: Irritant. (BASF-Test)
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Respiratory/Skin sensitization

Experimental/calculated data:

Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)
The product has not been tested. The statement has been derived from the properties of the individual components.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:
The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects.

Repeated inhalative uptake of the substance did not cause substance-related effects.

Repeated dermal uptake of the substance did not cause substance-related effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

No aspiration hazard expected.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Leuciscus idus
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna (Screening (style of OECD 202), static)
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants:
EC50 (72 h), algae
No data available.

Microorganisms/Effect on activated sludge:
The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Chronic toxicity to fish:
No data available regarding toxicity to fish.

Chronic toxicity to aquatic invertebrates:
No data available regarding toxicity to daphnids.

Assessment of terrestrial toxicity:
No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):
The polymer component of the product is poorly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation potential:
At the present state of knowledge, no negative ecological effects are expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:
Volatility: The substance will not evaporate into the atmosphere from the water surface. The product has not been tested. The statement has been derived from the properties of the individual components.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EU) 2024/590 on substances that deplete the ozone layer.

Additional information

Add. remarks environm. fate & pathway:
Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:
According to experience, the material has no harmful effect on the environment.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.
Do not discharge into drains/surface waters/groundwater.

Contaminated packaging:
Uncontaminated packaging can be re-used.Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable

Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

14.1. UN number or ID number
See corresponding entries for “UN number or ID number” for the respective regulations in the tables above.

14.2. UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

14.3. Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

14.4. Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

14.5. Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

14.6. Special precautions for user
See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Hazardous Incident Ordinance (Germany):
Listed in above regulation: no

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
Listed in above regulation: no
Classification applies for standard conditions of temperature and pressure.

Classification according to 'TA-Luft' (Germany):

5.2.4 class III: Inorganic gases class III 0,20 %

ammonia ... %

Water hazard class (§6 AwSV para.4 (Legal binding announcement of the substance in the Federal Gazette)): (1) Weakly water polluting. ID-No.: 662

Law on the Protection of Working Youth
German Regulation TA Luft (Technical Instruction on Air Quality Control, i.e. first Directive to the Federal Immission Control Ordinance)
The specifications of the Technical Rule for Hazardous Substances (TRGS) 401 must be observed (TRGS 401: Risks resulting from skin contact - identification, assessment, measures).

15.2. Chemical Safety Assessment

Assessment of safe use has been performed for the mixture and the result is documented in section 7 and 8 of the SDS

SECTION 16: Other Information

This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Eye Irrit.	Eye irritation
Skin Sens.	Skin sensitization
Acute Tox.	Acute toxicity
Eye Dam.	Serious eye damage
Skin Corr.	Skin corrosion
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Irrit.	Skin irritation
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

H400	Very toxic to aquatic life.
H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.
H330	Fatal if inhaled.
H301 + H311	Toxic if swallowed or in contact with skin.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Abbreviations
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.