We create chemistry

Helaian Data Keselamatan
Safety data sheet

1. Pengenalan bahan kimia dan pembekal

Accotab 330 EC

Kegunaan: produk pelindung tanaman, racun herba

Syarikat:
BASF (Malaysia) Sdn Bhd
Lot 19.02 Level 19, 1 Powerhouse
No 1 Persiaran Bandar Utama
47800 Petaling Jaya
Selangor D.E, MALAYSIA
Nombor Telefon: +60 3 7612 1888
Nombor Telefax: +60 3 7612 1777

Maklumat kecemasan:
Nombor Kecemasan Kebangsaan
+603 7612 1999
Nombor Kecemasan Antarabangsa:
Nombor Telefon: +49 180 2273-112

2. Pengenalan Bahaya

Pengelasan bahan dan campuran:
Bhy. Asp. 1
Cec. M. Bkr 3
Pemb. 2 (bayi belum lahir)
STOT SE 3 (kerengsaan pada sistem pernafasan)
STOT RE (Sistem saraf pusat, Buah pinggang, Hati) 2
Akuatik Akut 1
Akuatik Kronik 1
Kros. Mata 1

Bagi pengelasan yang tidak ditulis dengan penuh dalam bahagian ini, teks lengkap boleh didapati di bahagian 16.

Unsur label dan pernyataan berjaga-jaga:

Piktogram:

Kata Isyarat:
bahaya

Pernyataan Bahaya:

H226	Cecair dan wap mudah terbakar.
H318	Menyebabkan kerosakan mata yang serius.
H304	Boleh membawa maut jika tertelan atau memasuki salur udara.
H335	Boleh menyebabkan kerengsaan saluran pernafasan.
H361d	Disyaki merosakkan bayi dalam kandungan.
H373	Boleh menyebabkan kerosakan pada organ (Sistem saraf pusat, Buah pinggang, Hati) melalui pendedahan secara berpanjangan atau berulang.
H400	Sangat toksik kepada hidupan akuatik.
H410	Sangat toksik kepada hidupan akuatik dengan kesan yang berpanjangan.
EUH401	Untuk mengelakkan risiko kepada kesihatan manusia dan alam sekitar, patuhi arahan semasa menggunakan bahan.

Pernyataan berjaga-jaga:

P101	Jika nasihat perubatan diperlukan, dapatkan bekas atau label produk.
P102	Jauhkan daripada kanak-kanak.
P103	Baca label sebelum menggunakan produk.

Pernyataan Berjaga-jaga (Pencegahan):

P280	Pakai sarung tangan perlindung, pakaian perlindung dan perlindung mata atau perlindung muka.
P271	Gunakan hanya di luar bangunan atau di dalam kawasan yang dialihudarakan dengan baik.
P210	Jauhkan daripada haba/percikan api/nyalaan terbuka/permukaan panas. – Dilarang merokok.
P260	Jangan bernafaskan habuk/gas/kabut/wap.
P243	Ambil tindakan bagi mengelakkan nyahcas statik.
P201	Dapatkan arahan khas sebelum menggunakan produk.
P202	Jangan kendalikan sehingga semua langkah keselamatan telah dibaca dan difahami.
P241	Guna alatan elektrik, pengalihudaraan dan pencahayaan yang kalis letupan
P240	Bumikan dan sambungkan bekas dan alat penerima.
P242	Gunakan alat yang tidak menghasilkan percikan api.

Pernyataan Berjaga-jaga (Tindak Balas):

P305 + P351 + P338	JIKA TERKENA MATA: Bilas berhati-hati dengan air selama beberapa minit.Tanggalkan kanta lekap, jika ada dan dapat dilakukan dengan mudah. Teruskan membilas.
P310	Segera hubungi PUSAT RACUN atau pakar perubatan.
P308 + P313	Jika terdedah kepada bahan atau terkena bahan: Dapatkan nasihat/rawatan perubatan.
P304 + P340	JIKA TERSEDUT: Pindahkan mangsa ke kawasan berudara segar dan pastikan mangsa selesa bernafas.
P303 + P361 + P353	Jika ATAS KULIT (atau rambut): Buangkan atau tanggalkan dengan segera kesemua pakaian tercemar. Basuh kulit dengan air atau bermandi.
P391	Pungut tumpahan.
P331	JANGAN paksa mangsa muntah. Jika berlaku kebakaran: Gunakan semburan air, serbuk kering, busa atau karbon dioksida untuk memadam kebakaran.

Pernyataan Berjaga-jaga (Penyimpanan):

P233	Pastikan bekas ditutup dengan ketat.
P403 + P235	Simpan di tempat yang dialihudarakan dengan baik. Simpan di tempat sejuk
P405	Simpan di tempat berkunci.

Pernyataan Berjaga-jaga (Pelupusan):

P501	Buangkan kandungan dan berkas ke tempat penggumpulan bahan sisa merbahaya atau khas.

Bahaya lain yang tidak menyebabkan pengelasan:
Lihat seksyen 12 - Keputusan PBT dan Penilaian vPvB
Jika berkenaan, maklumat yang diberikan dalam bahagian ini tentang bahaya lain tidak menyebabkan pengelasan tetapi mungkin menyumbang kepada bahaya bahan atau campuran secara keseluruhan.
Produk mengandungi bahan di dalam senarai terbentuk mengikut Artikel 59(1) Peraturan (EC) No 1907/2006 kerana mempunyai sifat-sifat mengganggu fungsi endokrin atau dikenalpasti bahawa mempunyai sifat-sifat mengganggu fungsi endokrin mengikut kriteria yang ditetapkan dalam Peraturan Wakilan Suruhanjaya (EU) 2017/2100 atau Peraturan Suruhanjaya (EU) 2018/605 (rujuk Bahagian 3)

3. Komposisi dan Maklumat Mengenai Ramuan Bahan Kimia

Keadaan kimia

produk pelindung tanaman, racun herba, Pekatan teremulsikan (EC)

Ramuan berbahaya

Pendimethalin technical

Kandungan (berat/berat): 33.85 %	Pemb. 2 (unborn child)
Nombor CAS: 40487-42-1	Akuatik Akut 1 Akuatik Kronik 1 Faktor-M akut: 100 Faktor-M kronik: 10

xilena

Kandungan (berat/berat): < 60 % Nombor CAS: 1330-20-7	Bhy. Asp. 1 Cec. M. Bkr 3 Toks. Akut 4 (tersedut - wap) Toks. Akut 4 (dermis) Kks./Kreng. Kulit 2 Kros./Kreng. Mata 2 STOT SE 3 (irr. to respiratory syst.) STOT RE (Sistem saraf pusat, Hati, Buah pinggang) 2 Akuatik Kronik 3

(OLIGOMER) 4-Nonylphenol, branched, ethoxylated (> 1 < 2.5 mol EO)

Kandungan (berat/berat): < 3 % Nombor CAS: 127087-87-0	Toks. Akut 4 (oral) Kros./Kreng. Mata 2 Akuatik Kronik 3

metanol

Kandungan (berat/berat): < 0.5 % Nombor CAS: 67-56-1	Cec. M. Bkr 2 Toks. Akut 3 (tersedut - wap) Toks. Akut 3 (oral) Toks. Akut 3 (dermis) STOT SE (Sistem saraf pusat, Saraf optik) 1

Bagi pengelasan yang tidak ditulis dengan penuh dalam bahagian ini, teks lengkap boleh didapati di bahagian 16.

4. Langkah-Langkah Pertolongan Cemas

Nasihat am:
Kakitangan bantuan kecemasan hendaklah memberikan perhatian kepada keselamatan mereka sendiri. Jika pesakit mungkin akan tidak sedarkan diri, pastikan pesakit dalam keadaan mengiring (kedudukan pemulihan) dan pindahkan pesakit. Segera tanggalkan pakaian yang tercemar.

Jika tersedut:
Tenangkan pesakit, alihkan ke tempat berudara bersih, dapatkan rawatan perubatan. Segera sedut aerosol dos kortikosteroid.

Apabila terkena kulit:
Segera basuh bersih-bersih dengan air yang banyak, gunakan balutan steril, rujuk pakar kulit.

Apabila terkena mata:
Segera basuh mata yang terkena produk selama sekurang-kurangnya 15 minit di bawah aliran air dengan membuka mata, rujuk pakar mata.

Apabila tertelan:
Segera berkumur, kemudian minum 200-300 ml air, dapatkan rawatan perubatan. Jangan paksa mangsa muntah kerana bahaya tersedut.

Nota kepada doktor:

Gejala: Maklumat, iaitu maklumat tambahan mengenai simptom dan kesan boleh termasuk di dalam fasa palabelan GHS yang tersedia ada dalam Seksyen 2 dan di dalam penaksiran Toksikologi yang tersedia ada dalam Seksyen 11., Simptom dan/atau kesan tidak diketahui setakat ini
Nota kepada doktor:
Rawatan: Rawat mengikut gejala (nyahcemar, fungsi utama), tiada penawar khusus diketahui.

5. Langkah-Langkah Pemadaman Kebakaran

Bahan pemadam yang sesuai:
semburan air, karbon dioksida, busa, serbuk kering

Bahaya tertentu:
karbon monoksida, karbon dioksida, nitrogen oksida, sulfur oksida
Bahan/kumpulan bahan yang dinyatakan boleh dibebaskan jika berlaku kebakaran.

Peralatan perlindungan khusus:
Gunakan alat pernafasan serba lengkap dan pakaian pelindung kimia.

Maklumat lanjut:
Kumpul air pemadam api yang tercemar secara berasingan, jangan biarkan ia mengalir ke dalam sistem pembetung atau efluen. Lupuskan sisa kebakaran dan air pemadam api yang tercemar menurut peraturan rasmi. Dalam hal kebakaran dan/atau letupan jangan menyedut wasap. Pastikan bekas sejuk dengan menyembur air pada bekas jika terdedah kepada kebakaran.

6. Langkah-Langkah Pelepasan Tidak Sengaja

Perlindungan diri, kelengkapan pelindung dan tatacara kecemasan:
Jangan bernafaskan wap/semburanGunakan pakaian pelindung diri.Elakkan dari bersentuhan dengan kulit, mata dan pakaian.

Langkah berjaga-jaga untuk alam sekitar:
Jangan lepaskan ke dalam subtanah/tanah. Jangan lepaskan ke dalam parit/air permukaan/air tanah.

Kaedah pembersihan atau penyerapan:
Bagi sejumlah kecil: Kutip dengan bahan penyerap yang sesuai (contohnya pasir, habuk gergaji, pengikat serba guna, kieselguhr).
Bagi sejumlah besar: Bina benteng tumpahan. Pam produk.
Lupuskan bahan yang diserap mengikut peraturan. Kumpul sisa ke dalam bekas yang sesuai, yang boleh dilabel dan ditutup ketat. Basuh bersih-bersih lantai dan objek yang tercemar dengan air dan bahan pencuci, patuhi peraturan alam sekitar. Pakai peralatan pelindung yang sesuai.

7. Pengendalian dan Penyimpanan

Pengendalian

Tiada langkah khusus diperlukan dengan syarat produk disimpan dan digunakan dengan betul. Pastikan pengalihudaraan menyeluruh di kawasan simpanan dan di tempat kerja. Jangan makan, minum atau merokok apabila menggunakannya. Tangan dan/atau muka hendaklah dibasuh sebelum rehat dan setelah tamat waktu bekerja.

Perlindungan terhadap kebakaran dan letupan:
Wap boleh membentuk campuran boleh tercucuh dengan udara. Elakkan cas elektrostatik - jauhkan dari sumber pencucuhan - pemadam api hendaklah mudah digunakan.

Penyimpanan

Asingkan daripada makanan dan makanan haiwan.
Maklumat lanjut tentang keadaan penyimpanan: Jauhkan daripada panas. Lindungi daripada pancaran terus cahaya matahari.

Kestabilan penyimpanan:
Tempoh penyimpanan: 24 bulan

Lindungi daripada suhu di bawah : 5 °C
Produk boleh menghablur di bawah had suhu tersebut.
Lindungi daripada suhu melebihi : 40 °C
Perubahan ciri produk boleh berlaku jika bahan/produk disimpan melebihi suhu yang dinyatakan bagi tempoh yang panjang.

8. Kawalan pendedahan dan perlindungan diri

Komponen dengan parameter kawalan tempat kerja

xilena, 1330-20-7;
Nilai TWA 434 mg/m3 ; 100 ppm (OEL (Peraturan USECHH Malaysia))
Nilai TWA 20 ppm (ACGIHTLV)

Peralatan perlindungan peribadi

Perlindungan pernafasan:
Perlindungan pernafasan yang sesuai bagi kepekatan yang rendah atau kesan jangka pendek:
Penapis gabungan bagi gas/wap sebatian organik, tak organik, asid tak organik, alkali dan zarah toksik (contohnya EN 14387 Jenis ABEK-P3)

Perlindungan tangan:
Sarung tangan kalis kimia yang sesuai (EN ISO 374-1) jika terkena secara langsung yang berpanjangan (Disyorkan: Indeks pelindung 6, sama dengan masa penelapan > 480 minit mengikut EN ISO 374-1): Misalnya getah nitril (0.4 mm), getah kloroprena (0.5 mm), polivinilklorida (0.7 mm) dan lainnya.

Perlindungan mata:
Gogal keselamatan yang betul-betul muat (gogal tahan percikan) (EN 166)

Perlindungan badan:
Perlindungan badan mesti dipilih bergantung kepada aktiviti dan pendedahan, contohnya apron, kasut perlindungan, pakaian perlindungan bahan kimia (Berdasarkan DIN-EN 465)

Langkah kebersihan dan keselamatan am:
Penyataan tentang kelengkapan pelindung diri dalam arahan penggunaan terpakai untuk penggunaan agen pelindung pertanian bagi pembungkusan terakhir. Disyorkan memakai pakaian

kerja yang tertutup. Simpan pakaian kerja secara berasingan. Jauhkan daripada makanan, minuman dan barang makanan haiwan.

9. Sifat Fizikal dan Kimia

Bentuk:	cecair
Warna:	perang kemerahan
Bau:	wangi, xilena
Ambang bau:	Tidak ditentukan disebabkan oleh bahaya kesihatan yang mungkin melalui penyedutan.
nilai pH:	dianggarkan 5 - 7 (Air D Piawaian CIPAC., 1 %(m), dianggarkan 20 °C)
julat penghabluran:	< -5 °C
Julat didih:	dianggarkan 137 - 140 °C Maklumat terpakai kepada pelarut.
Takat kilat:	32 °C
Tahap penyejatan:	Tidak boleh digunakan
Kemudahbakaran (pepejal/gas):	Tidak boleh digunakan
Had letupan bawah:	1 %(V)
Had letupan atas:	7 %(V)
Suhu pencucuhan:	dianggarkan 375 °C
Penguraian terma:	210 °C , 820 kJ/kg (DDK (OECD 113)) (suhu permulaan) Bahan tidak boleh mengurai sendiri menurut peraturan-peraturan pengangkutan UN, kelas 4.1
Bahaya letupan:	tidak mudah meletup
Sifat yang menggalakkan kebakaran:	tidak merebakkan api
Tekanan Wap:	dianggarkan 10.6 hPa (25 °C) Maklumat terpakai kepada pelarut.
Kepekatan:	dianggarkan 0.97 g/cm3 (20 °C)
Ketumpatan wap relatif (udara):	Tidak boleh digunakan
Keterlarutan dalam air:	boleh teremulsi
Pekali petakan n-oktanol/air (log Pow):	Tidak boleh digunakan
Kelikatan, dinamik:	dianggarkan 0.74 mPa.s (25 °C) Maklumat terpakai kepada pelarut.

Kelikatan, kinematik:	dianggarkan 1 mm2/s (40 °C)

10. Kestabilan dan Kereaktifan

Keadaan yang perlu dielakkan:
Lihat MSDS bahagian 7 - Pengendalian dan Penyimpanan.

Penguraian terma:	210 °C, 820 kJ/kg (DDK (OECD 113)) (suhu permulaan)
Penguraian terma:	Bahan tidak boleh mengurai sendiri menurut peraturan-peraturan pengangkutan UN, kelas 4.1

Bahan yang perlu dielakkan:
agen pengoksida yang kuat, bes kuat, asid kuat

Tindak balas berbahaya:
Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Bahan penguraian berbahaya:
Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Kereaktifan:
Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Kestabilan kimia:
Produk adalah stabil jika disimpan dan dikendalikan sebagaimana

11. Maklumat Toksikologi

Ketoksikan akut

Penilaian ketoksikan akut:
Ketoksikan yang rendah selepas sekali tertelan. Tidak toksik jika tersedut. Tidak toksik selepas sekali terkena kulit Produk belum diuji. Penyataan diambil daripada bahan/produk yang mempunyai struktur dan komposisi yang sama.

Data eksperimen/dikira:
LD50 tikus (melalui mulut): 3,148 mg/kg

LC50 tikus (melalui penyedutan): > 9.38 mg/l 4 h
Aerosol diuji

LD50 tikus (dermal): > 2,000 mg/kg
Tiada kematian diperhatikan

Kerengsaan

Penilaian kesan merengsa:
Boleh menyebabkan kerosakkan teruk kepada mata. Tidak merengsakan kulit. Produk belum diuji. Penyataan diambil daripada bahan/produk yang mempunyai struktur dan komposisi yang sama.

Data eksperimen/dikira:
Kakisan/Kerengsaan kulit arnab: tidak merengsa

Kerosakkan/kerengsaan mata yang serius arnab: kerosakan tak berbalik

Pemekaan pernafasan/kulit

Penilaian pemekaan:
Tidak terdapat bukti pemekaan kulit yang berpotensi. Produk belum diuji. Penyataan diambil daripada bahan/produk yang mempunyai struktur dan komposisi yang sama.

Data eksperimen/dikira:
Ujian Draize manusia: Tidak memeka

Kemutagenan sel germa

Penilaian kemutagenan:
Ujian kemutagenan membuktikan tiada potensi genotoksik . Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Kekarsinogenan

Penilaian kekarsinogenan:
Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Penilaian kekarsinogenan:
Dalam kajian jangka panjang terhadap tikus, bahan mengakibatkan tumor tiroid. Kesan disebabkan oleh mekanisme khusus haiwan yang tidak memberikan kesan kepada manusia. Dalam kajian jangka panjang ke atas mencit yang bahan telah diberikan melalui makanan, kesan karsinogen tidak diperhatikan.

Maklumat tentang : metanol
Penilaian kekarsinogenan:
Dalam kajian jangka panjang pada tikus dan mencit yang bahan diberikan secara sedutan, didapati tiada kesan karsinogen. Dalam ujian haiwan jangka panjang yang mana bahan ini telah diberikan melalui air minuman dalam kepekatan tinggi, kesan karsinogen diperhatikan Kesan-kesan tersebut adalah tidak berkaitan dengan manusia pada tahap pendedahan pekerjaan.

Ketoksikan pembiakan

Penilaian ketoksikan pembiakan:
Keputusan kajian haiwan tidak menunjukkan kesan gangguan kesuburan. Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Ketoksikan perkembangan

Penilaian keteratogenan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Penilaian keteratogenan:
Petunjuk toksik yang berkembang/kesan teratogen dilihat dalam ujian ke

Maklumat tentang : metanol
Penilaian keteratogenan:
Keputusan kajian terhadap haiwan menunjukkan kesan toksik/teratogen pada perkembangan haiwan dengan dos yang tinggi.

Ketoksikan khusus organ sasaran (sekali pendedahan):

Penilaian sekali STOT:
Menyebabkan kerengsaan sementara pada saluran pernafasan.

Catatan: Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Ketoksikan dos berulang dan Ketoksikan organ sasaran tertentu (pendedahan berulang)

Penilaian ketoksikan dos berulang:
Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : xilena
Penilaian ketoksikan dos berulang:
Pendedahan berulang-ulang boleh menjejaskan organ tertentu. Merosakkan sistem saraf pusat.
Bahan boleh menyebabkan perubahan dalam organ-organ berikut selepas pendedahan berulang untuk kuantiti yang besar:
Hati Buah pinggang

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Penilaian ketoksikan dos berulang:
Tiada ketoksikan organ daripada bahan tertentu diperhatikan selepas diberi secara berulang kepada haiwan. Kesan adaptif diperhatikan selepas pendedahan berulang-ulang didalam ujian haiwan.

Maklumat tentang : metanol
Penilaian ketoksikan dos berulang:
Bahan boleh menyebabkan buta setelah tertelan secara berulang. Bahan ini boleh menyebabkan buta selepas tersedut beulang kali.

Bahaya penyedutan

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.
Boleh juga merosakkan paru-paru semasa penelanan (bahaya penyedutan)

Maklumat lain yang berkaitan dengan ketoksikan

Penyalahgunaan boleh memudaratkan kesihatan.

12. Maklumat Ekologi

Keekotoksikan

Penilaian ketoksikan akuatik:
Sangat toksik kepada hidupan akuatik dengan kesan yang berpanjangan.
Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Ketoksikan kepada ikan:
LC50 (96 h) 0.196 mg/l, Oncorhynchus mykiss

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Invertebrat air:
EC50 (48 h) 0.147 mg/l, Daphnia magna

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Tumbuhan akuatik:
EC50 (72 h) 0.00408 mg/l, Selenastrum capricornutum

EC10 (72 h) 0.00157 mg/l, Selenastrum capricornutum

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Ketoksikan kronik kepada ikan:
Tiada kesan kepekatan yang diperhatikan (288 hari) 0.0063 mg/l, Pimephales promelas
---

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Ketoksikan kronik kepada invertebrata akuatik:
Tiada kesan kepekatan yang diperhatikan (21 hari), 0.0173 mg/l, Daphnia magna
---

Mobiliti

Penilaian pengangkutan di antara bahagian di persekitaran:
Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Penilaian pengangkutan di antara bahagian di persekitaran:
Bahan akan tersejat dengan perlahan-lahan ke atmosfera daripada permukaan air.
Diikuti dengan pendedahan kepada tanah, penjerapan ke atas zarah tanah
---

Keterusan dan boleh keterdegradasikan

Penilaian biodegradasi dan penyingkiran (H2O):
Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Penilaian biodegradasi dan penyingkiran (H2O):
Tidak mudah terbiodegradasikan (oleh kriteria OECD).

Potensi Biotumpukan

Penilaian potensi bioakumilasi:
Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
Potensi Biotumpukan:
Faktor Kebiopekatan: 3,300
Berdasarkan berat bukti, sebatian tidak akan bioakumulasi.

Maklumat tambahan

Nasihat ekotoksikologi lain:
Jangan lepaskan produk ke persekitaran tanpa kawalan.

13. Maklumat Pelupusan

Mesti dihantar ke loji pembakaran yang sesuai, mematuhi peraturan

Pembungkusan tercemar:
Bungkusan yang tercemar hendaklah dikosongkan sejauh yang boleh dan dilupuskan dengan cara yang sama melupuskan bahan/produk.

14. Maklumat Pengangkutan

Pengangkutan domestik:

Kelas bahaya:	3
Kumpulan pembungkusan:	III
Nombor-ID:	UN 1993
Label Bahaya:	3, EHSM
Nama penghantaran yang betul:	CECAIR MUDAH TERBAKAR, N.O.S. (mengandungi XYLENE, PENDIMETHALIN)

Maklumat lanjut
Kod Hazchem:3Y
Nombor IERG:14

Pengangkutan laut
IMDG

Kelas bahaya:	3
Kumpulan pembungkusan:	III
Nombor-ID:	UN 1993

Label Bahaya:	3, EHSM
Bahan pencemar laut:	YA
Nama penghantaran yang betul:	CECAIR MUDAH TERBAKAR, N.O.S. (mengandungi XYLENE, PENDIMETHALIN)

Pengangkutan udara
IATA/ICAO

Kelas bahaya:	3
Kumpulan pembungkusan:	III
Nombor-ID:	UN 1993
Label Bahaya:	3
Nama penghantaran yang betul:	CECAIR MUDAH TERBAKAR, N.O.S. (mengandungi XYLENE, PENDIMETHALIN)

Pengangkutan secara pukal menurut Lampiran II MARPOL dan IBC

Peraturan:	Tidak dinilai
Penghantaran yang diluluskan:	Tidak dinilai
Nama pencemaran:	Tidak dinilai
Kategori pencemaran:	Tidak dinilai
Jenis Kapal:	Tidak dinilai

15. Maklumat Pengawalseliaan

Peraturan-Peraturan Keselamatan dan Kesihatan Pekerjaan (Pengelasan, Pelabelan dan Helaian Data Keselamatan Bahan kimia Berbahaya) 2013
Akta OSHA 1994 dan peraturan berkaitan
Akta Kualiti Alam Sekeliling 1974

Maklumat tentang peraturan-peraturan tidak meliputi kesemuanya. Peraturan-peraturan lain mungkin dikenakan kepada bahan ini.

Peraturan lain
Untuk mengelakkan risiko kepada manusia dan persekitaran, patuhi arahan penggunaan.

16. Maklumat lain

Tarikh Penyediaan / Tarikh Penyemakan: 05.07.2023

Sumber Maklumat dan Rujukan :
SDS ini disediakan dengan menggunakan data dan maklumat tersimpan di dalam sistem berasaskan IT dalaman kami dan dibekalkan oleh pembekal perkhidmatan syarikat kami.

Singkatan Petunjuk:
ATE - Anggaran Ketoksikan Akut
GHS - Sistem Terharmoni Global

IATA / ICAO - Persatuan Pengangkutan Udara Antarabangsa / Organisasi Penerbangan Awam Antarabangsa
IBC - Kontena Pukal Pertengahan
IMDG - Barangan Merbahaya Kelautan Antarabangsa
LC - Kepekatan Maut
LD - Dos Maut
OECD - Organisasi Untuk Kerjasama dan Pembangunan Ekonomi
OEL - Had Pendedahan Pekerjaan
OSHA - Akta Keselamatan dan Kesihatan Pekerjaan
STOT - Ketoksikan Organ Sasaran Khusus

Teks penuh pengelasan, simbol bahaya dan pernyataan bahaya, jika dinyatakan dalam seksyen 2 atau 3:

Bhn. Ltp. T. Stab.	Bahan letup tidak stabil
Bhn. Ltp. 1.1	Bahan letup divisyen 1.1
Bhn. Ltp. 1.2	Bahan letup divisyen 1.2
Bhn. Ltp. 1.3	Bahan letup divisyen 1.3
Bhn. Ltp. 1.4	Bahan letup divisyen 1.4
Bhn. Ltp. 1.5	Bahan letup divisyen 1.5
Bhn. Ltp. 1.6	Bahan letup divisyen 1.6
Gas M. Bkr 1	Gas mudah terbakar kategori 1
Gas M. Bkr 2	Gas mudah terbakar kategori 2
Aerosol M. Bkr1	Aerosol mudah terbakar kategori 1
Aerosol M. Bkr 2	Aerosol mudah terbakar kategori 2
Cec. M. Bkr 1	Cecair mudah terbakar kategori 1
Cec. M. Bkr 2	Cecair mudah terbakar kategori 2
Cec. M. Bkr 3	Cecair mudah terbakar kategori 3
Pep. M. Bkr 1	Pepejal mudah terbakar kategori 1
Pep. M. Bkr 2	Pepejal mudah terbakar kategori 2
Gas Oks. 1	Gas mengoksida kategori 1
Cec. Oks. 1	Cecair mengoksida kategori 1
Cec. Oks. 2	Cecair mengoksida kategori 2
Cec. Oks. 3	Cecair mengoksida kategori 3
Pep. Oks. 1	Pepejal mengoksida kategori 1
Pep. Oks. 2	Pepejal mengoksida kategori 2
Pep. Oks. 3	Pepejal mengoksida kategori 3
Gas Tkn.	Gas di bawah tekanan
Swareak. A	Bahan kimia swareaktif jenis A
Swareak. B	Bahan kimia swareaktif jenis B
Swareak. CD	Bahan kimia swareaktif jenis C dan D
Swareak. EF	Bahan kimia swareaktif jenis E dan F
Swareak. G	Bahan kimia swareaktif jenis G
Cec. Pir. 1	Cecair piroforik kategori 1
Pep. Pir. 1	Pepejal piroforik kategori 1
Swapanas. 1	Bahan kimia swapanasan kategori 1
Swapanas. 2	Bahan kimia swapanasan kategori 2
Tdk. Bls. Air 1	Bahan kimia yang, jika terkena air, membebaskan gas mudah terbakar kategori 1
Tdk. Bls. Air 2	Bahan kimia yang, jika terkena air, membebaskan gas mudah terbakar kategori 2
Tdk. Bls. Air 3	Bahan kimia yang, jika terkena air, membebaskan gas mudah terbakar kategori 3
Peroks. Org. A	Peroksida organik jenis A

Peroks. Org. B	Peroksida organik jenis B
Peroks. Org. CD	Peroksida organik jenis C and D
Peroks. Org. EF	Peroksida organik jenis E and F
Peroks. Org. G	Peroksida organik jenis G
Kakis. Log. 1	Mengakis logam kategori 1
Toks. Akut 1	Ketoksikan akut kategori 1
Toks. Akut 2	Ketoksikan akut kategori 2
Toks. Akut 3	Ketoksikan akut kategori 3
Toks. Akut 4	Ketoksikan akut kategori 4
Kks. Kulit 1A	Kakisan atau kerengsaan kulit kategori 1A
Kks. Kulit 1B	Kakisan atau kerengsaan kulit kategori 1B
Kks. Kulit 1C	Kakisan atau kerengsaan kulit kategori 1C
Kreng. Kulit 2	Kakisan atau kerengsaan kulit kategori 2
Kros. Mata 1	Kerosakan mata atau kerengsaan mata yang serius kategori 1
Kreng. Mata 2	Kerosakan mata atau kerengsaan mata yang serius kategori 2
Pem. Naf. 1	Pemekaan pernafasan kategori 1
Pem. Kulit 1	Pemekaan kulit kategori 1
Muta. 1A	Kemutagenan sel germa kategori 1A
Muta. 1B	Kemutagenan sel germa kategori 1B
Muta. 2	Kemutagenan sel germa kategori 2
Kars. 1A	Kekarsinogenan kategori 1A
Kars. 1B	Kekarsinogenan kategori 1B
Kars. 2	Kekarsinogenan kategori 2
Pemb. 1A	Ketoksikan pembiakan kategori 1A
Pemb. 1B	Ketoksikan pembiakan kategori 1B
Pemb. 2	Ketoksikan pembiakan kategori 2
Laktasi	Kesan ke atas atau melalui penyusuan
STOT SE 1	Ketoksikan organ sasaran khusus - pendedahan tunggal kategori 1
STOT SE 2	Ketoksikan organ sasaran khusus - pendedahan tunggal kategori 2
STOT SE 3	Ketoksikan organ sasaran khusus - pendedahan tunggal kategori 3
STOT RE 1	Ketoksikan organ sasaran khusus - pendedahan berulang kategori 1
STOT RE 2	Ketoksikan organ sasaran khusus - pendedahan berulang kategori 2
Bhy. Asp.	Bahaya aspirasi kategori 1
Akuatik Akut 1	Berbahaya kepada persekitaran akuatik – bahaya akut kategori 1
Akuatik Kronik 1	Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 1
Akuatik Kronik 2	Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 2
Akuatik Kronik 3	Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 3
Akuatik Kronik 4	Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 4
Ozon	Berbahaya bagi lapisan ozon kategori 1

Garis menegak pada margin sebelah kiri tangan menunjukkan pindaan dari versi sebelumnya.

Data yang terdapat dalam risalah data keselamatan ini adalah berdasarkan pengetahuan dan pengalaman kami, dan menerangkan tentang produk yang berkaitan dengan keperluan keselamatan sahaja. Data tidak menyatakan ciri produk (spesifikasi produk). Data dalam risalah data keselamatan ini juga tidak menyatakan apa-apa ciri khusus atau kesesuaian produk yang dipersetujui untuk apa-apa tujuan tertentu. Penerima produk bertanggungjawab untuk memastikan bahawa apa-apa hak pemilikan serta undang-undang dan perundangan sedia ada dipatuhi.

1. Identification of the chemical and of the supplier

Accotab 330 EC

Use: crop protection product, herbicide

Company:
BASF (Malaysia) Sdn Bhd
Lot 19.02 Level 19, 1 Powerhouse
No 1 Persiaran Bandar Utama
47800 Petaling Jaya
Selangor D.E, MALAYSIA
Telephone: +60 3 7612 1888
Telefax number: +60 3 7612 1777

Emergency information:
National emergency number:
+603 7612 1999
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:
Asp. Tox. 1
Flam. Liq. 3
Repr. 2 (unborn child)
STOT SE 3 (irritating to respiratory system)
STOT RE (Central nervous system, Kidney, Liver) 2
Aquatic Acute 1
Aquatic Chronic 1
Eye Dam. 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements and precautionary statement:

Pictogram:

Signal Word:
Danger

Hazard Statement:

H226	Flammable liquid and vapour.
H318	Causes serious eye damage.
H304	May be fatal if swallowed and enters airways.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs (Central nervous system, Kidney, Liver) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/gas/mist/vapours.
P243	Take action to prevent static discharges.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P240	Ground and bond container and receiving equipment.
P242	Use non-sparking tools.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P308 + P313	IF exposed or concerned: Get medical attention.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P391	Collect spillage.
P331	Do NOT induce vomiting.
P370 + P378	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P233	Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:
See section 12 - Results of PBT and vPvB assessment.
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.
Product contains substance(s) included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 (see section 3).

3. Composition/information on ingredients

Chemical nature

crop protection product, herbicide, Emulsifiable concentrate (EC)

Hazardous ingredients

pendimethalin

Content (W/W): 33.85 %	Repr. 2 (unborn child)
CAS Number: 40487-42-1	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 100
	M-factor chronic: 10

xylene

Content (W/W): < 60 %	Asp. Tox. 1
CAS Number: 1330-20-7	Flam. Liq. 3
	Acute Tox. 4 (Inhalation - vapour)
	Acute Tox. 4 (dermal)
	Skin Corr./Irrit. 2
	Eye Dam./Irrit. 2
	STOT SE 3 (irr. to respiratory syst.)
	STOT RE (Central nervous system, Liver, Kidney) 2
	Aquatic Chronic 3

(OLIGOMER) 4-Nonylphenol, branched, ethoxylated (> 1 < 2.5 mol EO)

Content (W/W): < 3 %	Acute Tox. 4 (oral)
CAS Number: 127087-87-0	Eye Dam./Irrit. 2
	Aquatic Chronic 3

methanol

Content (W/W): < 0.5 %	Flam. Liq. 2
CAS Number: 67-56-1	Acute Tox. 3 (Inhalation - vapour)
	Acute Tox. 3 (oral)
	Acute Tox. 3 (dermal)
	STOT SE (Central nervous system, Optic nerve) 1

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:
Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Note to physician:
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Note to physician:
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Specific hazards:
carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:
Do not breathe vapour/spray.Use personal protective clothing.Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 24 Months

Protect from temperatures below: 5 °C
The product can crystallize below the limit temperature.
Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

xylene, 1330-20-7;
TWA value 434 mg/m3 ; 100 ppm (OEL (MY))
TWA value 20 ppm (ACGIHTLV)

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid	
Colour:	red-brown	
Odour:	aromatic, of xylene	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 5 - 7 (CIPAC standard water D, 1 %(m), approx. 20 °C)	
crystallization range:	< -5 °C	
Boiling range:	approx. 137 - 140 °C Information applies to the solvent.	
Flash point:	32 °C	
Evaporation rate:	not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit:	1 %(V)	
Upper explosion limit:	7 %(V)	
Ignition temperature:	approx. 375 °C	(Regulation 440/2008/EC, A.15)
Thermal decomposition:	210 °C , 820 kJ/kg (onset temperature)	(DSC (OECD 113))

	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Explosion hazard:	not explosive	(Regulation 440/2008/EC, A.14)
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.21)

Vapour pressure: approx. 10.6 hPa
(25 °C)
Information applies to the solvent.

Density: approx. 0.97 g/cm3
(20 °C)

Relative vapour density (air):
not applicable

Solubility in water: emulsifiable

Partitioning coefficient n-octanol/water (log Pow):
not applicable

Viscosity, dynamic: approx. 0.74 mPa.s
(25 °C)
Information applies to the solvent.

Viscosity, kinematic: approx. 1 mm2/s
(40 °C)

10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage.

Thermal decomposition:	210 °C, 820 kJ/kg (DSC (OECD 113)) (onset temperature)
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:
strong oxidizing agents, strong bases, strong acids

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Of low toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
LD50 rat (oral): 3,148 mg/kg

LC50 rat (by inhalation): > 9.38 mg/l 4 h
An aerosol was tested.

LD50 rat (dermal): > 2,000 mg/kg
No mortality was observed.

Irritation

Assessment of irritating effects:
May cause severe damage to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: irreversible damage

Respiratory/Skin sensitization

Assessment of sensitization:
There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
Draize test human: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:
Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin

Assessment of carcinogenicity:
In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: methanol
Assessment of carcinogenicity:
In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was not observed. In long-term animal studies in which the substance was given in the drinking water in high concentrations, a carcinogenic effect was observed. These effects are not relevant to humans at occupational levels of exposure.

Reproductive toxicity

Assessment of reproduction toxicity:
The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin
Assessment of teratogenicity:
Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Information on: methanol
Assessment of teratogenicity:
The results of animal studies gave indication of a developmental toxic/teratogenic effects with high doses.

Specific target organ toxicity (single exposure):

Assessment of STOT single:
Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: xylene
Assessment of repeated dose toxicity:
Repeated exposure may affect certain organs. Damages the central nerve system. The substance can cause changes in the following organs after repeated exposure to large quantities: Liver Kidney

Information on: pendimethalin
Assessment of repeated dose toxicity:
No substance-specific organtoxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Information on: methanol
Assessment of repeated dose toxicity:
The substance may cause blindness after repeated ingestion. The substance may cause blindness after repeated inhalation.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.
May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin
Toxicity to fish:
LC50 (96 h) 0.196 mg/l, Oncorhynchus mykiss

Information on: pendimethalin
Aquatic invertebrates:
EC50 (48 h) 0.147 mg/l, Daphnia magna

Information on: pendimethalin
Aquatic plants:
EC50 (72 h) 0.00408 mg/l, Selenastrum capricornutum

EC10 (72 h) 0.00157 mg/l, Selenastrum capricornutum

Information on: pendimethalin
Chronic toxicity to fish:
No observed effect concentration (288 d) 0.0063 mg/l, Pimephales promelas
---

Information on: pendimethalin
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d), 0.0173 mg/l, Daphnia magna
---

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin
Assessment transport between environmental compartments:
The substance will slowly evaporate into the atmosphere from the water surface.
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin
Bioaccumulation potential:
Bioconcentration factor: 3,300
Based on a weight of evidence, the compound will not bioaccumulate.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Information

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transportation Information

Domestic transport:

Hazard class:	3
Packing group:	III
ID number:	UN 1993
Hazard label:	3, EHSM
Proper shipping name:	FLAMMABLE LIQUID, N.O.S. (contains XYLENE, PENDIMETHALIN)

Further information
Hazchem Code:3Y
IERG Number:14

Sea transport
IMDG

Hazard class:	3
Packing group:	III
ID number:	UN 1993
Hazard label:	3, EHSM
Marine pollutant:	YES
Proper shipping name:	FLAMMABLE LIQUID, N.O.S. (contains XYLENE, PENDIMETHALIN)

Air transport
IATA/ICAO

Hazard class:	3
Packing group:	III
ID number:	UN 1993
Hazard label:	3
Proper shipping name:	FLAMMABLE LIQUID, N.O.S. (contains XYLENE, PENDIMETHALIN)

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013
OSHA 1994 and relevant regulations
Environmental Quality Act, 1974

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Other regulations
To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Date of Preparation / Date of Revision: 05.07.2023

Information Source and References:
This SDS is prepared using data and information saved in our internal IT-based system and supplied by our company's service providers.

Key Abbreviations:
ATE - Acute Toxicity Estimates
GHS - Globally Harmonized System
IATA / ICAO - International Air Transport Association / International Civil Aviation Organization
IBC - Intermediate Bulk Container
IMDG - International Maritime Dangerous Goods
LC - Lethal Concentration
LD - Lethal Dose
OECD - Organisation for Economic Co-operation and Development
OEL - Occupational Exposure Limit
OSHA - Occupational Safety and Health Act
STOT - Specific Target Organ Toxicity

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Unst. Expl.	Unstable explosives
Expl. 1.1	Explosives division 1.1
Expl. 1.2	Explosives division 1.2
Expl. 1.3	Explosives division 1.3
Expl. 1.4	Explosives division 1.4
Expl. 1.5	Explosives division 1.5
Expl. 1.6	Explosives division 1.6
Flam. Gas 1	Flammable gases category 1
Flam. Gas 2	Flammable gases category 2
Flam. Aerosol 1	Flammable aerosols category 1
Flam. Aerosol 2	Flammable aerosols category 2
Flam. Liq. 1	Flammable liquids category 1
Flam. Liq. 2	Flammable liquids category 2
Flam. Liq. 3	Flammable liquids category 3
Flam. Sol. 1	Flammable solids category 1

Flam. Sol. 2	Flammable solids category 2
Ox. Gas 1	Oxidizing gases category 1
Ox. Liq. 1	Oxidizing liquids category 1
Ox. Liq. 2	Oxidizing liquids category 2
Ox. Liq. 3	Oxidizing liquids category 3
Ox. Sol. 1	Oxidizing solids category 1
Ox. Sol. 2	Oxidizing solids category 2
Ox. Sol. 3	Oxidizing solids category 3
Press. Gas	Gases under pressure
Self-react. A	Self-reactive chemicals type A
Self-react. B	Self-reactive chemicals type B
Self-react. CD	Self-reactive chemicals type C and D
Self-react. EF	Self-reactive chemicals type E and F
Self-react. G	Self-reactive chemicals type G
Pyr. Liq. 1	Pyrophoric liquids category 1
Pyr. Sol. 1	Pyrophoric solids category 1
Self-heat. 1	Self-heating chemicals category 1
Self-heat. 2	Self-heating chemicals category 2
Water-react. 1	Chemicals which, if in contact with water, emits flammable gases category 1
Water-react. 2	Chemicals which, if in contact with water, emits flammable gases category 2
Water-react. 3	Chemicals which, if in contact with water, emits flammable gases category 3
Org. Perox. A	Organic peroxides type A
Org. Perox. B	Organic peroxides type B
Org. Perox. CD	Organic peroxides type C and D
Org. Perox. EF	Organic peroxides type E and F
Org. Perox. G	Organic peroxides type G
Met. Corr. 1	Corrosive to metals category 1
Acute Tox. 1	Acute toxicity category 1
Acute Tox. 2	Acute toxicity category 2
Acute Tox. 3	Acute toxicity category 3
Acute Tox. 4	Acute toxicity category 4
Skin Corr. 1A	Skin corrosion or irritation category 1A
Skin Corr. 1B	Skin corrosion or irritation category 1B
Skin Corr. 1C	Skin corrosion or irritation category 1C
Skin Irrit. 2	Skin corrosion or irritation category 2
Eye Dam. 1	Serious eye damage or eye irritation category 1
Eye Irrit. 2	Serious eye damage or eye irritation category 2
Resp. Sens. 1	Respiratory sensitization category 1
Skin Sens. 1	Skin sensitization category 1
Muta. 1A	Germ cell mutagenicity category 1A
Muta. 1B	Germ cell mutagenicity category 1B
Muta. 2	Germ cell mutagenicity category 2
Carc. 1A	Carcinogenicity category 1A
Carc. 1B	Carcinogenicity category 1B
Carc. 2	Carcinogenicity category 2
Repr. 1A	Reproductive toxicity category 1A
Repr. 1B	Reproductive toxicity category 1B
Repr. 2	Reproductive toxicity category 2
Lact.	Effect on or via lactation
STOT SE 1	Specific target organ toxicity – single exposure category 1
STOT SE 2	Specific target organ toxicity – single exposure category 2

STOT SE 3	Specific target organ toxicity – single exposure category 3
STOT RE 1	Specific target organ toxicity – repeated exposure category 1
STOT RE 2	Specific target organ toxicity – repeated exposure category 2
Asp. Haz.	Aspiration hazard category 1
Aquatic Acute 1	Hazardous to the aquatic environment – acute hazard category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – chronic hazard category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – chronic hazard category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – chronic hazard category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – chronic hazard category 4
Ozone	Hazardous to the ozone layer category 1

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.