We create chemistry

Safety data sheet

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.
Date / Revised: 31.01.2022 Version: 8.0
Date previous version: 15.06.2020 Previous version: 7.0
Date / First version: 06.12.2002
Product: **Sylando 240 SC**

(ID no. 30718347/SDS_CPA_EU/EN)

Date of print 08.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sylando 240 SC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

1.4. Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 3 (oral)	H301 Toxic if swallowed.
Acute Tox. 2 (Inhalation - mist)	H330 Fatal if inhaled.
STOT SE 2	H371 May cause damage to organs (Central nervous system).
STOT RE 2	H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:

Signal Word:
Danger

Hazard Statement:

H330	Fatal if inhaled.
H301	Toxic if swallowed.
H371	May cause damage to organs (Central nervous system).
H373	May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/gas/mist/vapours.
P284	In case of inadequate ventilation wear respiratory protection.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth
P391	Collect spillage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):
EUH208: May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, insecticide, suspension concentrate (SC)

Hazardous ingredients (GHS)
according to Regulation (EC) No. 1272/2008

chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Content (W/W): 21.4 %	Acute Tox. 2 (Inhalation - dust)
CAS Number: 122453-73-0	Acute Tox. 3 (oral)
INDEX-Number: 608-034-00-3	STOT SE (Central nervous system) 2
	STOT RE (Central nervous system) 2
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 100
	M-factor chronic: 100
	H330, H301, H371, H373, H400, H410

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.05 %	Acute Tox. 4 (oral)
CAS Number: 2634-33-5	Skin Corr./Irrit. 2
EC-Number: 220-120-9	Eye Dam./Irrit. 1
REACH registration number: 01-2120761540-60	Skin Sens. 1
	Aquatic Acute 1
INDEX-Number: 613-088-00-6	Aquatic Chronic 1
	M-factor acute: 1
	M-factor chronic: 1
	H318, H315, H302, H317, H400, H410
	Specific concentration limit:
	Skin Sens. 1: >= 0.05 %

Propane-1,2-diol

Content (W/W): < 10 %
CAS Number: 57-55-6
EC-Number: 200-338-0
REACH registration number: 01-2119456809-23

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention. If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Take patient to hospital immediately. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product. Medical monitoring for at least 7 days.

4.2. Most important symptoms and effects, both acute and delayed
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far, Symptoms of poisoning may only appear after several hours or several days.

4.3. Indication of any immediate medical attention and special treatment needed
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media
Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

5.2. Special hazards arising from the substance or mixture
Endangering substances: carbon monoxide, Carbon dioxide, hydrogen chloride, hydrogen bromide, nitrogen oxides, silicon oxides, halogenated compounds
Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters
Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Dispose of absorbed material in accordance with regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas. No special measures necessary if stored and handled correctly. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 36 Months

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol
122453-73-0: chlorfenapyr (ISO)
TWA value 0.3 mg/m3 (BASF recomm. occupational exposure limit)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	white to light brown
Odour:	sweetish, characteristic
Odour threshold:	Not determined since toxic by inhalation.

pH value:	approx. 6 - 8 (approx. 25 °C) (measured with the undiluted substance)	
Freezing point:	approx. 0 °C (1,013.3 hPa) Information applies to the solvent.	
Boiling point:	approx. 100 °C (1,013 mbar) Information applies to the solvent.	
Flash point:	Non-flammable.	(Regulation 440/2008/EC, A.9)
Evaporation rate:	not applicable	
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	> 651 °C	(Regulation 440/2008/EC, A.15)
Vapour pressure:	approx. 23.3 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.13 g/cm3 (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Thermal decomposition:	210 °C, 260 kJ/kg, (DSC (OECD 113)) (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 757 mPa.s (20 °C)	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.21)

9.2. Other information

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability
The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid
See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of high toxicity after short-term inhalation. Of pronounced toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:
LD50 mouse (oral): > 50 - < 300 mg/kg
The data on toxicology refer to the active ingredient. Same product LD50 is assigned for precautionary reasons in view of human poisoning incidents

LC50 rat (by inhalation): 0.411 mg/l 4 h (OECD Guideline 403)
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. An aerosol was tested.

LD50 rabbit (dermal): > 2,000 mg/kg
No mortality was observed.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Experimental/calculated data:
LD50 mouse (oral): > 50 - < 300 mg/kg (OECD Guideline 401)

Irritation

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: Slightly irritating.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:
There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:
modified Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:
Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
A single exposure may have relevant toxic effects on organs.

Target organ: Central nervous system
Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile
Assessment of repeated dose toxicity:
Repeated exposure may affect certain organs. Affects the central nervous system.

Aspiration hazard

No aspiration hazard expected.
The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Reported human health effects after incorporation: immediate symptoms after oral ingestion may comprise nausea, vomiting, sweating and abdominal pain. Subsequent symptoms emerging with a delay of a few days up to 10-14 days may include drowsiness, tachypnea, tachycardia or arrhythmia, hypertension, fever, diaphoresis, muscle fasciculation, muscle stiffness, weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, and sudden disturbance of consciousness followed by coma and cardiac arrest. Misuse can be fatal.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:
LC50 (96 h) 0.108 mg/l, Oncorhynchus mykiss (Flow through.)

Aquatic invertebrates:
EC50 (48 h) 0.0121 mg/l, Daphnia magna (static)

Aquatic plants:
EC50 (72 h) 4.09 mg/l, Selenastrum capricornutum (OECD Guideline 201)

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile
Chronic toxicity to fish:
No observed effect concentration (93 d) 0.003678 mg/l, Oncorhynchus mykiss
---

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (28 d) 0.000172 mg/l, Mysidopsis bahia
---

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile
Bioaccumulation potential:

Bioconcentration factor (BCF): 116, Cyprinus carpio
Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN2902

UN proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains CHLORFENAPYR)
Transport hazard class(es):	6.1, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	Tunnel code: E

RID

UN number or ID number:	UN2902
UN proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains CHLORFENAPYR)
Transport hazard class(es):	6.1, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport

ADN

UN number or ID number:	UN2902
UN proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains CHLORFENAPYR)
Transport hazard class(es):	6.1, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 2902
UN proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains CHLORFENAPYR)
Transport hazard class(es):	6.1, EHSM
Packing group:	III
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	None known

Air transport

IATA/ICAO

UN number or ID number:	UN 2902
UN proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains CHLORFENAPYR)
Transport hazard class(es):	6.1
Packing group:	III
Environmental hazards:	No Mark as dangerous for the environment is needed
Special precautions for user:	None known

14.1. UN number or ID number
See corresponding entries for “UN number or ID number” for the respective regulations in the tables above.

14.2. UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

14.3. Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

14.4. Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

14.5. Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

14.6. Special precautions for user
See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
List entry in regulation: E1
List entry in regulation: H2

To avoid risks to man and the environment, comply with the instructions for use.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H371	May cause damage to organs (Central nervous system).
H373	May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.

Abbreviations
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal

concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.