We create chemistry

Safety data sheet

1. Identification

Product identifier

GLYSANTIN® G65® pink also suitable for electric vehicles

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: engine coolant

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Fuel and Lubricant Solutions

Telephone: +49 621 60-0
E-mail address: RegXcellenceFuelLubes@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)
STOT RE (Kidney) 2

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Warning

Hazard Statement:

H302	Harmful if swallowed.
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure.

Precautionary Statements (Prevention):

P260	Do not breathe mist or vapour.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P314	Get medical advice/attention if you feel unwell.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

According to UN GHS criteria

Hazard determining component(s) for labelling: Ethane-1,2-diol

Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Ethane-1,2-diol, inhibitors

Hazardous ingredients (GHS)
According to UN GHS criteria

Ethane-1,2-diol

Content (W/W): >= 75 % - <= 100 %	Acute Tox. 4 (oral)
CAS Number: 107-21-1	STOT RE (Kidney) 2
EC-Number: 203-473-3	H302, H373
INDEX-Number: 603-027-00-1	

Dipotassium sebacate

Content (W/W): >= 3 % - < 5 %	Eye Irrit. 2A
CAS Number: 52457-55-3	Aquatic Acute 3
EC-Number: 257-932-8	H319, H402

Potassium 3,5,5-trimethylhexanoate

Content (W/W): >= 0,3 % - < 1 %	Acute Tox. 4 (oral)
CAS Number: 93918-10-6	Skin Corr./Irrit. 1B
EC-Number: 299-890-3	Eye Dam./Irrit. 1
	STOT SE 3 (irr. to respiratory syst.)
	H302, H335, H314

Methyl-1H-benzotriazole

Content (W/W): >= 0,1 % - < 0,2 %	Acute Tox. 4 (oral)
CAS Number: 29385-43-1	Aquatic Acute 2
EC-Number: 249-596-6	Aquatic Chronic 2
	Repr. 2 (unborn child)
	H302, H361, H401, H411

(Benzothiazol-2-ylthio)acetic acid

Content (W/W): >= 0,1 % - < 0,2 %	Acute Tox. 4 (oral)
CAS Number: 6295-57-4	Eye Dam./Irrit. 1
EC-Number: 228-565-0	Aquatic Acute 3
	Aquatic Chronic 3
	Repr. 2 (fertility)
	Repr. 2 (unborn child)
	H318, H302, H361, H402, H412

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Immediately remove contaminated clothing. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). First aid personnel should pay attention to their own safety.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Special hazards arising from the substance or mixture

harmful vapours

Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Breathing protection required.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Wear chemically resistant gloves in combination with specific activity training Wear suitable coveralls to prevent exposure to the skin.

Protection against fire and explosion:
Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

The product in undamaged packing need not be stored separately.
Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

107-21-1: Ethane-1,2-diol
STEL value 10 mg/m3 (OEL (IL)), Inhalable fraction, Aerosole
TWA value 25 ppm (OEL (IL)), Vapor fraction
STEL value 50 ppm (OEL (IL)), Vapor fraction

Exposure controls

Personal protective equipment

Respiratory protection:
Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:
Chemical resistant protective gloves (EN ISO 374-1)
Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)
butyl rubber (butyl) - 0.7 mm coating thickness
nitrile rubber (NBR) - 0.4 mm coating thickness
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
chemical-protection suit (f.e. according to EN 14605)

General safety and hygiene measures
Wearing of closed work clothing is required additionally to the stated personal protection equipment.
No eating, drinking, smoking or tobacco use at the place of work.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	liquid	
Colour:	pink	
Odour:	product specific	
Odour threshold:	not determined	
pour point:	< -15 °C	(DIN ISO 3016)
boiling temperature:	160 °C (1.013 hPa)	(ASTM D1120)
Flammability:	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	

Upper explosion limit:	For liquids not relevant for classification and labelling.	
Flash point:	> 120 °C	(ISO 2592)
Auto-ignition temperature:	> 200 °C	(DIN 51794)
Thermal decomposition:	No decomposition if used as directed.	
pH value:	8,5 (measured with the undiluted substance)	(ASTM D1287)
Viscosity, kinematic:	approx. 30 mm2/s (23 °C)	(DIN 51562)
Thixotropy:	not thixotropic	
Solubility in water:	soluble	
Solubility (qualitative) solvent(s):	polar solvents soluble	
Vapour pressure:	0,2 mbar (20 °C)	
Density:	1,1260 g/cm3 (20 °C)	(DIN 51757)
Relative vapour density (air):	> 1 (20 °C) Heavier than air.	(estimated)

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of spontaneous heating.

Corrosion to metals

No corrosive effect on metal.

Other safety characteristics

Hygroscopy: Non-hygroscopic

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

Evaporation rate:

not determined

10. Stability and Reactivity

Reactivity

Corrosion to metals: No corrosive effect on metal.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

Avoid open flames.

Incompatible materials

Substances to avoid:
strong oxidizing agents, strong bases, strong acids

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products known.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Of low toxicity after short-term skin contact.

Experimental/calculated data:
LD (human) (oral): approx. 1.600 mg/kg

Irritation

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:
Skin sensitizing effects were not observed in animal studies. Human data do not fully exclude a skin sensitizing potential.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:
The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:
Based on available data, the classification criteria are not met.

Information on: Ethane-1,2-diol
Assessment of teratogenicity:
Developmental toxicity was observed after oral ingestion of high doses in studies with rats and mice, but this effect was not seen in a study with rabbits. Mechanistic studies show that the rabbit is the relevant species for the classification for human health. As such, and since ethylene glycol is not a developmental toxicant in the rabbit, no classification is warranted.

Specific target organ toxicity (single exposure)

Remarks: Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Information on: Ethane-1,2-diol
Assessment of repeated dose toxicity:
The substance may cause damage to the kidney after repeated ingestion. The substance may cause damage to the kidney after repeated skin contact with high doses.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Toxicity

Toxicity to fish:
LC50 (96 h) > 100 mg/l, Leuciscus idus

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna

Aquatic plants:
EC50 (72 h) > 100 mg/l, algae

Microorganisms/Effect on activated sludge:
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The substance can be virtually eliminated from water in suitable effluent treatment plants by biodegradation, stripping and mechanical separation.

Information on: 1,2-Ethanediol
Elimination information:
83 - 96 % (14 d) Readily biodegradable.

90 - 100 % (10 d) (OECD 301 A (new version)) (aerobic, activated sludge) Readily biodegradable (according to OECD criteria).

> 69 % (28 d) Biodegradable.

> 70 % (28 d) (OECD 301 A (new version)) Readily biodegradable (according to OECD criteria).
Literature data.

Bioaccumulative potential

Assessment bioaccumulation potential:
No data available.

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: No data available.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
Do not release untreated into natural waters.

The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:
Uncontaminated packaging can be re-used.
Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport
ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
STOT RE	Specific target organ toxicity — repeated exposure
Eye Irrit.	Eye irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Repr.	Reproductive toxicity
H302	Harmful if swallowed.
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life.
H335	May cause respiratory irritation.
H314	Causes severe skin burns and eye damage.
H361	Suspected of damaging the unborn child.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H361	Suspected of damaging fertility. Suspected of damaging the unborn child.
H412	Harmful to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.