We create chemistry

Safety data sheet

1. Substance/preparation and manufacturer/supplier identification

Product name:
GLYSANTIN® G65® pink also suitable for electric vehicles

Use: engine coolant

Manufacturer/supplier:
BASF Vietnam Co. Ltd.
Level 23, Deutsches Haus, 33 Le Duan,
Ben Nghe Ward, Dist. 1, Ho Chi Minh City, Vietnam
Telephone: +84 28 3824 3833
Telefax number: +84 28 3824 3832
E-mail address: minh-triet.thieu@basf.com

Emergency information:
18001703 (Vietnam)
Telefax number: +84 28 3824 3832
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:
Acute toxicity: Cat.4 (oral)
Specific target organ toxicity — repeated exposure (Kidney): Cat.2

Label elements and precautionary statement:

Pictogram:

Signal Word:
Warning

Hazard Statement:

H302	Harmful if swallowed.
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure.

Precautionary Statements (Prevention):

P260	Do not breathe mist or vapour.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P314	Get medical advice/attention if you feel unwell.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.
The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

ethyleneglycol, inhibitors

Hazardous ingredients

ethyleneglycol

Content (W/W): >= 75 % - <= 100 %	Acute Tox.: Cat. 4 (oral) STOT RE (Kidney): Cat. 2
CAS Number: 107-21-1	

Decanedioic acid, dipotassium salt

Content (W/W): >= 3 % - < 5 %	Eye Irrit.: Cat. 2A
CAS Number: 52457-55-3	Aquatic Acute: Cat. 3

Hexanoic acid, 3,5,5-trimethyl-, potassium salt (1:1)

Content (W/W): >= 0.3 % - < 1 % CAS Number: 93918-10-6	Acute Tox.: Cat. 4 (oral) Skin Corr.: Cat. 1B Eye Dam.: Cat. 1 STOT SE: Cat. 3 (irr. to respiratory syst.)

1H-Benzotriazole, 4(or 5)-methyl-

Content (W/W): >= 0.1 % - < 0.2 % CAS Number: 29385-43-1	Acute Tox.: Cat. 4 (oral) Aquatic Acute: Cat. 2 Aquatic Chronic: Cat. 2 Repr.: Cat. 2 (unborn child)

Acetic acid, 2-(2-benzothiazolylthio)-

Content (W/W): >= 0.1 % - < 0.2 % CAS Number: 6295-57-4	Acute Tox.: Cat. 4 (oral) Eye Dam./Irrit.: Cat. 1 Aquatic Acute: Cat. 3 Aquatic Chronic: Cat. 3 Repr.: Cat. 2 (fertility) Repr.: Cat. 2 (unborn child)

4. First-Aid Measures

General advice:
Immediately remove contaminated clothing. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). First aid personnel should pay attention to their own safety.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam

Specific hazards:
harmful vapours
Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing.Breathing protection required.

Environmental precautions:
Contain contaminated water/firefighting water.Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Handling

Wear chemically resistant gloves in combination with specific activity training Wear suitable coveralls to prevent exposure to the skin.

Protection against fire and explosion:
Take precautionary measures against static discharges.

Storage

The product in undamaged packing need not be stored separately.
Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

8. Exposure controls and personal protection

Components with occupational exposure limits

ethyleneglycol, 107-21-1;

TWA value 25 ppm (ACGIHTLV), Vapor fraction
STEL value 50 ppm (ACGIHTLV), Vapor fraction
STEL value 10 mg/m3 (ACGIHTLV), Inhalable fraction, Aerosole
TWA value 10 mg/m3 (OEL (VN)), Particle and mist
STEL value 125 mg/m3 (OEL (VN)), fumes/smoke
STEL value 20 mg/m3 (OEL (VN)), Particle and mist
TWA value 60 mg/m3 (OEL (VN)), fumes/smoke
TWA value 60 mg/m3 (OEL (VN)), fumes/smoke
TWA value 10 mg/m3 (OEL (VN)), Particle and mist
STEL value 125 mg/m3 (OEL (VN)), fumes/smoke
STEL value 20 mg/m3 (OEL (VN)), Particle and mist

Personal protective equipment

Respiratory protection:
Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:
Chemical resistant protective gloves
Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)
butyl rubber (butyl) - 0.7 mm coating thickness
nitrile rubber (NBR) - 0.4 mm coating thickness
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields.

Body protection:
chemical-protection suit (f.e. according to EN 14605)

General safety and hygiene measures:
Wearing of closed work clothing is required additionally to the stated personal protection equipment. No eating, drinking, smoking or tobacco use at the place of work.

9. Physical and Chemical Properties

Form:	liquid	
Colour:	pink	
Odour:	product specific	
Odour threshold:	not determined	
pH value:	8.5 (measured with the undiluted substance)	(ASTM D1287)
pour point:	< -15 °C	(DIN ISO 3016)

boiling temperature:	160 °C (1,013 hPa)	(ASTM D1120)
Flash point:	> 120 °C	(ISO 2592)
Evaporation rate:	not determined	
Flammability (solid/gas):	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	> 200 °C	(DIN 51794)
Thermal decomposition:	No decomposition if used as directed.	
Self ignition:	not self-igniting	
Self heating ability:	It is not a substance capable of spontaneous heating.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Vapour pressure:	0.2 mbar (20 °C)	
Density:	1.1260 g/cm3 (20 °C)	(DIN 51757)
Relative vapour density (air):	> 1 (20 °C) Heavier than air.	(estimated)
Solubility in water:	soluble	
Hygroscopy:	Non-hygroscopic	
Solubility (qualitative) solvent(s):	polar solvents soluble	
Viscosity, kinematic:	approx. 30 mm2/s (23 °C)	(DIN 51562)

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

10. Stability and Reactivity

Conditions to avoid:
Avoid open flames.

Thermal decomposition: No decomposition if used as directed.

Substances to avoid:
strong oxidizing agents, strong bases, strong acids

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:
No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products:
No hazardous decomposition products known.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD (human) (oral): approx. 1,600 mg/kg

Assessment of acute toxicity

Of moderate toxicity after single ingestion. Of low toxicity after short-term skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:
Skin sensitizing effects were not observed in animal studies. Human data do not fully exclude a skin sensitizing potential.

Germ cell mutagenicity

Assessment of mutagenicity:
Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:
The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:
Based on available data, the classification criteria are not met.

Information on: ethyleneglycol
Assessment of teratogenicity:
Developmental toxicity was observed after oral ingestion of high doses in studies with rats and mice, but this effect was not seen in a study with rabbits. Mechanistic studies show that the rabbit is the relevant species for the classification for human health. As such, and since ethylene glycol is not a developmental toxicant in the rabbit, no classification is warranted.

Specific target organ toxicity (single exposure)

Remarks: Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Information on: ethyleneglycol
Assessment of repeated dose toxicity:
The substance may cause damage to the kidney after repeated ingestion. The substance may cause damage to the kidney after repeated skin contact with high doses.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Toxicity to fish:
LC50 (96 h) > 100 mg/l, Leuciscus idus

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna

Aquatic plants:
EC50 (72 h) > 100 mg/l, algae

Microorganisms/Effect on activated sludge:
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Mobility

Assessment transport between environmental compartments:
No data available.

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The substance can be virtually eliminated from water in suitable effluent treatment plants by biodegradation, stripping and mechanical separation.

Information on: 1,2-Ethanediol
Elimination information:
83 - 96 % (14 d) Readily biodegradable.

90 - 100 % (10 d) (OECD 301 A (new version)) (aerobic, activated sludge) Readily biodegradable (according to OECD criteria).

> 69 % (28 d) Biodegradable.

> 70 % (28 d) (OECD 301 A (new version)) Readily biodegradable (according to OECD criteria).
Literature data.

Bioaccumulation potential

Assessment bioaccumulation potential:
No data available.

Additional information

Other ecotoxicological advice:
Do not release untreated into natural waters.

The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal Considerations

Information on disposal regulations: Must comply with regulations on hazardous waste such as:

- Decree No. 08/2022/ND-CP of the Government: detailing a number of articles of the Law on Environmental Protection.

- Circular No. 02/2022/TT-BTNMT of the Ministry of Natural Resources and Environment: detailing a number of articles of the Law on Environmental Protection.

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:
Uncontaminated packaging can be re-used.
Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport
IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable Marine pollutant: no
Special precautions for user	None known

Air transport
IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Other regulations

Legal information on safety, health and environment for chemicals:
Law on Chemicals No. 06/2007/QH12
Chemical Safety Sheets (SDS) are compiled in accordance with international regulations on chemical classification and labelling (GHS) as well as relevant applicable legal regulations:
- QCVN 05A:2020/BCT National Technical Regulation on safety in production, trading, use, preservation and transportation of hazardous chemicals.
- Amendment 1:2024 QCVN 05A:2020/BCT National technical regulation on safety in production, trading, use, preservation and transportation of hazardous chemicals.
- Decree No. 113/2017/ND-CP dated 09/10/2017 of the Government detailing and guiding the implementation of a number of articles of the Law on Chemicals;
- Circular No. 32/2017/TT-BCT dated 28/12/2017 of the Ministry of Industry and Trade specifying and guiding the implementation of a number of articles of the Law on Chemicals and Decree No. 113/2017/ND-CP dated 09/10/2017 of the Government detailing and guiding the implementation of a number of articles of the Law on Chemicals;
- Decree No. 82/2022/ND-CP dated October 18, 2022 of the Government amending and supplementing a number of articles of the Government's Decree No. 113/2017/ND-CP dated October 09, 2017 detailing and guiding the implementation of a number of articles of the Law on Chemicals
- Circular No. 17/2022/TT-BCT dated October 27, 2022 of the Ministry of Industry and Trade amending and supplementing a number of articles of Circular No. 32/2017/TT-BCT dated December 28, 2017 of the Minister of Industry and Trade specifying and guiding the implementation of a number of articles of the Law on Chemicals and the Government's Decree No. 113/2017/ND-CP dated October 09, 2017 detailing and guiding the exam a number of articles of the Law on Chemicals
- Decree No. 161/2024 ND-CP dated December 18, 2024 of the Government regulating the list of dangerous goods, transportation of dangerous goods and the order and procedures for issuance of licenses and certificates of completion of training programs for drivers or escorts transporting dangerous goods on roads;
- Decree 34/2024/ND-CP dated 31/03/2024 regulating the list of dangerous goods, transporting dangerous goods by road motor vehicles and inland waterway vehicles
- Circular No. 37/2020/TT-BCT dated 30/11/2020 of the Ministry of Industry and Trade stipulating the list of dangerous goods that must be packed in the process of transporting and transporting dangerous goods by road, railway and inland waterway motor vehicles.
- Decree No. 71/2019/ND-CP dated August 30, 2019 of the Government stipulating the sanctioning of administrative violations in the field of chemicals and industrial explosives.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.