We create chemistry

Safety Data Sheet
Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT

1. Identification

Product identifier used on the label

Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT

Recommended use of the chemical and restriction on use

Recommended use*: feed additive(s)
Unsuitable for use: Not intended for sale to or use by the general public.

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Synonyms: Preparation based on: Retinyl propionate stabilized with: 2,6-di-tert-Butyl-p-cresol

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Repr.	1B (unborn child)	Reproductive toxicity
Aquatic Acute	3	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:

Signal Word:
Danger

Hazard Statement:

H360	May damage the unborn child.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

When finely distributed, self-ignition is possible. High risk of slipping due to leakage/spillage of product.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Vitamin A Propionate
CAS Number: 7069-42-3
Content (W/W): 75.0 - 100.0%
Synonym: No data available.

BHT
CAS Number: 128-37-0
Content (W/W): 1.0 - 3.0%
Synonym: 2,6-Bis(1,1-dimethylethyl)-4-methylphenol; BHT, Butylated hydroxytoluene, 2,6-Di-tert-butyl-p-cresol

4. First-Aid Measures

Description of first aid measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

If on skin:
Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Information on: BHT
Symptoms: No data available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
harmful vapours, carbon oxides
The substances/groups of substances mentioned can be released in case of fire. Evolution of fumes/fog.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental release measures

Further accidental release measures:
High risk of slipping due to leakage/spillage of product. Soiled textiles/cleaning rags made of natural fibres (e.g. of pure wool or of pure cotton) are capable of ignition and should not be used and/or must be desposed of in a safe manner.

Personal precautions, protective equipment and emergency procedures
Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

Environmental precautions
Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

Methods and material for containment and cleaning up
For small amounts: Pick up with suitable absorbent material. Do not use saw-dust or other combustible substances as an absorbant during cleanup. After taking up material in containers, cover immediately with water layer.
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Mop up spills with non-flammable adsorbents (e.g. vermiculite, spill mats). Soiled textiles / cleaning rags / adsorbents and Silica are capable of self ignition and should be wetted with water and must be disposed of in a safe manner.

7. Handling and Storage

Precautions for safe handling
Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid aerosol formation. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. Ensure that there is no crystallized product in the container before use. Processing machines must be fitted with local exhaust ventilation.

Protection against fire and explosion:
Risk of self-ignition when a large surface area is produced due to fine dispersion. Soiled textiles / cleaning rags / adsorbents and Silica are capable of self ignition and should be wetted with water and must be disposed of in a safe manner. Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Conditions for safe storage, including any incompatibilities
Segregate from oxidants.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air. Protect from the effects of light. Keep under nitrogen.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

BHT	ACGIH, US:	TWA value 2 mg/m3	Inhalable fraction and vapor ;

Advice on system design:
Ensure adequate ventilation. Local exhaust ventilation preferred.

Personal protective equipment

Respiratory protection:
Respiratory protection in case of vapour/aerosol release. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection:
Chemical resistant protective gloves

Eye protection:
Safety glasses with side-shields.

Body protection:
Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:
Females in early pregnancy must never be exposed to the substance. Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Avoid contact with skin. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Wash soiled clothing immediately. No eating, drinking, smoking or tobacco use at the place of work.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	nutty	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	yellow	
pH value:	substance/mixture is non-soluble (in water)	
Melting point:	< 20 °C	
Freezing point:	No data available.	
Boiling point:	The substance / product decomposes therefore not determined.	
Sublimation point:	No applicable information available.	
Flash point:	161.0 °C	(ISO 2719)
Flammability:	not readily ignited	
Lower explosion limit:	For liquids not relevant for classification and labelling.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	

Autoignition:	291 °C	(DIN EN 14522)
SADT:	> 75 °C Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
Vapour pressure:	< 1 hPa (20 °C)	
Density:	0.94 g/cm3 (20 °C)	
Vapour density:	> 1 Heavier than air.	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	
Self-ignition temperature:	291 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	>= 165 °C (DSC (DIN 51007))	
Viscosity, dynamic:	No data available.	
Viscosity, kinematic:	> 22.6 mm2/s	
Solubility in water:	sparingly soluble	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	soluble solvent(s): organic solvents,	
Molar mass:	No data available.	

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
Corrosive effects to metal are not anticipated.

Oxidizing properties:
not fire-propagating

Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
Self-ignition is possible when finely distributed on flammable surfaces in the presence of air.

Conditions to avoid
Avoid electro-static discharge. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials
oxidizing agents

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:
>= 165 °C (DSC (DIN 51007))

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Of low toxicity after single ingestion.

Oral

Information on: Vitamin A Propionate
Type of value: LD50
Species: rat (male/female)
Value: > 2,000 mg/kg (BASF-Test)
No mortality was observed.

Information on: BHT
Type of value: LD50
Species: rat (male/female)
Value: > 5,000 mg/kg (OECD Guideline 401)

Inhalation
No data available.

Dermal
No data available.

Assessment other acute effects
Assessment of STOT single:
Based on available data, the classification criteria are not met.

Skin
No data available.

Eye
No data available.

Sensitization
Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Information on: Vitamin A Propionate
Guinea pig maximization test
Species: guinea pig
Result: Non-sensitizing.

Method: OECD Guideline 406

Information on: BHT
Guinea pig maximization test
Species: guinea pig
Result: Non-sensitizing.
Method: similar to OECD guideline 406

Aspiration Hazard
No data available.

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: Repeated exposure to large quantities may affect certain organs.

Information on: Vitamin A Propionate
Assessment of repeated dose toxicity: Repeated exposure to large quantities may affect certain organs.

Information on: BHT
Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies.
Repeated exposure may cause adverse thyroid effects as indicated in animal studies. Prolonged and repeated exposure may cause lung damage. May cause liver and kidney damage.

Genetic toxicity
Assessment of mutagenicity: Based on available data, the classification criteria are not met.

Information on: Vitamin A Propionate
Assessment of mutagenicity: In the majority of tests performed (bacteria/microorganisms/cell cultures) a mutagenic effect was not found. A mutagenic effect was also not observed in in-vivo assays. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity
Assessment of carcinogenicity: Based on available data, the classification criteria are not met.

Information on: Vitamin A Propionate
Assessment of carcinogenicity: No reliable data was available concerning carcinogenic activity.

Information on: BHT
Assessment of carcinogenicity: The substance caused cancer in animal studies. The International Agency for Research on Cancer (IARC) has classified this substance as group 3, not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Assessment of reproduction toxicity: The substance caused malformations/developmental toxicity in laboratory animals.

Teratogenicity
Assessment of teratogenicity: The substance caused malformations/developmental toxicity in laboratory animals. May cause harm to the unborn child.

Information on: Vitamin A Propionate
Assessment of teratogenicity: May cause harm to the unborn child. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Other Information
The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Harmful to aquatic life with long lasting effects.

Toxicity to fish

Information on: BHT
LC0 (96 h) >= 0.57 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, semistatic)
The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

Aquatic invertebrates

Information on: BHT
EC0 (48 h) 0.48 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The statement of the toxic effect relates to the analytically determined concentration.

Information on: Vitamin A Propionate
EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants

Information on: BHT
EC50 (72 h) > 0.40 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3, static)
The statement of the toxic effect relates to the analytically determined concentration.

Chronic toxicity to aquatic invertebrates

Information on: BHT

No observed effect concentration (21 d) 0.316 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)
The details of the toxic effect relate to the nominal concentration.

Assessment of terrestrial toxicity
No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

Information on: BHT
DIN EN ISO 8192-OECD 209-88/302/EEC,P. C aerobic
activated sludge/EC0 (3 h): 1,000 mg/l

Information on: Vitamin A Propionate
OECD Guideline 209 aerobic
activated sludge, domestic/EC20 (3 h): > 1,000 mg/l
The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Persistence and degradability

Assessment biodegradation and elimination (H2O)
Not readily biodegradable (by OECD criteria). Poorly biodegradable.

Assessment biodegradation and elimination (H2O)

Information on: Vitamin A Propionate

Moderately/partially biodegradable. Not readily biodegradable (by OECD criteria).
Not readily biodegradable (by OECD criteria). Moderately/partially biodegradable.

Information on: BHT

Not readily biodegradable (by OECD criteria). Poorly biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential
The product contains components with potential for bioaccumulation

Assessment bioaccumulation potential

Information on: Vitamin A Propionate

Significant accumulation in organisms is not to be expected.

Information on: BHT

May be accumulated in organisms.

Mobility in soil

Assessment transport between environmental compartments
Adsorption to solid soil phase is expected.

Information on: Vitamin A Propionate

No data available.
Adsorption to solid soil phase is expected.

Information on: BHT

The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is expected.

Additional information

Add. remarks environm. fate & pathway:
The product has not been tested. The statements on environmental fate and pathway have been derived from the properties of the individual components.

Other ecotoxicological advice:
The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:
Observe national and local legal requirements.

Container disposal:
Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport
USDOT
Not classified as a dangerous good under transport regulations

Sea transport
IMDG
Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO
Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Food	TSCA, US	released / exempt
Feed	TSCA, US	released / exempt
Cosmetic	TSCA, US	released / exempt
Chemical	TSCA, US	blocked / not listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK	CAS Number	Chemical name
NJ	128-37-0	BHT
PA	128-37-0	BHT

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s) described in this section below, this product does not require a California Proposition 65 Warning:

Human nutrition

NFPA Hazard codes:
Health: 1 Fire: 1 Reactivity: 0 Special:

HMIS III rating
Health: 1¤ Flammability: 1 Physical hazard: 0

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2023/08/08

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR

TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
Any other intended applications should be discussed with the manufacturer.
Corresponding occupational protection measurements must be followed.

END OF DATA SHEET