We create chemistry

Safety data sheet

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)
Date / Revised: 04.02.2025 Version: 4.0
Product: **ecovio® 40 FS2331**
(ID no. 30684869/SDS_GEN_00/EN)
Date of print 23.06.2025

1. Identification

Product identifier

ecovio® 40 FS2331
Recommended use: for industrial processing only

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Telephone: +49 621 60-0
E-mail address: global.info@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Preparation based on: polyester, modified

4. First-Aid Measures

Description of first aid measures

Avoid contact with the skin, eyes and clothing. Remove contaminated clothing.

If inhaled:
If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:
Burns caused by molten material require hospital treatment.

On contact with eyes:
In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

On ingestion:
Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Tetrahydrofuran, fumes/smoke, carbon black, harmful vapours
Formation of further decomposition and oxidation products depends upon the fire conditions. Under special fire conditions traces of other toxic substances are possible.

Advice for fire-fighters

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

Avoid inhalation. Sources of ignition should be kept well clear.

Environmental precautions

No special precautions necessary.

Methods and material for containment and cleaning up

For large amounts: Sweep/shovel up.
For residues: Sweep/shovel up.
Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Processing machines must be fitted with local exhaust ventilation. When working on exaust systems special safety precautions must be taken, because dangerous substances can accumulate in the residue of the exaust system. Avoid the formation and deposition of dust. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:
Avoid dust formation. Dust can form an explosive mixture with air. Provide exhaust ventilation. When the product is ground (chopped), dust explosion regulations should be noted.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Suitable materials for containers: Carbon steel (Iron), High density polyethylene (HDPE), Low density polyethylene (LDPE), Polypropylene (PP)
Further information on storage conditions: Protect against moisture. Avoid extreme heat. Avoid direct sunlight. Avoid all sources of ignition: heat, sparks, open flame. The product must be stored according to the requirements of Regulation (EC) No 2023/2006. Contamination with other substances must be avoided. Storage together with other substances, especially hazardous substances, must be avoided.

Storage stability:
Protect against moisture.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

Given suitable ventilation, it can be assumed that the threshold limits will not be reached.

109-99-9: Tetrahydrofuran
110-63-4: Butane-1,4-diol

Exposure controls

Personal protective equipment

Respiratory protection:
Breathing protection if dusts are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

Hand protection:
Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Avoid contact of molten material with skin. Avoid inhalation of dusts/mists/vapours. Eye wash fountains and safety showers must be easily accessible. Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	solid	
Form:	granules	
Colour:	natural	
Odour:	faint specific odour, product specific	
Odour threshold:	not applicable	
melting range:	70 - 140 °C	(DIN 53736)
Boiling range:	The substance / product decomposes therefore not determined.	
Flammability:	not highly flammable	
Lower explosion limit:	For solids not relevant for classification and labelling., As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	For solids not relevant for classification and labelling., As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Flash point:	not applicable, the product is a solid	
Auto-ignition temperature:	> 400 °C	(ASTM D1929)
Thermal decomposition:	> 280 °C To avoid thermal decomposition, do not overheat.	
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
pH value:	substance/mixture is non-soluble (in water)	
Viscosity, kinematic:	not applicable, the product is a solid	
Viscosity, dynamic:	not applicable, the product is a solid	

Solubility in water: not soluble
(20 °C, 1.013 hPa)
Partitioning coefficient n-octanol/water (log Kow):
not applicable
Vapour pressure:
The product is a non-volatile solid.
Relative density: approx. 0,8 - 1,4
(20 °C, 1.013 hPa)
Density: approx. 0,8 - 1,4 g/cm3
(20 °C, 1.013 hPa)
Relative vapour density (air):
not applicable, The product is a non-volatile solid.
Particle characteristics
Particle size distribution: Study does not need to be conducted. -

9.2. Other information

Information with regard to physical hazard classes

Explosives
Explosion hazard: not explosive
Oxidizing properties
Fire promoting properties: not fire-propagating
Flammable solids
Burning rate: The material doesn't meet the criteria specified in paragraph 33.2.4.4 of UN manual of tests and criteria.
Self-heating substances and mixtures
Self heating ability: It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.
Corrosion to metals

No corrosive effect on metal.

Other safety characteristics

Radioactivity:
not radioactive for transport purposes
Bulk density: approx. 500 - 1.000 kg/m3 (DIN 53466)
(20 °C, 1.013 hPa)
Miscibility with water:
not soluble
Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.
SAPT-Temperature:
Product does not fulfil criteria for polymerizing substances according to transport regulations.
Evaporation rate:
not applicable, The product is a non-volatile solid.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:	No corrosive effect on metal.	
Reactions with water/air:	Reaction with:	water
	Flammable gases:	no
	Toxic gases:	no

Chemical stability

The product is chemically stable.

Peroxides: The product does not contain peroxides. The product/the substance has not a tendency towards the formation of peroxide.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.
The product is chemically stable.

Conditions to avoid

Avoid extreme heat. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

Substances to avoid:
strong oxidizing agents

Hazardous decomposition products

Possible decomposition products:
At prolonged and/or strong thermal stressing above the decomposition temperature dangerous decomposition products can be formed.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Irritation

Assessment of irritating effects:
Not irritating to the eyes. Not irritating to the skin.

Respiratory/Skin sensitization

Assessment of sensitization:
The chemical structure does not suggest a sensitizing effect.

Germ cell mutagenicity

Assessment of mutagenicity:
The chemical structure does not suggest a specific alert for such an effect.

Carcinogenicity

Assessment of carcinogenicity:
The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity

Assessment of teratogenicity:
The chemical structure does not suggest a specific alert for such an effect.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
Repeated dermal uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. Repeated oral uptake of the substance did not cause substance-related effects.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms.
The product has not been tested. The statement has been derived from the structure of the product.

Toxicity to fish:
LC50 > 100 mg/l, Leuciscus idus
Literature data.

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna
Literature data.

Aquatic plants:
EC50 > 100 mg/l, Desmodesmus subspicatus
Literature data.

EC50 (72 h) > 100 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)
The details of the toxic effect relate to the nominal concentration. Limit concentration test only (LIMIT test).

Soil living organisms:
(14 d), Eisenia foetida (OECD Guideline 207, artificial soil)
No effects at the highest test concentration.

Terrestrial plants:
Triticum aestivum (OECD Guideline 208)
No effects at the highest test concentration.

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product is biodegradable.

Elimination information:
90 - 100 % CO2 formation relative to the theoretical value (124 d) (ISO 14855) (aerobic, soil)

Bioaccumulative potential

Assessment bioaccumulation potential:
Does not significantly accumulate in organisms.

Bioaccumulation potential:
Because of the product's consistency and low water solubility, bioavailability is improbable.

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: Adsorption to solid soil phase is not expected.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Adsorbable organically-bound halogen (AOX):
This product contains no organically-bound halogen.

Add. remarks environm. fate & pathway:
At the present state of knowledge, no negative ecological effects are expected.

Other ecotoxicological advice:
The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition.

13. Disposal Considerations

Waste treatment methods

Can be used without re-conditioning.
Incinerate in suitable incineration plant, observing local authority regulations.

Waste key:
07 02 13 waste plastic

Contaminated packaging:
Completely emptied packagings can be given for recycling.

14. Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals (EU) Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

In addition to the information given in the safety data sheet we refer to the product specific 'Technical Information'.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.