We create chemistry

Safety data sheet

1. Substance/preparation and manufacturer/supplier identification

Product name:
Poncho Votivo Seed Treatment

Use: crop protection active ingredient

Manufacturer/supplier:
BASF New Zealand Ltd.
5E City Works Depot
77 Cook Street
Auckland Central, Auckland 1010
NEW ZEALAND
Telephone: +64 9 255-4300
Telefax number: +64 9 255-4307

Emergency information:
National Poisons Centre: 0800 764 766
BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only)
BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)

2. Hazard identification

Classification of the substance and mixture:
Acute toxicity: Cat.5 (oral)
Specific target organ toxicity — single exposure (Nervous system): Cat.2
Hazardous to the aquatic environment - acute: Cat.1
Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:

Signal Word:
Warning

Hazard Statement:

H303	May be harmful if swallowed.
H371	May cause damage to organs (Nervous system).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P260	Do not breathe mist or vapour.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:
See section 12 - Results of PBT and vPvB assessment.
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May produce an allergic reaction. Contains:
1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)Micro-organisms may have the potential to provoke sensitising reactions.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, insecticide, product for seed treatment

Contains: biological beneficial organism
, Bacillus firmus

does not contain: Genetically modified organism

Hazardous ingredients

CLOTHIANIDIN TECHNICAL

Content (W/W): 39.69 %	Acute Tox.: Cat. 4 (oral)
CAS Number: 210880-92-5	STOT SE (Nervous system): Cat. 2
	Aquatic Acute: Cat. 1
	Aquatic Chronic: Cat. 1
	M-factor acute: 10
	M-factor chronic: 100

sodium chloride

Content (W/W): < 5 %	Acute Tox.: Cat. 5 (oral)
CAS Number: 7647-14-5	

Sulfuric acid, zinc salt (1:1), monohydrate

Content (W/W): < 0.5 %	Acute Tox.: Cat. 4 (oral)
CAS Number: 7446-19-7	Eye Dam./Irrit.: Cat. 1
	Aquatic Acute: Cat. 1
	Aquatic Chronic: Cat. 1
	M-factor acute: 1
	M-factor chronic: 1

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.05 %	Acute Tox.: Cat. 2 (Inhalation - dust)
CAS Number: 2634-33-5	Acute Tox.: Cat. 4 (oral)
	Skin Irrit.: Cat. 2
	Eye Dam.: Cat. 1
	Skin Sens.: Cat. 1A
	Aquatic Acute: Cat. 1
	Aquatic Chronic: Cat. 1
	M-factor acute: 1
	M-factor chronic: 1

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): < 0.0015 %	Acute Tox.: Cat. 3 (oral)
CAS Number: 55965-84-9	Acute Tox.: Cat. 2 (Inhalation - mist)
	Acute Tox.: Cat. 2 (dermal)
	Skin Corr.: Cat. 1C
	Eye Dam.: Cat. 1
	Skin Sens.: Cat. 1A
	Aquatic Acute: Cat. 1
	Aquatic Chronic: Cat. 1
	M-factor acute: 100
	M-factor chronic: 100

glycerol

Content (W/W): < 10 %
CAS Number: 56-81-5

4. First-Aid Measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, foam, carbon dioxide, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
carbon monoxide, hydrogen cyanide, hydrogen chloride, carbon dioxide, nitrogen oxides, sulfur oxides
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage

or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Do not breathe vapour/spray.Use personal protective clothing.Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into the subsoil/soil.Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 24 Months

Protect from temperatures below: 0 °C
Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.
Protect from temperatures above: 30 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

glycerol, 56-81-5;
TWA value 10 mg/m3 (OEL (NZ)), Mist

Guanidine, N-[(2-chloro-5-thiazolyl)methyl]-N'-methyl-N''-nitro-, [C(E)]-, 210880-92-5;
TWA value 1.56 mg/m3 (BASF recomm. occupational exposure limit)
BASF expert judgement
TWA value 0.1 mg/m3 (ACGIHTLV), Inhalable fraction

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid
Colour:	beige
Odour:	characteristic
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 5.0 - 8.0 (100 %(m), 23 °C)
Melting point:	The product has not been tested.
Boiling point:	approx. 99 °C
Flash point:	No flash point - Measurement made up to the boiling point.

Evaporation rate:
not applicable

Flammability (solid/gas): not applicable
Lower explosion limit:
As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:
As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:
Based on the water content the product does not ignite.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.
Explosion hazard: Based on the chemical structure there is no indication of explosive properties.
Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

Vapour pressure:
The product has not been tested.

Density: approx. 1.28 g/cm3
(20 °C)
Relative vapour density (air):
not applicable

Solubility in water: dispersible
Partitioning coefficient n-octanol/water (log Pow):
not applicable for mixtures

Viscosity, dynamic: approx. 280 - 480 mPa.s
(20 °C, 20 1/s)
approx. 170 - 320 mPa.s
(20 °C, 100 1/s)

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage.

Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): > 2,000 - < 5,000 mg/kg (OECD Guideline 423)

Acute inhalation toxicity

LC50 rat (by inhalation): > 5.56 mg/l 4 h (OECD Guideline 403)
An aerosol was tested.

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

Assessment of acute toxicity

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
No sensitizing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sodium chloride
Assessment of carcinogenicity:
The substance showed tumor-promoting activity in rodents when given at high doses in the diet after pretreatment with a carcinogenic substance. No carcinogenic potential can be deduced from other studies with rats and mice.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

A single exposure may have relevant toxic effects on organs.

Target organ: Nervous system

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL
Assessment of repeated dose toxicity:
Repeated oral exposure to large quantities may affect certain organs. Based on available data, the classification criteria are not met.

Information on: sodium chloride
Assessment of repeated dose toxicity:
Repeated exposure to large quantities may affect certain organs.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Assessment of repeated dose toxicity:
Based on available data, the classification criteria are not met. After repeated exposure the prominent effect is local irritation.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL
Toxicity to fish:
LC50 (96 h) > 104.2 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

Information on: CLOTHIANIDIN TECHNICAL
Aquatic invertebrates:
EC50 (48 h) 26 mg/l, Daphnia magna (OPP 72-2 (EPA-guideline), static)

EC50 (48 h) 0.029 mg/l, Chironomus riparius (static)

Information on: CLOTHIANIDIN TECHNICAL
Aquatic plants:
EC50 (72 h) > 120 mg/l (growth rate), Pseudokirchneriella subcapitata (static)

No observed effect concentration (72 h) 15 mg/l (growth rate), Pseudokirchneriella subcapitata (static)

EC50 (14 d) > 121 mg/l, Lemna gibba (other, semistatic)

No observed effect concentration (14 d) 59 mg/l, Lemna gibba (other, semistatic)

Information on: CLOTHIANIDIN TECHNICAL
Chronic toxicity to fish:
No observed effect concentration (33 d) 20 mg/l, Pimephales promelas (OECD Guideline 236, Flow through.)

Information on: CLOTHIANIDIN TECHNICAL
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d), 0.12 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

EC10 (28 d), 0.0004 mg/l, Chironomus riparius (other, static)

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL
Assessment transport between environmental compartments:
Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Further information
Hazchem Code:3Z
IERG Number:47

Sea transport
IMDG

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F

Air transport
IATA/ICAO

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

ACVM Registration No. P009176

A certified handler is not required for the handling of this substance.

Tracking requirements do not apply to this substance.

HSNO Approval Number HSR002503
Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020

16. Other Information

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.