We create chemistry

Safety data sheet

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.08.2023 Version: 2.0
Date previous version: 02.09.2022 Previous version: 1.0
Date / First version: 02.09.2022
Product: **ETHYLENE PURE BMB**

(ID no. 30738474/SDS_GEN_DE/EN)

Date of print 09.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ETHYLENE PURE BMB

Chemical name: ethene
INDEX-Number: 601-010-00-3
CAS Number: 74-85-1

REACH registration number: 01-2119462827-27-0027, 01-2119462827-27-0025, 01-2119462827-27-0345, 01-2119462827-27, 01-2119462827-27-0116, 01-2119462827-27-0020

Biomass balanced product certified according to REDcert² scheme for the chemical industry, certificate number: 929-35244206

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical
Recommended use: Chemical

For the detailed identified uses of the product see appendix of the safety data sheet.

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Petrochemicals

Telephone: +49 621 60-42151
E-mail address: sds-petrochemicals@basf.com

1.4. Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Flam. Gas 1	H220 Extremely flammable gas.
Press. Gas Compressed gas	H280 Contains gas under pressure; may explode if heated.
STOT SE 3	H336 May cause drowsiness or dizziness.

According to BASF current knowledge and application of the criteria given in Annex I of Regulation (EC) No. 1272/2008, the following classification exceeding the classification given in Regulation (EC) No 1272/2008, Annex VI, Table 3.1 is required.

Press. Gas Compressed gas
Flam. Gas 1A
STOT SE 3 (Vapours may cause drowsiness and dizziness.)

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:

Signal Word:

Danger

Hazard Statement:

H280	Contains gas under pressure; may explode if heated.
H220	Extremely flammable gas.
H336	May cause drowsiness or dizziness.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing gas.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.

Precautionary Statements (Storage):

P410 + P403	Protect from sunlight. Store in a well-ventilated place.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Hazard determining component(s) for labelling: ethylene

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.
See section 12 - Results of PBT and vPvB assessment.
Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

ethylene

Content (W/W): >= 99,9 %	Flam. Gas 1
CAS Number: 74-85-1	Press. Gas Compr. Gas
EC-Number: 200-815-3	STOT SE 3 (drowsiness and dizziness)
INDEX-Number: 601-010-00-3	H280, H220, H336

Regulatory relevant ingredients

ethylene

Content (W/W): >= 99,9 % - < 100 %	Flam. Gas 1
CAS Number: 74-85-1	Press. Gas Compr. Gas
EC-Number: 200-815-3	STOT SE 3 (drowsiness and dizziness)
INDEX-Number: 601-010-00-3	H280, H220, H336

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
carbon dioxide, dry powder

Unsuitable extinguishing media for safety reasons:
foam, water spray, water jet

Additional information:
Use extinguishing measures to suit surroundings.

5.2. Special hazards arising from the substance or mixture

Advice: Highly flammable. Vapours may form explosive mixture with air.

Advice: Shut off or stop released substance/product under safe conditions. Cool endangered containers with water-spray.

Advice: If product is heated above decomposition temperature acrid smoke and fumes will be released. Burning produces harmful and toxic fumes.

5.3. Advice for fire-fighters

Special protective equipment:
Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:
Do not put fire out unless flow feeding it can be safely stopped. The substance/product forms flammable mixtures with air. Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings.

SECTION 6: Accidental Release Measures

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

6.1. Personal precautions, protective equipment and emergency procedures

Avoid all sources of ignition: heat, sparks, open flame. Wear respiratory protection if ventilation is inadequate.

Keep people away and stay on the upwind side.

Handle in accordance with good industrial hygiene and safety practice.

6.2. Environmental precautions

Contain contaminated water/firefighting water.

6.3. Methods and material for containment and cleaning up

Ensure adequate ventilation.

Suppress gases/vapours/mists with water spray jet.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:
Avoid all sources of ignition: heat, sparks, open flame. Vapours may form explosive mixture with air.

Electrical devices must meet the specified temperature class.

Temperature class: T1 (Autoignition temperature > 450 °C).

7.2. Conditions for safe storage, including any incompatibilities

No applicable information available.
Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place. Keep away from sources of ignition - No smoking.

Storage class according to TRGS 510 (originally VCI, Germany): (2A) Gases (except aerosol dispensers and lighters)

7.3. Specific end use(s)

See exposure scenario(s) in the attachment to this safety data sheet.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits
No substance specific occupational exposure limits known.

PNEC
No PNEC derived, substance is a gas

DNEL
No DNELs have been derived.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection should be used if vapour may be inhaled. Suitable respiratory protection for lower concentrations or short-term effect: Gas filter for gases/vapours of organic compounds (boiling point <65 °C, f.e. EN 14387 Type AX) Suitable respiratory protection for higher concentrations or long-term effect: Self-contained breathing apparatus.

Hand protection:
When there is a risk of frostbite from escaping gas, use thermally insulated gloves (EN 511).

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):
fluoroelastomer (FKM) - 0.7 mm coating thickness

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)
nitrile rubber (NBR) - 0.4 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types.
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
No body protection required if used for intended purpose and satisfying generally accepted industrial hygiene rules.

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. Ensure adequate ventilation. Avoid inhalation of vapour. At the end of the shift the skin should be cleaned and skin-care agents applied. Remove contaminated clothing immediately and dispose of safely.

Environmental exposure controls

Suitable risk management measures should be in place.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	gaseous	
Form:	compressed gas	
Colour:	colourless	
Odour:	sweetish	
Odour threshold:	not determined	
Melting point:	-169 °C (1.013,25 hPa) Literature data.	
Boiling point:	-103,77 °C (1.013 hPa) Literature data.	
Flammability:	Extremely flammable.	(Directive 92/69/EEC, A.11)
Lower explosion limit:	2,7 %(V) Literature data.	(air)
Upper explosion limit:	36 %(V) Literature data.	(air)
Flash point:	not applicable	
Auto-ignition temperature:	450 °C Literature data.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
pH value:	not applicable	
Viscosity, kinematic:	not applicable, the product is a gas	
Viscosity, dynamic:	0,01 mPa.s (26,85 °C)	
Thixotropy:	not thixotropic	
Solubility in water:	131 mg/l (25 °C, 1.013 hPa)	
Partitioning coefficient n-octanol/water (log Kow):	1,13 (25 °C; pH value: 7) Literature data.	
Vapour pressure:	2.124 hPa (-90 °C)	
Relative density:	0,57 (-104 °C) Literature data.	
Density:	0,57 kg/m3 (-104 °C) Literature data.	
Relative vapour density (air):	0,9754 Literature data.	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Oxidizing properties

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.
Study scientifically not justified.

Gases under pressure

Critical temperature/pressure: 9,2 °C
Literature data.

Pyrophoric properties

Self-ignition temperature: Test type: Spontaneous self-ignition at room-temperature.

Study scientifically not justified.

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of spontaneous heating.

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:
Study scientifically not justified.

Corrosion to metals

No corrosive effect on metal.

Other safety characteristics

Radioactivity: not radioactive for transport purposes

pKA:
The substance does not dissociate.,
Study scientifically not justified.

Surface tension:
Based on chemical structure, surface activity is not to be expected.

Molar mass:	28,05 g/mol
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:	No corrosive effect on metal.	
Formation of flammable gases:	Remarks:	Study scientifically not justified.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame.

10.5. Incompatible materials

Substances to avoid:
hydrogen fluoride, hydrogen chloride, hydrogen bromide, Hydrogen iodide, fluorine, bromine, chlorine, iodine, nitrogen dioxide, Dinitrogen oxide, oxidizing agents

10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic by inhalation.

Experimental/calculated data:

(oral):Study technically not feasible.
LC50 rat (by inhalation): > 65,4 mg/l 4 h
A gas was tested.
(dermal):Study technically not feasible.

Irritation

Assessment of irritating effects:

Contact with liquid may cause frostbite. The substance is gaseous at room temperature and pressure. Testing for this particular endpoint is technically not feasible and/or this endpoint does not represent a relevant exposure scenario.

Experimental/calculated data:

Skin corrosion/irritation

: Study technically not feasible.

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The substance is gaseous at room temperature and pressure. Testing for this particular endpoint is technically not feasible and/or this endpoint does not represent a relevant exposure scenario.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals.

Carcinogenicity

Assessment of carcinogenicity:
In long-term animal studies in which the substance was given by inhalation, a carcinogenic effect was not observed. IARC Group 3 (not classifiable as to human carcinogenicity).

Reproductive toxicity

Assessment of reproduction toxicity:
The results of animal studies gave no indication of a fertility impairing effect. The results were determined in a Screening test (OECD 421/422).

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Experiences in humans

Experimental/calculated data:

Product is not toxic, but will cause suffocation in concentrations that decrease the oxygen content in the air.

High concentrations have a narcotizing effect.

May cause frostbite

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Possible narcotic effects (drowsiness or dizziness).

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organtoxicity was observed after repeated administration to animals.

Aspiration hazard

No aspiration hazard expected.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:
Acutely harmful for aquatic organisms.

Toxicity to fish:
LC50 (96 h) 126 mg/l, Fish (calculated)
The product has not been tested. The statement has been derived from the structure of the product.

Aquatic invertebrates:
EC50 (48 h) 62,5 mg/l, Daphnia magna (calculated)
The product has not been tested. The statement has been derived from the structure of the product.

Aquatic plants:
EC50 (72 h) 72 mg/l (growth rate), Selenastrum capricornutum (OECD Guideline 201, static)

EC50 (48 h) 30,3 mg/l (growth rate), Selenastrum capricornutum (calculated)
The product has not been tested. The statement has been derived from the structure of the product.

Microorganisms/Effect on activated sludge:
Study not necessary due to exposure considerations.

Chronic toxicity to fish:
other (30 d) 12,385 mg/l, Fish (other)
The product has not been tested. The statement has been derived from the structure of the product.

Chronic toxicity to aquatic invertebrates:
other 6,3 mg/l, Daphnia magna (other)
The product has not been tested. The statement has been derived from the structure of the product.

Terrestrial plants:
No observed effect concentration (0,3 a) < 10 ppm, terrestrial plants
Literature data.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):
Product is expected to be readily biodegradable. Due to the product characteristics the test is impossible. The volatility might play an important part as an elimination route. The product has not been tested. The statement has been derived from the structure of the product.

Elimination information:
50 % (2,9 d) (calculated)

Assessment of stability in water:
According to structural properties, hydrolysis is not expected/probable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
Significant accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:
Volatility: The substance will rapidly evaporate into the atmosphere from the water surface.
Adsorption in soil: Adsorption to solid soil phase is not expected.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8. Additional information

Add. remarks environm. fate & pathway:
Because of the product's consistency and low water solubility, bioavailability is improbable.

Other ecotoxicological advice:
At the present state of knowledge, no negative ecological effects are expected.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Dispose of in accordance with national, state and local regulations.

Contaminated packaging:

Disposal must be made according to official regulations.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number:	UN1962
UN proper shipping name:	ETHYLENE
Transport hazard class(es):	2.1
Packing group:	Not applicable
Environmental hazards:	no
Special precautions for user:	Tunnel code: B/D

RID

UN number or ID number:	UN1962
UN proper shipping name:	ETHYLENE
Transport hazard class(es):	2.1, 13
Packing group:	Not applicable
Environmental hazards:	no
Special precautions for user:	Shunting label: 13

Inland waterway transport

ADN

UN number or ID number:	UN1962
UN proper shipping name:	ETHYLENE
Transport hazard class(es):	2.1
Packing group:	Not applicable
Environmental hazards:	no
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 1962
UN proper shipping name:	ETHYLENE
Transport hazard class(es):	2.1
Packing group:	Not applicable
Environmental hazards:	no Marine pollutant: NO
Special precautions for user:	EmS: F-D; S-U

Air transport

IATA/ICAO

UN number or ID number:	UN 1962
UN proper shipping name:	ETHYLENE
Transport hazard class(es):	2.1
Packing group:	Not applicable
Environmental hazards:	No Mark as dangerous for the environment is needed
Special precautions for user:	None known

14.1. UN number or ID number
See corresponding entries for “UN number or ID number” for the respective regulations in the tables above.

14.2. UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

14.3. Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

14.4. Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

14.5. Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Regulation:	IGC-Code
Product name:	Ethylene
Ship Type:	2G

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 40

Hazardous Incident Ordinance (Germany):
List entry in regulation: 1.2.2

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
List entry in regulation: P2

Classification according to 'TA-Luft' (Germany):

5.2.5 class I: Organic gases class I

Water hazard class (§6 AwSV para.4 (Legal binding announcement of the substance in the Federal Gazette)): (nwg) Not water polluting. ID-No.: 742

German Regulation TA Luft (Technical Instruction on Air Quality Control, i.e. first Directive to the Federal Immission Control Ordinance)
Law on the Protection of Working Youth

15.2. Chemical Safety Assessment

Chemical Safety Assessment performed

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

STOT SE 3 (Vapours may cause drowsiness and dizziness.)
Aquatic Acute 3
Flam. Gas 1A
Press. Gas Compressed gas

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Flam. Gas	Flammable gases
Press. Gas	Gases under pressure
STOT SE	Specific target organ toxicity — single exposure
H280	Contains gas under pressure; may explode if heated.
H220	Extremely flammable gas.
H336	May cause drowsiness or dizziness.

Abbreviations
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Annex: Exposure Scenarios

Index
1.

****

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.
	As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

****