We create chemistry

Safety data sheet

1. Identification

Product identifier

Sepiret 6250 Silver

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Skin Corr./Irrit. 3
Eye Dam./Irrit. 2A
Skin Sens. 1
Aquatic Chronic 3

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Warning

Hazard Statement:

H319	Causes serious eye irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P261	Avoid breathing mist or vapour or spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):
May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), Formaldehyde

According to UN GHS criteria

Hazard determining component(s) for labelling: 2-Methyl-2H-isothiazol-3-one

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

blend of pigments

Hazardous ingredients (GHS)
According to UN GHS criteria

Aluminium

Content (W/W): < 25 %	Flam. Sol. 1
CAS Number: 7429-90-5	Water-react. 2
EC-Number: 231-072-3	H228, H261
INDEX-Number: 013-002-00-1	

Phosphoric acid, C11-14-isoalkyl esters, C13-rich

Content (W/W): < 3 %	Skin Corr./Irrit. 2
CAS Number: 154518-38-4	Eye Dam./Irrit. 1
	Aquatic Chronic 2
	H318, H315, H411

Vinyl acetate

Content (W/W): < 0,5 % CAS Number: 108-05-4 EC-Number: 203-545-4 INDEX-Number: 607-023-00-0	Flam. Liq. 2 Acute Tox. 4 (Inhalation - vapour) Acute Tox. 5 (oral) Carc. 2 STOT SE 3 (irr. to respiratory syst.) Aquatic Acute 3 Aquatic Chronic 3 H225, H332, H303, H335, H351, H402, H412

Formaldehyde

Content (W/W): < 0,05 % CAS Number: 50-00-0 EC-Number: 200-001-8 INDEX-Number: 605-001-00-5	Flam. Liq. 4 Acute Tox. 2 (Inhalation - vapour) Acute Tox. 3 (oral) Acute Tox. 3 (dermal) Skin Corr. 1B Eye Dam. 1 Skin Sens. 1A Carc. 1B Aquatic Acute 2 H227, H330, H317, H350, H314, H301 + H311, H401 <u>Specific concentration limit:</u> Eye Dam./Irrit. 2: 5 - < 25 % STOT SE 3, irr. to respiratory syst.: >= 5 % Skin Sens. 1: >= 0,2 % Skin Corr./Irrit. 2: 5 - < 25 % Skin Corr./Irrit. 1B: >= 25 %

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0,036 % CAS Number: 2634-33-5 EC-Number: 220-120-9 INDEX-Number: 613-088-00-6	Acute Tox. 2 (Inhalation - dust) Acute Tox. 4 (oral) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1 H318, H315, H330, H302, H317, H400, H410 <u>Specific concentration limit:</u> Skin Sens. 1A: >= 0,036 %

2-Methyl-2H-isothiazol-3-one

Content (W/W): < 0,005 % CAS Number: 2682-20-4 EC-Number: 220-239-6 INDEX-Number: 613-326-00-9	Acute Tox. 2 (Inhalation - dust) Acute Tox. 3 (oral) Acute Tox. 3 (dermal) Skin Corr. 1B Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1 H330, H317, H314, H301 + H311, H400, H410 EUH071 <u>Specific concentration limit:</u> Skin Sens. 1A: >= 0,0015 %

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): < 0,001 % CAS Number: 55965-84-9 INDEX-Number: 613-167-00-5	Acute Tox. 3 (oral) Acute Tox. 2 (Inhalation - mist) Acute Tox. 2 (dermal) Skin Corr. 1C Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100 H314, H301, H317, H310 + H330, H400, H410 EUH071 <u>Specific concentration limit:</u> Eye Dam. 1: >= 0,6 % Eye Irrit. 2: 0,06 - < 0,6 % Skin Irrit. 2: 0,06 - < 0,6 % Skin Corr. 1C: >= 0,6 % Skin Sens. 1A: >= 0,0015 %

Propane-1,2-diol
Content (W/W): < 15 %
CAS Number: 57-55-6
EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, hydrogen chloride, nitrogen oxides, aluminum compounds, silica compounds, sulfur oxides, phosphorus oxides, organochloric compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Do not seal containers.

Storage stability:
Storage duration: 24 Months

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol
7429-90-5: Aluminium

Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
Wearing of closed work clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid
Form:	liquid
Colour:	silvery
Odour:	slight odour
Odour threshold:	Not determined due to potential health hazard by inhalation.
Melting point:	The product has not been tested.
Boiling point:	> 100 °C Information applies to the solvent.
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Upper explosion limit:
As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Flash point:
A flash point determination is unnecessary due to the high water content.

Auto-ignition temperature:
Based on the water content the product does not ignite.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

pH value: approx. 6 - 8
(20 °C)

Viscosity, dynamic: approx. 320 mPa.s

Thixotropy: not thixotropic

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):
not applicable for mixtures

Vapour pressure: approx. 23,4 hPa
(20 °C)
Information applies to the solvent.

Density: approx. 1,12 g/cm3
(20 °C)

Relative vapour density (air):
not applicable

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Based on the water content the product has no explosive properties.

Oxidizing properties

Fire promoting properties: not fire-propagating

Other safety characteristics

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

Evaporation rate:
not applicable

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Hydrogen formation under influence of acids and alkalies. Exothermic reaction on contact with strong oxidizing agents.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1,2-benzisothiazol-3(2H)-one

Experimental/calculated data:
LD50 rat (oral): 490 mg/kg (similar to OECD guideline 401)

Information on: 1,2-benzisothiazol-3(2H)-one
Experimental/calculated data:
LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
Eye contact causes irritation. Skin contact causes slight irritation. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Phosphoric acid, C11-14-isoalkyl esters, C13-rich
Experimental/calculated data:
Skin corrosion/irritation: Irritant.

Information on: Phosphoric acid, C11-14-isoalkyl esters, C13-rich
Experimental/calculated data:
Serious eye damage/irritation: irreversible damage

Respiratory/Skin sensitization

Assessment of sensitization:
Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-Methyl-2H-isothiazol-3-one
Experimental/calculated data:
Buehler test guinea pig: skin sensitizing (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Aluminium
Assessment of mutagenicity:
The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Formaldehyde
Assessment of mutagenicity:
Reliable studies did not give evidence for systemic genotoxicity in experimental animals or in humans. Although positive in various in vitro studies, the substance does not induce local mutagenic effects in the absence of chronic irritation based on today's knowledge.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Formaldehyde
Assessment of carcinogenicity:
After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. No

adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.

Information on: Vinyl acetate
Assessment of carcinogenicity:
Indication of possible carcinogenic effect in animal tests. IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).

Reproductive toxicity

Assessment of reproduction toxicity:
The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:
Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Aluminium
Assessment of repeated dose toxicity:
The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the peripheral nervous system after repeated ingestion of high doses. The substance may cause damage to the central nervous system after repeated ingestion of high doses. The substance may cause damage to the lung after repeated inhalation. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Information on: Vinyl acetate
Assessment of repeated dose toxicity:
The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies. Repeated oral uptake of the substance did not cause substance-related effects.

Information on: Formaldehyde
Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Assessment of repeated dose toxicity:
Based on available data, the classification criteria are not met. After repeated exposure the prominent effect is local irritation.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Harmful to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1,2-Benzisothiazol-3(2H)-one
Toxicity to fish:
LC50 (96 h) 2,15 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

Information on: Phosphoric acid, C11-14-isoalkyl esters, C13-rich
Toxicity to fish:
LC50 (96 h) 24 mg/l, Fish (OECD 203; ISO 7346; 84/449/EWG, C.1)

Information on: 1,2-Benzisothiazol-3(2H)-one
Aquatic invertebrates:
EC50 (48 h) 2,9 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on: Phosphoric acid, C11-14-isoalkyl esters, C13-rich
Aquatic invertebrates:
EC50 (48 h) 6,3 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Information on: 1,2-Benzisothiazol-3(2H)-one
Aquatic plants:
EC50 (96 h) 0,110 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201, static)

No observed effect concentration (96 h) 0,040 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201, static)

Information on: Phosphoric acid, C11-14-isoalkyl esters, C13-rich
Aquatic plants:
EC50 (72 h) 150 mg/l, Pseudokirchneriella subcapitata

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1,2-Benzisothiazol-3(2H)-one
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1,2-Benzisothiazol-3(2H)-one
Bioaccumulation potential:
Bioconcentration factor: 6,62 (56 d), Lepomis macrochirus (measured)

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1,2-Benzisothiazol-3(2H)-one
Assessment transport between environmental compartments:
Volatility: The substance will not evaporate into the atmosphere from the water surface.
Adsorption in soil: Adsorption to solid soil phase is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Waste key:
12 01 04 non-ferrous metal dust and particles

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport
ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable

Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

UN number or ID number:	UN 8888
UN proper shipping name:	LOCKED FOR IATA TRANSPORT
Transport hazard class(es):	
Packing group:	Not applicable
Environmental hazards:	No Mark as dangerous for the environment is needed
Special precautions for user:	

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:
Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Flam. Sol.	Flammable solids
Water-react.	Substances and mixtures which in contact with water emit flammable gases
Flam. Liq.	Flammable liquids
Acute Tox.	Acute toxicity
Carc.	Carcinogenicity
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Skin Corr.	Skin corrosion
Eye Dam.	Serious eye damage
Skin Irrit.	Skin irritation
Eye Irrit.	Eye irritation
H228	Flammable solid.
H261	In contact with water releases flammable gas.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H411	Toxic to aquatic life with long lasting effects.
H225	Highly flammable liquid and vapour.
H332	Harmful if inhaled.
H303	May be harmful if swallowed.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H227	Combustible liquid.
H330	Fatal if inhaled.
H317	May cause an allergic skin reaction.
H350	May cause cancer.
H314	Causes severe skin burns and eye damage.
H301 + H311	Toxic if swallowed or in contact with skin.
H401	Toxic to aquatic life.
H302	Harmful if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H301	Toxic if swallowed.
H310 + H330	Fatal in contact with skin or if inhaled.
EUH071	Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.