We create chemistry

# Safety data sheet



BASF safety data sheet. This document has been drafted following generic rules for safety data sheets. It does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 04.01.2024 Version: 3.0
Date / Previous version: 08.03.2021 Previous version: 2.0
Product: **Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III**
(ID no. 30712809/SDS_CPA_EU/EN)
Date of print 08.07.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

# Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

### 1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

### 1.4. Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

| | |
|---|---|
| Eye Dam./Irrit. 2 | H319 Causes serious eye irritation. |
| STOT SE 3 | H336 May cause drowsiness or dizziness. |
| Aquatic Acute 1 | H400 Very toxic to aquatic life. |
| Aquatic Chronic 1 | H410 Very toxic to aquatic life with long lasting effects. |
| Ozone 1 | H420 Harms public health and the environment by destroying ozone in the upper atmosphere. |
| Aerosol 1 | H222, H229 Extremely flammable aerosol., Pressurized container: May burst if heated. |

For the classifications not written out in full in this section the full text can be found in section 16.

### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:

Signal Word:

Danger

Hazard Statement:

| | |
|---|---|
| H222 | Extremely flammable aerosol. |
| H229 | Pressurized container: May burst if heated. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H420 | Harms public health and the environment by destroying ozone in the upper atmosphere. |
| EUH401 | To avoid risks to human health and the environment, comply with the instructions for use. |

Precautionary Statement:

| | |
|---|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read carefully and follow all instructions. |

Precautionary Statements (Prevention):

| | |
|---|---|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P271 | Use only outdoors or in a well-ventilated area. |

| | |
|---|---|
| P280 | Wear eye protection. |
| P261 | Avoid breathing mist or vapour or spray. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P264 | Wash contaminated body parts thoroughly after handling. |
| P262 | Do not get in eyes, on skin, or on clothing. |

Precautionary Statements (Response):

| | |
|---|---|
| P312 | Call a POISON CENTER or physician if you feel unwell. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P391 | Collect spillage. |
| P337 + P313 | If eye irritation persists: Get medical attention. |

Precautionary Statements (Storage):

| | |
|---|---|
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P410 + P412 | Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F. |
| P405 | Store locked up. |

Precautionary Statements (Disposal):

| | |
|---|---|
| P501 | Dispose of contents and container to hazardous or special waste collection point. |
| P502 | Refer to manufacturer or supplier for information on recovery or recycling |

Labeling of special preparations (GHS):

The product contains fluorinated greenhouse gases according to regulation (EC) No 517/2014.
Contains: 60 %1,1-Difluoroethane
May cause paraesthesia. Contains: Pyrethrins and Pyrethroids

Hazard determining component(s) for labelling: propan-2-ol, Acetone

## 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.
Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical nature

crop protection product, insecticide

Regulatory relevant ingredients

Pyrethrins and Pyrethroids

| | |
|---|---|
| Content (W/W): 1 % | Acute Tox. 4 (oral) |
| CAS Number: 8003-34-7 | Acute Tox. 4 (Inhalation - mist) |
| EC-Number: 232-319-8 | Acute Tox. 4 (dermal) |
| INDEX-Number: 613-022-00-6 | Aquatic Acute 1 |
| | Aquatic Chronic 1 |
| | M-factor acute: 100 |
| | M-factor chronic: 100 |
| | H302 + H312 + H332, H400, H410 |

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether

| | |
|---|---|
| Content (W/W): 5 % | Aquatic Acute 1 |
| CAS Number: 51-03-6 | Aquatic Chronic 1 |
| EC-Number: 200-076-7 | Eye Dam./Irrit. 2 |
| | STOT SE 3 (irr. to respiratory syst.) |
| | M-factor acute: 1 |
| | M-factor chronic: 1 |
| | H319, H335, H400, H410 |
| | EUH066 |

1,1-Difluoroethane

| | |
|---|---|
| Content (W/W): < 70 % | Press. Gas Liquef. Gas |
| CAS Number: 75-37-6 | Flam. Gas 1A |
| EC-Number: 200-866-1 | H280, H220 |

propan-2-ol

| | |
|---|---|
| Content (W/W): < 20 % | Flam. Liq. 2 |
| CAS Number: 67-63-0 | Eye Dam./Irrit. 2 |
| EC-Number: 200-661-7 | STOT SE 3 (drowsiness and dizziness) |
| REACH registration number: 01-2119457558-25 | H225, H319, H336 |
| INDEX-Number: 603-117-00-0 | |

Distillates (petroleum), hydro- treated light; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approxi mately 150 oC to 290 oC (302 oF to 554 oF).]

| | |
|---|---|
| Content (W/W): < 10 %<br>CAS Number: 64742-47-8<br>REACH registration number: 01-2119456620-43-0002<br>INDEX-Number: 649-422-00-2 | Asp. Tox. 1<br>H304, EUH066 |

Acetone

| | |
|---|---|
| Content (W/W): < 5 %<br>CAS Number: 67-64-1<br>EC-Number: 200-662-2<br>REACH registration number: 01-2119471330-49<br>INDEX-Number: 606-001-00-8 | Flam. Liq. 2<br>Eye Dam./Irrit. 2<br>STOT SE 3 (drowsiness and dizziness)<br>STOT SE 3 (irr. to respiratory syst.)<br>H225, H319, H336, H335<br>EUH066 |

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to the product ingredients.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

### 5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, Hydrogen fluoride, nitrogen oxides, halogenated compounds
Advice: The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

### 5.3. Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## SECTION 6: Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Storage stability:
Storage duration: 24 Months

Protect from temperatures above:50 °C
The packed product must be protected against exceeding the indicated temperature.

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

67-63-0: propan-2-ol
67-64-1: acetone
8003-34-7: Pyrethrins and Pyrethroids
75-37-6: 1,1-Difluoroethane
64742-47-8: Distillates (petroleum), hydro- treated light

### 8.2. Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

| | | |
|---|---|---|
| State of matter: | liquid | |
| Form: | aerosol | |
| Colour: | yellow | |
| Odour: | characteristic, of the solvent contained in the product | |
| Odour threshold: | Not determined due to potential health hazard by inhalation. | |
| Melting point: | approx. -117 °C<br>Information applies to the propellant. | |
| Boiling point: | approx. -25 °C<br>Information applies to the propellant. | |
| Flammability: | Extremely flammable. | (calculated) |

| | | |
|---|---|---|
| Lower explosion limit: | 2 %(V)<br>Information applies to the solvent. | |
| Upper explosion limit: | 17.4 %(V)<br>Information applies to the solvent. | |
| Flash point: | approx. -50 °C<br>Information applies to the propellant. | |
| Auto-ignition temperature: | approx. 440 °C<br>Information applies to the propellant. | |
| Thermal decomposition: | No decomposition if stored and handled as prescribed/indicated. | |
| pH value: | approx. 3.1 - 5.1<br>(approx. 23 °C) | (pH Meter) |
| Viscosity, dynamic: | approx. 2.88 mPa.s<br>(approx. 22 °C) | (ASTM D 2983) |
| Solubility in water: | dispersible | |
| Partitioning coefficient n-octanol/water (log Kow): | not applicable | |
| Vapour pressure: | approx. 4,270 hPa<br>(20 °C)<br>Information based on the main component/s. | |
| Density: | approx. 0.82 g/cm3<br>(20 °C) | |
| Relative vapour density (air): | not applicable | |

### 9.2. Other information

**Information with regard to physical hazard classes**

Explosives

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Oxidizing properties

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.
The product has not been tested. The statement has been derived from the properties of the individual components.

**Other safety characteristics**

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

Evaporation rate: not applicable

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:
strong bases, strong acids, strong oxidizing agents

### 10.6. Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

## SECTION 11: Toxicological Information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg
No mortality was observed.
LC50 rat (by inhalation): > 2.08 mg/l 4 h
No mortality was observed. An aerosol with respirable particles was tested.
LD50 rat (dermal): > 2,000 mg/kg
No mortality was observed.

Irritation

Assessment of irritating effects:

Eye contact causes irritation. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant

Serious eye damage/irritation

rabbit: Irritant.

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:
The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:
The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Possible narcotic effects (drowsiness or dizziness).

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether*

*Assessment of repeated dose toxicity:*
*The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.*

*Information on: propan-2-ol*
*Assessment of repeated dose toxicity:*
*The substance may cause damage to the kidney after repeated inhalation.*
---

Aspiration hazard

Some authorities consider isobutyl alcohol, n-primary alcohols and ketones with C3-C13 as "May be harmful if swallowed and enters airways"
The product has not been tested. The statement has been derived from the properties of the individual components.

Interactive effects

No data available.

### 11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

## SECTION 12: Ecological Information

### 12.1. Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:Pyrethrins and Pyrethroids*
*Toxicity to fish:*
*LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss*

*Information on:2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether*
*Toxicity to fish:*
*LC50 (96 h) 3.49 mg/l, Cyprinodon variegatus (OECD Guideline 203, Flow through.)*
*The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*
---

*Information on:Pyrethrins and Pyrethroids*
*Aquatic invertebrates:*
*EC50 (96 h) 0.0014 mg/l, Mysidopsis bahia*

*Information on:2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether*
*Aquatic invertebrates:*
*EC50 (48 h) 0.51 mg/l, Daphnia magna (OECD Guideline 202, part 1, Flow through.)*
*The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*No observed effect concentration (28 d) 0.063 mg/l, aquatic arthropod (other)*
*The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. Limit concentration test only (LIMIT test).*
---

*Information on:2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether*
*Aquatic plants:*
*EC50 (72 h) 3.89 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*No observed effect concentration (72 h) 0.824 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*
*The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*
---

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:Pyrethrins and Pyrethroids*
*Assessment biodegradation and elimination (H2O):*
*Not readily biodegradable (by OECD criteria).*

*Information on:2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether*
*Assessment biodegradation and elimination (H2O):*
*Not readily biodegradable (by OECD criteria).*
---

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:Pyrethrins and Pyrethroids*
*Bioaccumulation potential:*

*Bioconcentration factor(BCF): 471*
*Accumulation in organisms is not to be expected.*

*Information on:2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether*
*Bioaccumulation potential:*

*Bioconcentration factor(BCF): 91 - 380 (28 d), Lepomis macrochirus (OECD Guideline 305 E)*
---

## 12.4. Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:Pyrethrins and Pyrethroids*
*Assessment transport between environmental compartments:*
*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on:2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether*
*Assessment transport between environmental compartments:*
*Adsorption in soil: Adsorption to solid soil phase is not expected.*
---

## 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

The product contains a substance / substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.8. Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.
Emptied gas pressure vessels must not be opened.

## SECTION 14: Transport Information

**Land transport**

ADR

| | |
|---|---|
| UN number or ID number: | UN1950 |
| UN proper shipping name: | AEROSOLS (1,1-DIFLUOROETHANE, PYRETHRINS) |
| Transport hazard class(es): | 2.1, EHSM |
| Packing group: | Not applicable |
| Environmental hazards: | yes |
| Special precautions for user: | Tunnel code: D |

RID

| | |
|---|---|
| UN number or ID number: | UN1950 |
| UN proper shipping name: | AEROSOLS (1,1-DIFLUOROETHANE, PYRETHRINS) |
| Transport hazard class(es): | 2.1, EHSM |
| Packing group: | Not applicable |
| Environmental hazards: | yes |

| | |
|---|---|
| Special precautions for user: | None known |

**Inland waterway transport**

ADN

| | |
|---|---|
| UN number or ID number: | UN1950 |
| UN proper shipping name: | AEROSOLS (1,1-DIFLUOROETHANE, PYRETHRINS) |
| Transport hazard class(es): | 2.1, EHSM |
| Packing group: | Not applicable |
| Environmental hazards: | yes |
| Special precautions for user: | None known |

Transport in inland waterway vessel
Not evaluated

**Sea transport**

IMDG

| | |
|---|---|
| UN number or ID number: | UN 1950 |
| UN proper shipping name: | AEROSOLS (1,1-DIFLUOROETHANE, PYRETHRINS) |
| Transport hazard class(es): | 2.1, EHSM |
| Packing group: | Not applicable |
| Environmental hazards: | yes<br>Marine pollutant: YES |
| Special precautions for user: | EmS: F-D; S-U |

**Air transport**

IATA/ICAO

| | |
|---|---|
| UN number or ID number: | UN 1950 |
| UN proper shipping name: | AEROSOLS, FLAMMABLE |
| Transport hazard class(es): | 2.1 |
| Packing group: | Not applicable |
| Environmental hazards: | No Mark as dangerous for the environment is needed |
| Special precautions for user: | None known |

### 14.1. UN number or ID number
See corresponding entries for “UN number or ID number” for the respective regulations in the tables above.

### 14.2. UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

### 14.3. Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

### 14.4. Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

### 14.5. Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

### 14.6. Special precautions for user
See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

## SECTION 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75, 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
List entry in regulation: E1
List entry in regulation: P3a

The product contains a substance (Annex I / Annex II) regulated under Regulation (EU) 2019/1148 - "marketing and use of explosives precursors". This may result in obligations for your company according to the statutory requirements of the aforementioned regulation and the respective national implementing regulations.
To avoid risks to man and the environment, comply with the instructions for use.

### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

## SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

| | |
|---|---|
| Eye Dam./Irrit. | Serious eye damage/eye irritation |
| STOT SE | Specific target organ toxicity — single exposure |
| Aquatic Acute | Hazardous to the aquatic environment - acute |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic |
| Ozone | Hazardous to the ozone layer |
| Aerosol | Aerosols |
| Acute Tox. | Acute toxicity |
| Press. Gas | Gases under pressure |
| Flam. Gas | Flammable gases |
| Flam. Liq. | Flammable liquids |
| Asp. Tox. | Aspiration hazard |
| H222 | Extremely flammable aerosol. |
| H229 | Pressurized container: May burst if heated. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H420 | Harms public health and the environment by destroying ozone in the upper atmosphere. |
| EUH401 | To avoid risks to human health and the environment, comply with the instructions for use. |
| H302 + H312 + H332 | Harmful if swallowed, in contact with skin or if inhaled. |
| H335 | May cause respiratory irritation. |
| H280 | Contains gas under pressure; may explode if heated. |
| H220 | Extremely flammable gas. |
| H225 | Highly flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Abbreviations
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards.

IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.