1. Identification

Product identifier used on the label

Potassium Metabisulfite food grade (E224)

Recommended use of the chemical and restriction on use

Recommended use*: food additive(s)
Recommended use*: inorganic reducing agents; initial product for chemical syntheses; process chemical
Unsuitable for use: Not intended for sale to or use by the general public.

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Molecular formula:	K(2)S(2)O(5)	
Chemical family:	No data available.	
Synonyms:	Dipotassium disulphite; potassium metabisulfite Food additive DISULFUROUS ACID, DIPOTASSIUM SALT	Use: Chemical;

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Classification of the product

Skin Irrit.	2	Skin irritation
Eye Dam.	1	Serious eye damage
Aquatic Acute	3	Hazardous to the aquatic environment - acute

Label elements

Pictogram:

Signal Word:
Danger

Hazard Statement:

H318	Causes serious eye damage.
H315	Causes skin irritation.
H303	May be harmful if swallowed.
H402	Harmful to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P273	Avoid release to the environment.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Labeling of special preparations (GHS):
Contact with acids liberates toxic gas.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

dipotassium disulphite
CAS Number: 16731-55-8
Content (W/W): >= 75.0 - <= 100.0%
Synonym: Disulfurous acid dipotassium salt

Sodium metabisulfite
CAS Number: 7681-57-4
Content (W/W): >= 0.0 - < 3.0%
Synonym: Disulfurous acid disodium salt; Disodium disulfite

4. First-Aid Measures

Description of first aid measures

General advice:
Remove contaminated clothing.

If inhaled:
If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention. After inhalation of decomposition products: Immediately administer a corticosteroid from a controlled/metered dose inhaler. Seek medical attention.

If on skin:
Wash thoroughly with soap and water

If in eyes:
Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps
Hazards: Risk of sulfur dioxide formation by reaction with gastric acid after swallowing.

Indication of any immediate medical attention and special treatment needed

Note to physician
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

Additional information:
Product will not burn.

Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture
Hazards during fire-fighting:
Sulphur dioxide,
The substances/groups of substances mentioned can be released if the product is involved in a fire.

Advice for fire-fighters
Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Contaminated extinguishing water must be disposed of in accordance with official regulations. In case of fire and/or explosion do not breathe fumes.

Impact Sensitivity:
Remarks: Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures
Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Ensure adequate ventilation. Avoid dust formation.

Environmental precautions
Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water.

Methods and material for containment and cleaning up
Sweep/shovel up. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling
Use only in well-ventilated areas. Avoid dust formation. Avoid contact with skin and eyes.

Protection against fire and explosion:
The substance/product is non-combustible. No special precautions necessary.

Conditions for safe storage, including any incompatibilities
Segregate from acids and acid forming substances. Segregate from oxidants.

Suitable materials for containers: Stainless steel 1.4571, Stainless steel 1.4541, Low density polyethylene (LDPE), High density polyethylene (HDPE), Carbon steel (Iron), rubberized, Polyester resin, glass reinforced (Palatal A410)

Further information on storage conditions: Keep away from heat. Keep container tightly closed in a cool, well-ventilated place. Keep container dry. The product consumes oxygen. Danger of lack of oxygen in containers and tanks.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Sodium metabisulfite	ACGIH, US:	TWA value 5 mg/m3 ;

The substance mentioned develops if the regulation/notes for storage and handling are not observed.

Sulphur dioxide	ACGIH, US:	STEL value 0.25 ppm ;
	OSHA Z1:	PEL 5 ppm 13 mg/m3 ;

Advice on system design:
Provide local exhaust ventilation to control dust.

Personal protective equipment

Respiratory protection:
Wear a NIOSH-certified acid gas/organic vapour/particulate respirator. Do not exceed the maximum use concentration for the respirator facepiece/cartridge combination. For emergency or non-routine, high exposure situations, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:
Chemical resistant protective gloves should be worn to prevent all skin contact., Suitable materials may include, nitrile rubber (Buna N), chloroprene rubber (Neoprene), polyvinylchloride (Pylox), Consult with glove manufacturer for testing data., Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:
Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
Avoid inhalation of dust. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Physical state:	solid
Form:	powder
Odour:	faint odour, of sulfur dioxide
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	white
pH value:	3.8 - 4.6 (5 %(m), 20 °C) No data available.
decomposition point:	approx. 150 °C Literature data.

Melting point:	The substance / product decomposes therefore not determined.	
Boiling point:	(1,013 hPa) not applicable	
Flash point:	not applicable, the product is a solid	
Flammability:	not flammable not self-igniting	(other)
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Vapour pressure:	not applicable	
Density:	2.3 g/cm3 (20 °C) Literature data.	
Relative density:	2.3 (20 °C)	
Bulk density:	1,100 - 1,300 kg/m3	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Self-ignition temperature:	not self-igniting not self-igniting	
Thermal decomposition:	> 150 °C To avoid thermal decomposition, do not overheat.	
Viscosity, dynamic:	not applicable	
Viscosity, kinematic:	not applicable, the product is a solid	
Solubility in water:	495 g/l (25 °C) Literature data.	
Evaporation rate:	The product is a non-volatile solid.	

Particle characteristics

Particle size distribution:	65 µm	(D10, ISO 13320-1)
	228 µm	(D50, ISO 13320-1)
	523 µm	(D90, ISO 13320-1)
Particle size distribution:	fine particles	
Specific Surface Area:	4.6 m²/g	(MSSA, ISO 9227)
	10.8 m2/cm3	(VSSA, derived from BET)

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
Based on its structural properties the product is not classified as oxidizing.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with nitrites. Reacts with nitrates. Reacts with oxidizing agents. Generation of sulphur dioxide upon exposure to acids. (or conditions.) The product consumes oxygen.

Conditions to avoid
Avoid humidity. avoid atmospheric oxygen

Incompatible materials
nitrites, nitrates, oxidizing agents, acids

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: Sulphur dioxide

Thermal decomposition:
> 150 °C
To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Of low toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Oral
Type of value: LD50
Species: rat (male/female)
Value: approx. 2,300 mg/kg (similar to OECD guideline 401)

Inhalation
Type of value: LC50
Species: rat (male/female)
Value: > 5.5 mg/l (OECD Guideline 403)
Exposure time: 4 h
Tested as dust aerosol.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Dermal
Type of value: LD50
Species: rat (male/female)
Value: > 2,000 mg/kg (OECD Guideline 402)
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment other acute effects

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion
Assessment of irritating effects: Causes serious eye damage. Causes skin irritation.

Skin
Species: rabbit
Result: non-irritant
Method: BASF-Test

Species: In vitro assay
Result: Irritant.
Method: OECD Guideline 439

Species: In vitro assay
Result: Non corrosive.
Method: OECD Guideline 435

Eye
Species: rabbit
Result: irreversible damage
Method: OECD Guideline 405

Sensitization
Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. A sensitizing effect on particularly sensitive individuals cannot be excluded.

Mouse Local Lymph Node Assay (LLNA)
Species: mouse
Result: Non-sensitizing.
Method: OECD Guideline 429
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration Hazard
not applicable

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: No known chronic effects.

Genetic toxicity
Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity
Assessment of carcinogenicity: In long-term animal studies in which the substance was given in the drinking water in high doses, a carcinogenic effect was not observed.

Reproductive toxicity
Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity
Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Experiences in humans
With sensitive persons it can lead to an over sensitive reaction.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish
LC50 (96 h) 316 mg/l, Leuciscus idus (DIN 38412 Part 15, static)
Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic invertebrates
EC50 (48 h) 89 mg/l, Daphnia magna (Directive 79/831/EEC, static)
Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

EC50 (48 h) 230 mg/l, Daphnia magna (other, static)
The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants
EC50 (72 h) 43.8 mg/l (growth rate), Scenedesmus subspicatus (Algal growth inhibition test, static)
Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

EC50 (72 h) > 100 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to fish
No observed effect concentration (34 d) >= 316 mg/l, Brachydanio rerio (OECD Guideline 210, Flow through.)
The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to aquatic invertebrates
No observed effect concentration (21 d) > 10 mg/l, Daphnia magna (OECD Guideline 211, semistatic)
Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of terrestrial toxicity
No data available.
Study does not need to be conducted.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms
OECD Guideline 209 aquatic
activated sludge of a predominantly domestic sewage/No observed effect concentration (180 min): >= 1,000 mg/l
Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Persistence and degradability

Assessment biodegradation and elimination (H2O)
Inorganic product which cannot be eliminated from water by biological purification processes.
Study scientifically not justified.

Elimination information

Study scientifically not justified.

Assessment of stability in water
According to structural properties, hydrolysis is not expected/probable.
Study scientifically not justified.

Information on Stability in Water (Hydrolysis)
Study scientifically not justified.

Bioaccumulative potential

Assessment bioaccumulation potential
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments
The substance will not evaporate into the atmosphere from the water surface.
Study scientifically not justified.
Adsorption to solid soil phase is not expected.
Study scientifically not justified.

Additional information

Sum parameter

Chemical oxygen demand (COD): (calculated) approx. 140 mg/g

Other ecotoxicological advice:

Higher concentrations of the substance may cause a strong chemical oxygen consumption in biological sewage-treatment plants and/or waterways. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

13. Disposal considerations

Waste disposal of substance:
Must be disposed of or incinerated in accordance with local regulations. Observe national and local legal requirements.

Container disposal:
Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Land transport
TDG

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:
Chemical DSL, CA

DSL listed and/or otherwise compliant.

NFPA Hazard codes:
Health: 3 Fire: 0 Reactivity: 0 Special:

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Eye Dam.	1	Serious eye damage
Acute Tox.	5 (oral)	Acute toxicity
Aquatic Acute	3	Hazardous to the aquatic environment - acute
Skin Irrit.	2	Skin irritation

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2025/05/21

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Date / Revised: 2025/05/21 Version: 6.0
Date / Previous version: 2025/01/07 Previous version: 5.0

END OF DATA SHEET