We create chemistry

# Safety data sheet



## 1. Substance/preparation and manufacturer/supplier identification

**Product name:**
BalanGut™ LS P

Use: For animal nutrition purpose

Manufacturer/supplier:
BASF Australia Limited (ABN 62 008 437 867)
Level 23, 40 City Road, Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600

Emergency information:
BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

Classification of the substance and mixture:
No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:
The product is under certain conditions capable of dust explosion.

## 3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Preparation based on: amorphous silica

**Hazardous ingredients**

butyric acid

| | |
|---|---|
| Content (W/W): > 0 % - < 0.2 % | Flam. Liq.: Cat. 4 |
| CAS Number: 107-92-6 | Acute Tox.: Cat. 4 (oral) |
| | Skin Corr./Irrit.: Cat. 1B |
| | Eye Dam./Irrit.: Cat. 1 |
| | Aquatic Acute: Cat. 3 |

## 4. First-Aid Measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Rinse mouth and then drink 200-300 ml of water.

Note to physician:
Symptoms: (Further) symptoms and / or effects are not known so far
Treatment: Symptomatic treatment (decontamination, vital functions).

## 5. Fire-Fighting Measures

Suitable extinguishing media:
foam, dry powder, water spray

Unsuitable extinguishing media for safety reasons:
water jet

Additional information:
Avoid whirling up the material/product because of the danger of dust explosion.

Specific hazards:
harmful vapours, carbon oxides
The substances/groups of substances mentioned can be released in case of fire. Evolution of fumes/fog. Burning produces harmful and toxic fumes. Dust explosion hazard.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
Cool endangered containers with water-spray.

## 6. Accidental Release Measures

Personal precautions:
Use personal protective clothing.Information regarding personal protective measures, see section 8.Avoid dust formation.Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Contain with dust binding material and dispose of.
For large amounts: Sweep/shovel up.
Dispose of absorbed material in accordance with regulations. Avoid raising dust. Use spark-proof tools and explosion-proof equipment.

Additional information: Dust can form an explosive mixture with air.

## 7. Handling and Storage

Handling

Avoid dust formation. Provide exhaust ventilation if dust is formed.

Protection against fire and explosion:
The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

Storage

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

## 8. Exposure controls and personal protection

Components with occupational exposure limits

glycerol, 56-81-5;
TWA value 10 mg/m3 (AU NOEL), Inhalable mist
This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
TWA value 10 mg/m3 (OEL (AU)), Inhalable dust

Silicon dioxide, 7631-86-9;
TWA value 2 mg/m3 (OEL (AU)), Respirable fraction
TWA value 2 mg/m3 (AU NOEL), Respirable dust
TWA value 10 mg/m3 (ACGIHTLV), Inhalable particles
TWA value 3 mg/m3 (ACGIHTLV), Respirable particles

Personal protective equipment

Respiratory protection:
Breathing protection if breathable aerosols/dust are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

Hand protection:
Chemical resistant protective gloves (EN ISO 374-1)
Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
chemical protection overall (f.e. according to EN 13982) if dust is formed.

General safety and hygiene measures:
Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with the skin, eyes and clothing. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

## 9. Physical and Chemical Properties

| | | |
|---|---|---|
| Form: | free flowing, powder | |
| Colour: | white | |
| Odour: | nutty | |
| Odour threshold: | not determined | |
| pH value: | not soluble | |
| Melting point: | The data refers to the carrier material. | |
| Information on: Silicon dioxide | | |
| Melting point: | 1,610 °C<br>Literature data. | (other) |
| --- | | |
| Boiling point: | The substance / product decomposes therefore not determined. | |

| | | |
|---|---|---|
| Flash point: | not applicable, the product is a solid | |
| Evaporation rate: | The product is a non-volatile solid. | |
| Flammability (solid/gas): | not highly flammable | (UN Test N.1 (ready combustible solids)) |
| Lower explosion limit: | For solids not relevant for classification and labelling. | |
| Upper explosion limit: | For solids not relevant for classification and labelling. | |
| Thermal decomposition: | >= 165 °C<br>self-accelerating reaction | (DSC (DIN 51007)) |
| Self heating ability: | It is not a substance capable of spontaneous heating. | (VDI 2263, sheet 1, 1.4.1 (May 1990)) |
| SADT: | > 75 °C<br>Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4) | |
| Minimum ignition energy: | The product is capable of dust explosion. | (DIN EN 13821) |
| Explosion hazard: | Product is not explosive, however a dust explosion could result from an air / dust mixture. | |
| Fire promoting properties: | Based on its structural properties the product is not classified as oxidizing. | |
| Vapour pressure: | negligible | |
| Density: | No information is available for the absolute density. Instead the bulk density was determined as a more relevant value. | |
| Bulk density: | approx. 750 kg/m3<br>(20 °C) | |
| Relative vapour density (air): | The product is a non-volatile solid. | |
| Solubility in water: | insoluble | |
| Solubility (qualitative) solvent(s): | Ethanol, ether<br>partly soluble | |
| Partitioning coefficient n-octanol/water (log Pow): | not applicable for mixtures | |
| Viscosity, dynamic: | not applicable, the product is a solid | |
| Viscosity, kinematic: | not applicable, the product is a solid | |

## 10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage. Avoid dust formation. Avoid electro-static charge.

| | |
|---|---|
| Thermal decomposition: | >= 165 °C (DSC (DIN 51007))<br>self-accelerating reaction |

Substances to avoid:
None known during use and storage if used according to instructions.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:
Dust can form an explosive mixture with air.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

## 11. Toxicological Information

### Routes of exposure

#### Acute oral toxicity

Experimental/calculated data:
mouse (oral): > 6,000 mg/kg

#### Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### Symptoms

(Further) symptoms and / or effects are not known so far

### Irritation

Assessment of irritating effects:
Based on available data, the classification criteria are not met.

Experimental/calculated data:
Skin corrosion/irritation In vitro assay: non-irritant (OECD Guidelines 431/439)
Analogous: Assessment derived from products with similar chemical character.

### Respiratory/Skin sensitization

Assessment of sensitization:
Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Experimental/calculated data:
Bacterial reverse mutation assay
Bacteria: negative (OECD Guideline 471)

### Carcinogenicity

Assessment of carcinogenicity:
Based on available data, the classification criteria are not met.

### Reproductive toxicity

Assessment of reproduction toxicity:
Based on available data, the classification criteria are not met.

### Developmental toxicity

Assessment of teratogenicity:
Based on available data, the classification criteria are not met.

### Specific target organ toxicity (single exposure)

Remarks: Based on available data, the classification criteria are not met.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
Based on available data, the classification criteria are not met.

### Aspiration hazard

not applicable

### Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

## 12. Ecological Information

### Ecotoxicity

Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, semistatic)
Limit concentration test only (LIMIT test).
Analogous: Assessment derived from products with similar chemical character.

Microorganisms/Effect on activated sludge:
EC10 (3 h) > 1,000 mg/l, activated sludge, domestic, non-adapted (OECD Guideline 209, aerobic)

### Mobility

Assessment transport between environmental compartments:
The substance will not evaporate into the atmosphere from the water surface.
The product has not been tested. The statement has been derived from the properties of the individual components.

### Persistence and degradability

Assessment biodegradation and elimination (H2O):
Readily biodegradable (according to OECD criteria).

Elimination information:
83 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (aerobic, activated sludge, domestic, non-adapted) Readily biodegradable (according to OECD criteria).

### Bioaccumulation potential

Assessment bioaccumulation potential:
Significant accumulation in organisms is not to be expected.
The product has not been tested. The statement has been derived from the properties of the individual components.

## 13. Disposal Considerations

Observe national and local legal requirements.

Contaminated packaging:
Uncontaminated packaging can be re-used.
Packs that cannot be cleaned should be disposed of in the same manner as the contents.

## 14. Transport Information

**Domestic transport:**

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Sea transport**
IMDG

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable<br>Marine pollutant: no |
| Special precautions for user | None known |

**Air transport**
IATA/ICAO

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number | Not applicable |
| Proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

## 15. Regulatory Information

**Other regulations**

**Registration status:**

AICIS, AU

Contains non-registered, non-listed substance., Individual registration may be required., Please contact your BASF representative.

## 16. Other Information

Any other intended applications should be discussed with the manufacturer.Corresponding occupational protection measurements must be followed.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.