We create chemistry

# Safety data sheet



## 1. Identification

### Product identifier

## Priaxor Max

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

### Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

### Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

## 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)
Acute Tox. 4 (Inhalation - mist)
Skin Corr./Irrit. 2
Skin Sens. 1

Repr. Additional category for effects on or via lactation.
Repr. 2 (unborn child)
STOT SE 3 (irritating to respiratory system)
Aquatic Acute 1
Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

## Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Warning

Hazard Statement:

| | |
|---|---|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H362 | May cause harm to breast-fed children. |
| H335 | May cause respiratory irritation. |
| H361 | Suspected of damaging the unborn child. |
| H302 + H332 | Harmful if swallowed or if inhaled |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Precautionary Statement:

| | |
|---|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read label before use. |

Precautionary Statements (Prevention):

| | |
|---|---|
| P280 | Wear protective gloves/clothing/eye protection. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P260 | Do not breathe dust/mist/vapours. |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P270 | Do not eat, drink or smoke when using this product. |
| P264 | Wash contaminated body parts thoroughly after handling. |
| P263 | Avoid contact during pregnancy and while nursing. |

Precautionary Statements (Response):

| | |
|---|---|
| P308 + P311 | IF exposed or concerned: Call a POISON CENTER or doctor/physician. |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P303 + P352 | IF ON SKIN (or hair): Wash with plenty of soap and water. |
| P330 | Rinse mouth. |
| P391 | Collect spillage. |
| P332 + P313 | If skin irritation occurs: Get medical advice/attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |

Precautionary Statements (Storage):

| | |
|---|---|
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |

Precautionary Statements (Disposal):

| | |
|---|---|
| P501 | Dispose of contents and container to hazardous or special waste collection point. |

According to UN GHS criteria

Hazard determining component(s) for labelling: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate, propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole, 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad, N,N-Dimethyldecan-1-amide

### Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## 3. Composition/Information on Ingredients

### Substances

Not applicable

### Mixtures

Chemical nature

crop protection product, fungicide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS)
According to UN GHS criteria

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

| | |
|---|---|
| Content (W/W): 18,78 % | Acute Tox. 3 (Inhalation - mist) |
| CAS Number: 175013-18-0 | Skin Corr./Irrit. 2 |
| INDEX-Number: 613-272-00-6 | STOT SE 3 (irr. to respiratory syst.) |
| | Aquatic Acute 1 |
| | Aquatic Chronic 1 |
| | M-factor acute: 100 |
| | M-factor chronic: 10 |
| | H315, H331, H335, H400, H410 |

propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole

| | |
|---|---|
| Content (W/W): 12,11 % | Acute Tox. 4 (oral) |
| CAS Number: 60207-90-1 | Skin Sens. 1 |
| | Repr. 2 (unborn child) |
| | Aquatic Acute 1 |
| | Aquatic Chronic 1 |
| | M-factor acute: 1 |
| | M-factor chronic: 1 |
| | H302, H317, H361, H400, H410 |

1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

| | |
|---|---|
| Content (W/W): 2,82 % | Repr. Add. cat. lact. |
| CAS Number: 907204-31-3 | Aquatic Acute 1 |
| | Aquatic Chronic 1 |
| | H362, H400, H410 |

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 thro ugh C16 and boiling in the range of approximately 165 oC to 290 oC (330 oF to 554 oF).]

| | |
|---|---|
| Content (W/W): < 15 % | Asp. Tox. 1 |
| CAS Number: 64742-94-5 | Aquatic Acute 2 |
| | Aquatic Chronic 2 |
| | H304, H401, H411 |

N,N-Dimethyldecan-1-amide

| | |
|---|---|
| Content (W/W): < 15 % | Acute Tox. 5 (oral) |
| CAS Number: 14433-76-2 | Skin Corr./Irrit. 2 |
| EC-Number: 238-405-1 | Eye Dam./Irrit. 2A |
| | STOT SE 3 (irr. to respiratory syst.) |
| | Aquatic Acute 2 |
| | Aquatic Chronic 3 |
| | H319, H315, H303, H335, H412, H401 |

Alcohols, C12-18, ethoxylated propoxylated

| | |
|---|---|
| Content (W/W): < 15 % | Aquatic Acute 2 |
| CAS Number: 69227-21-0 | H401 |

Methyl-Oxirane, Blockpolymer with Oxirane, Monoisotridecyl ether

| | |
|---|---|
| Content (W/W): < 15 % | Acute Tox. 5 (oral) |
| CAS Number: 196823-11-7 | Skin Corr./Irrit. 3 |
| | Eye Dam./Irrit. 2A |
| | Aquatic Acute 2 |
| | H319, H316, H303, H401 |

Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-

| | |
|---|---|
| Content (W/W): < 10 % | Acute Tox. 5 (oral) |
| CAS Number: 99734-09-5 | Aquatic Acute 3 |
| | Aquatic Chronic 3 |
| | H303, H402, H412 |

2-Methylnaphthalene

| | |
|---|---|
| Content (W/W): < 10 % | Acute Tox. 4 (oral) |
| CAS Number: 91-57-6 | Aquatic Chronic 2 |
| EC-Number: 202-078-3 | H302, H411 |

1-Methylnaphthalene

| | |
|---|---|
| Content (W/W): < 5 % | Acute Tox. 4 (oral) |
| CAS Number: 90-12-0 | Aquatic Chronic 2 |
| EC-Number: 201-966-8 | H302, H411 |

Biphenyl

| | |
|---|---|
| Content (W/W): < 1 % | Acute Tox. 5 (oral) |
| CAS Number: 92-52-4 | Skin Corr./Irrit. 2 |
| EC-Number: 202-163-5 | Eye Dam./Irrit. 2A |
| INDEX-Number: 601-042-00-8 | STOT SE 3 (irr. to respiratory syst.) |
| | Aquatic Acute 1 |
| | Aquatic Chronic 3 |
| | M-factor acute: 1 |
| | M-factor chronic: 1 |
| | H319, H315, H303, H335, H412, H400 |

Phenanthrene

| | |
|---|---|
| Content (W/W): < 0,5 % | Acute Tox. 4 (oral) |
| CAS Number: 85-01-8 | Aquatic Acute 1 |
| EC-Number: 201-581-5 | Aquatic Chronic 1 |
| INDEX-Number: 648-055-00-5 | M-factor acute: 10 |
| | M-factor chronic: 1 |
| | H302, H400, H410 |

Naphthalene

| | |
|---|---|
| Content (W/W): < 0,5 % | Flam. Sol. 2 |
| CAS Number: 91-20-3 | Acute Tox. 4 (oral) |
| EC-Number: 202-049-5 | Carc. 2 |
| INDEX-Number: 601-052-00-2 | Aquatic Acute 1 |
| | Aquatic Chronic 1 |
| | M-factor acute: 1 |
| | M-factor chronic: 1 |
| | H228, H302, H351, H400, H410 |

For the classifications not written out in full in this section the full text can be found in section 16.

## 4. First-Aid Measures

### Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

### Extinguishing media
Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

### Special hazards arising from the substance or mixture
Carbon monoxide, Carbon dioxide, nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters
Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## 6. Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

## 7. Handling and Storage

### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 36 Months

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## 8. Exposure Controls/Personal Protection

### Control parameters

Components with occupational exposure limits

64742-94-5: Solvent naphtha (petroleum), heavy arom.
90-12-0: 1-Methylnaphthalene
91-57-6: 2-Methylnaphthalene

### Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

| | |
|---|---|
| Form: | liquid |
| Colour: | orange |
| Odour: | moderate odour, fish-like |
| Odour threshold: | Not determined since harmful by inhalation. |
| pH value: | approx. 5 - 7 (1 %(m), 23 °C) |
| Melting point: | < -19 °C |
| Boiling point: | The product has not been tested. |
| Flash point: | approx. 135 °C |
| Evaporation rate: | not applicable |
| Flammability: | not flammable |
| Lower explosion limit: | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |

| | |
|---|---|
| Upper explosion limit: | |
| | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |
| Ignition temperature: | approx. 395 °C |
| Vapour pressure: | approx. 1 hPa<br>(20 °C)<br>Information applies to the solvent. |
| Density: | approx. 1,06 g/cm3<br>(20 °C) |
| Relative vapour density (air): | |
| | not applicable |
| Solubility in water: | dispersible |
| Partitioning coefficient n-octanol/water (log Kow): | |
| | not applicable |
| Thermal decomposition: | 180 °C, 60 kJ/kg (DSC (OECD 113))<br>295 °C, 410 kJ/kg (DSC (OECD 113))<br>Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. |
| Viscosity, dynamic: | approx. 127 mPa.s<br>(20 °C, 100 1/s) |
| Viscosity, kinematic: | approx. 35 mm2/s<br>(40 °C) |
| Explosion hazard: | not explosive |
| Fire promoting properties: | not fire-propagating |

### Other information

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

## 10. Stability and Reactivity

### Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

### Chemical stability
The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid
See SDS section 7 - Handling and storage.

### Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

### Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

## 11. Toxicological Information

### Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:
LD50 rat (oral): 500 - 2.000 mg/kg

LC50 rat (by inhalation): 1,635 mg/l
An aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg
No mortality was observed.

Irritation

Assessment of irritating effects:
Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: Irritant.

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:
The product has not been tested. The statement has been derived from the properties of the individual components. Sensitization after skin contact possible.

*Information on: propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole*
*Experimental/calculated data:*
*guinea pig:* sensitizing

---

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Naphthalene*
*Assessment of mutagenicity:*
*The substance was not mutagenic in bacteria. The substance was mutagenic in a mammalian cell culture test system. The substance was not mutagenic in a test with mammals. Literature data.*
---

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Assessment of carcinogenicity:*
*Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.*

*Information on: Naphthalene*
*Assessment of carcinogenicity:*
*In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was observed. EU-classification The substance was classified as a group 3 carcinogen by the German MAK-Commission (substances for which a suspicion of a carcinogenic potential exists). IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).*
---

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Assessment of reproduction toxicity:*
*The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.*
---

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole*
*Assessment of teratogenicity:*
*The substance caused malformations/developmental toxicity in laboratory animals.*

*Information on: N,N-Dimethyldecan-1-amide*
*Assessment of teratogenicity:*
*The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*
---

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Causes temporary irritation of the respiratory tract.

Target organ: Respiratory system
Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*
*Assessment of repeated dose toxicity:*
*After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.*

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Assessment of repeated dose toxicity:*
*Adaptive effects were observed after repeated exposure in animal studies.*

*Information on: Biphenyl*
*Assessment of repeated dose toxicity:*
*The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.*

*Information on: Naphthalene*
*Assessment of repeated dose toxicity:*
*The substance may cause damage to the olfactory epithelium after repeated inhalation.*
---

Aspiration hazard

No aspiration hazard expected.
The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

## 12. Ecological Information

### Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

Aquatic invertebrates:
EC50 (48 h) 0,0034 mg/l, Daphnia magna (static)

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*
*Toxicity to fish:*
*LC50 (96 h) 0,00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)*

*Information on: propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole*
*Toxicity to fish:*
*LC50 (96 h) 4,3 mg/l, Oncorhynchus mykiss*

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Toxicity to fish:*
*LC50 (96 h) 0,29 mg/l, Cyprinus carpio (Fish test acute, semistatic)*

*LC50 (96 h) 0,546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)*

*LC50 (96 h) 1,15 mg/l, Lepomis macrochirus (OECD Guideline 203, static)*

*LC50 (96 h) 0,466 mg/l, Pimephales promelas (OECD Guideline 203, static)*
---

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*
*Aquatic plants:*
*EC50 (72 h) > 0,843 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)*

*Information on: propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole*

*Aquatic plants:*
*EC50 (96 h) 8,9 mg/l (growth rate), Pseudokirchneriella subcapitata*

*No observed effect concentration (96 h) 0,13 mg/l (growth rate), Pseudokirchneriella subcapitata*

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Aquatic plants:*
*EC50 (72 h) 0,70 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)*
---

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*
*Chronic toxicity to fish:*
*No observed effect concentration (98 d) approx. 0,00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)*

*Information on: propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole*
*Chronic toxicity to fish:*
*No observed effect concentration (95 d) 0,068 mg/l, Cyprinodon variegatus*

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Chronic toxicity to fish:*
*No observed effect concentration (33 d) 0,0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)*
---

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*
*Chronic toxicity to aquatic invertebrates:*
*No observed effect concentration (21 d) 0,004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)*
*The details of the toxic effect relate to the nominal concentration.*

*No observed effect concentration (28 d) 0,00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)*
*The statement of the toxic effect relates to the analytically determined concentration.*

*Information on: propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole*
*Chronic toxicity to aquatic invertebrates:*
*No observed effect concentration (28 d) 0,11 mg/l, Mysidopsis bahia*

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Chronic toxicity to aquatic invertebrates:*
*No observed effect concentration (21 d) 0,5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)*
---

## Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*
*Assessment biodegradation and elimination (H2O):*
*Not readily biodegradable (by OECD criteria).*

*Information on: propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole*
*Assessment biodegradation and elimination (H2O):*
*Not readily biodegradable (by OECD criteria).*

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Assessment biodegradation and elimination (H2O):*
*Not readily biodegradable (by OECD criteria).*
---

## Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: propiconazole(ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole*
*Bioaccumulation potential:*
*Bioconcentration factor: 180*

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Bioaccumulation potential:*
*Bioconcentration factor: 36 - 37 (28 d), Lepomis macrochirus (OECD-Guideline 305)*
*Does not accumulate in organisms.*

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*
*Bioaccumulation potential:*
*Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)*
*Accumulation in organisms is not to be expected.*
---

## Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*
*Assessment transport between environmental compartments:*
*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*
*Assessment transport between environmental compartments:*
*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*
---

### Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

### Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

### Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

## 13. Disposal Considerations

### Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## 14. Transport Information

**Land transport**

ADR

| | |
|---|---|
| UN number | UN3082 |

| | |
|---|---|
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, PROPICONAZOLE, FLUXAPYROXAD) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for user: | None known |

RID

| | |
|---|---|
| UN number | UN3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, PROPICONAZOLE, FLUXAPYROXAD) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for user: | None known |

**Inland waterway transport**

ADN

| | |
|---|---|
| UN number | UN3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, PROPICONAZOLE, FLUXAPYROXAD) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for user: | None known |

Transport in inland waterway vessel
Not evaluated

**Sea transport**

IMDG

| | |
|---|---|
| UN number: | UN 3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, PROPICONAZOLE, FLUXAPYROXAD) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |

| | |
|---|---|
| Environmental hazards: | yes<br>Marine pollutant: YES |
| Special precautions for user: | None known |

**Air transport**

IATA/ICAO

| | |
|---|---|
| UN number: | UN 3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, PROPICONAZOLE, FLUXAPYROXAD) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for user: | None known |

### Transport in bulk according to Annex II of MARPOL and the IBC Code

| | |
|---|---|
| Regulation: | Not evaluated |
| Shipment approved: | Not evaluated |
| Pollution name: | Not evaluated |
| Pollution category: | Not evaluated |
| Ship Type: | Not evaluated |

## 15. Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

## 16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

| | |
|---|---|
| Acute Tox. | Acute toxicity |
| Skin Corr./Irrit. | Skin corrosion/irritation |
| Skin Sens. | Skin sensitization |
| Repr. | Reproductive toxicity |
| STOT SE | Specific target organ toxicity — single exposure |
| Aquatic Acute | Hazardous to the aquatic environment - acute |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic |
| Asp. Tox. | Aspiration hazard |
| Eye Dam./Irrit. | Serious eye damage/eye irritation |

| | |
|---|---|
| Flam. Sol. | Flammable solids |
| Carc. | Carcinogenicity |
| H315 | Causes skin irritation. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H302 | Harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H361 | Suspected of damaging the unborn child. |
| H362 | May cause harm to breast-fed children. |
| H304 | May be fatal if swallowed and enters airways. |
| H401 | Toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H319 | Causes serious eye irritation. |
| H303 | May be harmful if swallowed. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H316 | Causes mild skin irritation. |
| H402 | Harmful to aquatic life. |
| H228 | Flammable solid. |
| H351 | Suspected of causing cancer. |

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.