We create chemistry

Safety data sheet

1. Substance/preparation and company identification

Standak Top

Major Recommended Uses:
Use: crop protection product, fungicide

Company:
BASF Paraguaya S.A.
Avda. Santa Teresa 2106 e/ Avda. Aviadores del Chaco y Herminio Maldonado
Edificio “Torres del Paseo” Torre II - Piso 11 - Of. 6 -
CP 1821 Asuncion, PARAGUAY
Telephone: +595 21 695641 / 695642 / 695643
E-mail address: ehs-py@basf.com

Emergency information:
Centro de Toxicología: +595 21 220 418
Telephone: 0098005410053/+55 12 3128-1590

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute toxicity: Cat. 4 (oral)
Acute toxicity: Cat. 4 (Inhalation - mist)
Germ cell mutagenicity: Cat. 2
Carcinogenicity: Cat. 2
Specific target organ toxicity — repeated exposure (Central nervous system): Cat. 1
Hazardous to the aquatic environment - acute: Cat. 1
Hazardous to the aquatic environment - chronic: Cat. 1

Label elements

According to UN GHS criteria

Pictogram:

Signal Word:
Danger

Hazard Statement:

H351	Suspected of causing cancer.
H341	Suspected of causing genetic defects.
H302 + H332	Harmful if swallowed or if inhaled.
H372	Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P201	Obtain special instructions before use.
P260	Do not breathe dust/gas/mist/vapours.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical attention.
P330	Rinse mouth.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

According to UN GHS criteria

Labelling of special preparations:
May produce an allergic reaction. Contains: thiophanate-methyl

Other hazards

According to UN GHS criteria

Other Hazards (GHS):
See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Assessment PBT / vPvB:
The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria..

3. Composition/Information on Ingredients

Mixtures

Chemical nature

crop protection product, Flowable concentrate for seed treatment (FS), insecticide

Hazardous ingredients (GHS)
According to UN GHS criteria

Fipronil

Content (W/W): 20,73 % CAS Number: 120068-37-3 EC-Number: 424-610-5 INDEX-Number: 608-055-00-8	Acute toxicity: Cat. 2 (Inhalation - dust) Acute toxicity: Cat. 3 (oral) Acute toxicity: Cat. 3 (dermal) Specific target organ toxicity — repeated exposure (Central nervous system): Cat. 1 Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1 M-factor acute: 1000 M-factor chronic: 10000 H330, H301 + H311, H372, H400, H410

thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene

Content (W/W): 18,4 % CAS Number: 23564-05-8 EC-Number: 245-740-7	Acute toxicity: Cat. 4 (Inhalation - dust) Skin sensitization: Cat. 1 Germ cell mutagenicity: Cat. 2 Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1 M-factor acute: 10 M-factor chronic: 10 H332, H317, H341, H400, H410

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Content (W/W): 2,05 % CAS Number: 175013-18-0 INDEX-Number: 613-272-00-6	Acute toxicity: Cat. 3 (Inhalation - mist) Acute toxicity: Cat. 4 (oral) Skin irritation: Cat. 2 Reproductive toxicity: Cat. 2 (unborn child) Specific target organ toxicity — single exposure: Cat. 3 (irr. to respiratory syst.) Specific target organ toxicity — repeated exposure (Liver, Nasal cavity, Gastrointestinal tract): Cat. 2 Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1 M-factor acute: 100 M-factor chronic: 100 H315, H331, H302, H335, H361, H373, H400, H410

Glycerol

Content (W/W): < 10 % CAS Number: 56-81-5 EC-Number: 200-289-5	Acute toxicity: Cat. 5 (Inhalation - vapour) H333

2-methyl-2H-isothiazol-3-one

Content (W/W): < 0,005 % CAS Number: 2682-20-4 EC-Number: 220-239-6 INDEX-Number: 613-326-00-9	Acute toxicity: Cat. 2 (Inhalation - dust) Acute toxicity: Cat. 3 (oral) Acute toxicity: Cat. 3 (dermal) Skin corrosion: Cat. 1B Serious eye damage: Cat. 1 Skin sensitization: Cat. 1A Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1 M-factor acute: 10 M-factor chronic: 1 H330, H317, H314, H301 + H311, H400, H410

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0,005 % CAS Number: 2634-33-5 EC-Number: 220-120-9 INDEX-Number: 613-088-00-6	Acute toxicity: Cat. 2 (Inhalation - dust) Acute toxicity: Cat. 4 (oral) Skin irritation: Cat. 2 Serious eye damage: Cat. 1 Skin sensitization: Cat. 1A Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1 M-factor acute: 1 M-factor chronic: 1 H318, H315, H330, H302, H317, H400, H410

Polychloro copper phthalocyanine
Content (W/W): < 5 %
CAS Number: 1328-53-6
EC-Number: 215-524-7

For hazard statements not written out in full in this section, the full text is listed in section 16.

4. First-aid measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-fighting measures

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, sulfur oxides, halogenated compounds, metal oxides
The substances/groups of substances mentioned can be released in case of fire.

Further information:
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency measures

Personal precautions:
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Cleaning operations should be carried out only while wearing breathing apparatus. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be

labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and storage

Handling
Technical measures:
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended.

Fire and explosion protection:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Precautions/ Advice on safe handling:
No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Specific hygiene measures:
Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

Storage

Technical measures:

Protect from temperatures below: 0 °C
Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.
Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Incompatible products and materials:
Segregate from foods and animal feeds.

8. Exposure controls and personal protection

Specific control parameters

Components with occupational exposure limits:

56-81-5: glycerol
TWA value 10 mg/m3 ()
Mist

1328-53-6: Polychloro copper phthalocyanine

TWA value 1 mg/m3 (ACGIHTLV)
Measured as: copper (Cu)
Dust and mist

TWA value 0,2 mg/m3 (ACGIHTLV)
Measured as: copper (Cu)
fumes/smoke

23564-05-8: thiophanate-methyl
TWA value 0,86 mg/m3 (BASF recomm. occupational exposure limit)

175013-18-0: Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester
TWA value 0,13 mg/m3 (BASF recomm. occupational exposure limit)

120068-37-3: 1H-Pyrazole-3-carbonitrile, 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]
TWA value 0,042 mg/m3 (BASF recomm. occupational exposure limit)

Personal protective equipment
Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Skin and body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

9. Physical and chemical properties

State of matter:	liquid (20 °C)
Form:	liquid
Colour:	blue-green
Odour:	aromatic, fruity

pH value:	approx. 6 - 8 (water, approx. 1 %(m), approx. 23,3 °C)	

Specific temperatures or temperature ranges at which changes in physical state occur

Melting point:	approx. 0 °C Information applies to the solvent.	
Boiling point:	approx. 100 °C Information applies to the solvent.	
Flash point:	No flash point - Measurement made up to the indicated temperature, pilot light extinguishes.	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(UN Test O.2 (oxidizing liquids))
Vapour pressure:	approx. 23,4 hPa (approx. 20 °C) Information applies to the solvent.	
VOC content:	No data available.	
Relative vapour density (air):	not applicable	
Density:	approx. 1,22 g/cm3 (approx. 20 °C)	(OECD Guideline 109)
Relative density:	No data available.	
Solubility in water:	miscible	

Partitioning coefficient n-octanol/water (log Pow):
The statements are based on the properties of the individual components.

Information on: thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene

Partitioning coefficient n-octanol/water (log Pow):	*approx. 1,44* *(25 °C)*	*(OECD Guideline 107)*

Self-ignition temperature:	approx. 490 °C	(Directive 92/69/EEC, A.15)
Self ignition:	No data available.	

Odour threshold limit value:
Not determined since harmful by inhalation.

Evaporation rate:	not applicable	
Flammability:	not applicable	
Viscosity, dynamic:	approx. 77 mPa.s (approx. 20 °C, 100 1/s)	(OECD Guideline 114)

Other information:
If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and reactivity

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid:
See SDS section 7 - Handling and storage.

Incompatible materials and substances:
strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological information

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

LD50 rat, female(oral): approx. > 300 - < 2.000 mg/kg (OECD Guideline 423)

LC50 rat, male/female (by inhalation): 1,96 mg/l 4 h (OECD Guideline 403)
An aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402)
No mortality was observed.

Local effects

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes.

Primary skin irritation rabbit: non-irritant (OECD Guideline 404)

Eye irritation rabbit: non-irritant (OECD Guideline 405)

Assessment other acute effects

Assessment other acute effects:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

Assessment of sensitization:
There is no evidence of a skin-sensitizing potential.

Mouse Local Lymph Node Assay (LLNA) : Non-sensitizing. (OECD Guideline 429)

Genetic toxicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: thiophanate-methyl

Assessment of mutagenicity:
Mutagenic properties can not be excluded on the basis of experimental data.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of carcinogenicity:
In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: thiophanate-methyl

Assessment of carcinogenicity:
Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: thiophanate-methyl

Assessment of teratogenicity:
Causes developmental effects in animals at high, maternally toxic doses.

Repeated dose toxicity

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of repeated dose toxicity:
Causes mortality and signs of neurotoxicity through prolonged or repeated exposure.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment of repeated dose toxicity:
Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity
---

Aspiration Hazard

Assessment of Aspiration Hazard:
No aspiration hazard expected., The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological information

Possible environmental effects, behaviour and fate

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil
Toxicity to fish:
LC50 (96 h) 0,0852 mg/l, Lepomis macrochirus

Information on: thiophanate-methyl
Toxicity to fish:
LC50 (96 h) 1,07 mg/l, Oncorhynchus mykiss (static)

LC50 (96 h) 11 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

LC50 (96 h) 0,019 mg/l, Ictalurus punctatus, syn: I. robustus
The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Toxicity to fish:
LC50 (96 h) 0,00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

Information on: Fipronil
Aquatic invertebrates:
EC50 (48 h) 0,19 mg/l, Daphnia magna

LC50 (48 h) 0,00017 mg/l, Mysidopsis bahia

Information on: thiophanate-methyl
Aquatic invertebrates:
EC50 (48 h) 5,4 mg/l, Daphnia magna (Flow through.)

EC50 (48 h) 12,7 mg/l, daphnia (OPP 72-2 (EPA-guideline))

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Aquatic invertebrates:
EC50 (48 h) 0,0157 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

EC50 (96 h) 0,00416 mg/l, Americamysis bahia

Information on: Fipronil
Aquatic plants:
EC50 (72 h) 0,103 mg/l (growth rate), Scenedesmus subspicatus

No observed effect concentration (72 h) >= 0,14 mg/l, Pseudokirchneriella subcapitata

EC50 (14 d) > 0,16 mg/l (biomass), Lemna gibba

No observed effect concentration (14 d) > 0,16 mg/l (biomass), Lemna gibba

Information on: thiophanate-methyl
Aquatic plants:
EC50 (96 h) 0,8 mg/l, Chlorella vulgaris (OECD Guideline 201)

EC50 (96 h) 13 mg/l (biomass), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (96 h) > 25,4 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Aquatic plants:
EC10 (7 d) 0,82 mg/l (growth rate), Lemna gibba

EC50 (7 d) > 1,007 mg/l (growth rate), Lemna gibba

EC50 (72 h) 0,011 mg/l (growth rate), Navicula pelliculosa

Information on: Fipronil
Chronic toxicity to fish:
No observed effect concentration (35 d) 0,0029 mg/l, Cyprinodon variegatus

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Chronic toxicity to fish:
No observed effect concentration (98 d) approx. 0,00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)

Information on: Fipronil
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (28 d), 0,000008 mg/l, Mysidopsis bahia

Information on: thiophanate-methyl
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d), 0,180 mg/l, Daphnia magna (OECD Guideline 202, part 2)

No observed effect concentration (21 d), 0,0015 mg/l, Daphnia magna
The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d), 0,004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)
The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (31 d), 0,000365 mg/l, Mysidopsis bahia
---

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on: thiophanate-methyl
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulation

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil
Bioaccumulation potential:
Bioconcentration factor: 321, Lepomis macrochirus
Accumulation in organisms is not to be expected.

Information on: thiophanate-methyl
Bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Bioaccumulation potential:
Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD Guideline 305)
Accumulation in organisms is not to be expected.

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil
Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: thiophanate-methyl
Assessment transport between environmental compartments:
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Assessment transport between environmental compartments:
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal considerations

Methods for safe and environmentally preferred disposal
Product: Must be sent to a suitable incineration plant, observing local regulations.

Product residues: Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport information

Land transport

Hazard Class:	6.1
Packing group:	III
UN Number:	2902
Hazard label:	6.1
Risk Number:	60
Proper Shipping Name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (FIPRONIL, PYRACLOSTROBIN)

Waterway Transport

IMDG

Hazard class:	9
Packing group:	III
UN Number:	3082
Hazard label:	9, EHSM

Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FIPRONIL, PYRACLOSTROBIN)

Air transport

IATA/ICAO

Hazard class:	9
Packing group:	III
UN Number:	3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FIPRONIL, PYRACLOSTROBIN)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

Additional Information

Classification of land transport generated according to the criteria of Decree 17723:1997.

15. Regulatory information

Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

16. Other information

Full text of hazard statements, if mentioned in section 3:

H330	Fatal if inhaled.
H301 + H311	Toxic if swallowed or in contact with skin.
H372	Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H332	Harmful if inhaled.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H315	Causes skin irritation.
H331	Toxic if inhaled.

H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H361	Suspected of damaging the unborn child.
H373	May cause damage to organs (Liver, Nasal cavity, Gastrointestinal tract) through prolonged or repeated exposure.
H333	May be harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.