We create chemistry

# Safety data sheet



## 1. Substance/preparation and manufacturer/supplier identification

**Product name:**
Basolon GL 40 exp

Use: Performance Chemicals for Oilfield Applications

Recommended use: Use as an intermediate, Use as Monomer

Manufacturer/supplier:
BASF Vietnam Co. Ltd.
Level 23, Deutsches Haus, 33 Le Duan,
Ben Nghe Ward, Dist. 1, Ho Chi Minh City, Vietnam
Telephone: +84 28 3824 3833
Telefax number: +84 28 3824 3832
E-mail address: minh-triet.thieu@basf.com

Emergency information:
18001703 (Vietnam)
Telefax number: +84 28 3824 3832
International emergency number:
Telephone: +49 180 2273-112

## 2. Hazard identification

Classification of the substance and mixture:
Acute toxicity: Cat.5 (oral)
Acute toxicity: Cat.4 (Inhalation - mist)
Skin corrosion/irritation: Cat.2
Serious eye damage/eye irritation: Cat.2B
Skin sensitization: Cat.1
Specific target organ toxicity — single exposure: Cat.3 (irritating to respiratory system)
Hazardous to the aquatic environment - acute: Cat.3

Label elements and precautionary statement:

Pictogram:

Signal Word:
Warning

Hazard Statement:

| | |
|---|---|
| H320 | Causes eye irritation. |
| H315 | Causes skin irritation. |
| H332 | Harmful if inhaled. |
| H303 | May be harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H335 | May cause respiratory irritation. |
| H402 | Harmful to aquatic life. |

Precautionary Statements (Prevention):

| | |
|---|---|
| P280 | Wear protective gloves. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P260 | Do not breathe mist or vapour. |
| P273 | Avoid release to the environment. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P264 | Wash contaminated body parts thoroughly after handling. |

Precautionary Statements (Response):

| | |
|---|---|
| P312 | Call a POISON CENTER or physician if you feel unwell. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P333 + P313 | If skin irritation or rash occurs: Get medical attention. |
| P332 + P313 | If skin irritation occurs: Get medical attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| P337 + P313 | If eye irritation persists: Get medical attention. |

Precautionary Statements (Storage):

| | |
|---|---|
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |

Precautionary Statements (Disposal):

| | |
|---|---|
| P501 | Dispose of contents and container to hazardous or special waste collection point. |

Other hazards which do not result in classification:
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## 3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

mixture

**Hazardous ingredients**

glyoxal

| | |
|---|---|
| Content (W/W): >= 39.5 % - <= 40.5 %<br>CAS Number: 107-22-2 | Acute Tox.: Cat. 5 (oral)<br>Acute Tox.: Cat. 4 (Inhalation - mist)<br>Skin Corr./Irrit.: Cat. 2<br>Eye Dam./Irrit.: Cat. 2B<br>Skin Sens.: Cat. 1<br>STOT SE: Cat. 3 (irr. to respiratory syst.)<br>Aquatic Acute: Cat. 3 |

ethyleneglycol

| | |
|---|---|
| Content (W/W): >= 0 % - <= 2.5 %<br>CAS Number: 107-21-1 | Acute Tox.: Cat. 4 (oral)<br>STOT RE (Kidney): Cat. 2 |

Acetic acid, hydroxy-

| | |
|---|---|
| Content (W/W): >= 0.05 % - <= 0.35 %<br>CAS Number: 79-14-1 | Acute Tox.: Cat. 4 (oral)<br>Acute Tox.: Cat. 4 (Inhalation - mist)<br>Skin Corr./Irrit.: Cat. 1B<br>Eye Dam./Irrit.: Cat. 1<br>Aquatic Acute: Cat. 3 |

formaldehyde

| | |
|---|---|
| Content (W/W): >= 0 % - <= 0.01 %<br>CAS Number: 50-00-0 | Flam. Liq.: Cat. 4<br>Acute Tox.: Cat. 2 (Inhalation - vapour)<br>Acute Tox.: Cat. 3 (oral)<br>Acute Tox.: Cat. 3 (dermal)<br>Skin Corr./Irrit.: Cat. 1B<br>Eye Dam./Irrit.: Cat. 1<br>Skin Sens.: Cat. 1A<br>Carc.: Cat. 1B<br>Aquatic Acute: Cat. 2 |

## 4. First-Aid Measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, foam, dry powder, carbon dioxide

Specific hazards:
nitrogen oxides, carbon oxides
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

## 6. Accidental Release Measures

Personal precautions:
Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

## 7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas.

Storage

Suitable materials for containers: Stainless steel 1.4401, Stainless steel 1.4301 (V2), High density polyethylene (HDPE), glass, Low density polyethylene (LDPE)
Unsuitable materials for containers: Paper/Fibreboard
Further information on storage conditions: Protect from air.

Storage stability:
Storage temperature: < 50 °C
Storage duration: 6 Months
May yellow after lengthy storage.
During the storage a product characteristic clouding or crystallin precipitation of the trimeric glyoxal hydrate may occur.
The process is reversible if warmed up mild (max. 40 °C).
From the data on storage duration in this safety data sheet no agreed statement regarding the warrantee of application properties can be deduced.

Protect from temperatures above: 50 °C
The packed product must be protected against exceeding the indicated temperature.

## 8. Exposure controls and personal protection

Components with occupational exposure limits

formaldehyde, 50-00-0;
STEL value 0.3 ppm (ACGIHTLV)
TWA value 0.1 ppm (ACGIHTLV)
STEL value 1.0 mg/m3 (OEL (VN))
TWA value 0.5 mg/m3 (OEL (VN))

ethyleneglycol, 107-21-1;

TWA value 25 ppm (ACGIHTLV), Vapor fraction
STEL value 50 ppm (ACGIHTLV), Vapor fraction
STEL value 10 mg/m3 (ACGIHTLV), Inhalable fraction, Aerosole
TWA value 10 mg/m3 (OEL (VN)), Particle and mist
STEL value 125 mg/m3 (OEL (VN)), fumes/smoke
STEL value 20 mg/m3 (OEL (VN)), Particle and mist
TWA value 60 mg/m3 (OEL (VN)), fumes/smoke
TWA value 60 mg/m3 (OEL (VN)), fumes/smoke
TWA value 10 mg/m3 (OEL (VN)), Particle and mist
STEL value 125 mg/m3 (OEL (VN)), fumes/smoke
STEL value 20 mg/m3 (OEL (VN)), Particle and mist

glyoxal, 107-22-2;
TWA value 0.1 mg/m3 (ACGIHTLV), Inhalable fraction and vapor

Engineering Controls

Advice on system design:
Provide local exhaust ventilation to control vapours/mists.

Personal protective equipment

Respiratory protection:
Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point <65 °C, f.e. EN 14387 Type AX)

Hand protection:
Chemical resistant protective gloves (EN ISO 374-1)
Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1
butyl rubber (butyl) - 0.7 mm coating thickness
polyvinylchloride (PVC) - 0.7 mm coating thickness
nitrile rubber (NBR) - 0.4 mm coating thickness
fluoroelastomer (FKM) - 0.7 mm coating thickness
chloroprene rubber (CR) - 0.5 mm coating thickness
natural rubber/natural latex (NR) - 0.5 mm coating thickness
Polyethylene-Laminate (PE laminate) - ca. 0.1 mm coating thickness
Manufacturer's directions for use should be observed because of great diversity of types.
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
Avoid contact with the skin, eyes and clothing. When using, do not eat, drink or smoke. Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water and soap, skin care.

## 9. Physical and Chemical Properties

| | | |
|---|---|---|
| Form: | liquid | |
| Colour: | colourless to yellow | |
| Odour: | aldehyde-like | |
| Odour threshold: | Not determined due to potential health hazard by inhalation. | |
| pH value: | 2 - 3<br>(40 %(m), 20 °C) | |
| melting range: | -50 - -15 °C | (OECD Guideline 102) |
| Boiling point: | 103.6 °C<br>(1,013.25 hPa) | (Directive 92/69/EEC, A.2) |
| Flash point: | > 93 °C | (ISO 13736) |
| Evaporation rate: | Value can be approximated from Henry's Law Constant or vapor pressure. | |
| Flammability (solid/gas): | not flammable | (derived from flash point) |
| Lower explosion limit: | (103 °C, 1013 hPa)<br>Not determinable., For liquids not relevant for classification and labelling. | (air) |
| Upper explosion limit: | For liquids not relevant for classification and labelling., Not determinable. | |
| Ignition temperature: | 285 °C | (DIN 51794) |
| Thermal decomposition: | No decomposition if correctly stored and handled. | |
| Self ignition: | Based on its structural properties the product is not classified as self-igniting. | Test type: Spontaneous self-ignition at room-temperature. |
| Self heating ability: | It is not a substance capable of spontaneous heating. | |
| Explosion hazard: | Based on the chemical structure there is no indication of explosive properties. | |
| Fire promoting properties: | Based on its structural properties the product is not classified as oxidizing. | |

| | | |
|---|---|---|
| Vapour pressure: | 20.2 hPa<br>(20 °C)<br>Information applies to the solvent. | (Directive 92/69/EEC, A.4) |
| | 106.7 hPa<br>(50 °C)<br>Information applies to the solvent. | (Directive 92/69/EEC, A.4) |
| Density: | approx. 1.27 g/cm3<br>(40 %(m), 20 °C) | (Directive 92/69/EEC, A.3) |
| | 1.2514 g/cm3<br>(50 °C) | |
| Relative density: | 1.27<br>(20 °C) | (Directive 92/69/EEC, A.3) |
| Relative vapour density (air): | Water content greater than 10%. | |
| Solubility in water: | miscible<br>(20.2 °C) | |
| Partitioning coefficient n-octanol/water (log Pow): | -1.15<br>(23 °C; pH value: 7) | (Directive 92/69/EEC, A.8) |
| | -1<br>(23 °C; pH value: 5) | (Directive 84/449/EEC, A.8) |
| | -1.62<br>(23 °C; pH value: 9) | (Directive 84/449/EEC, A.8) |
| Adsorption/water - soil: | KOC: 2.1; log KOC: 0.32 | (OECD Guideline 121) |
| Surface tension: | Based on chemical structure, surface activity is not to be expected. | |
| Viscosity, dynamic: | 8.37 mPa.s<br>(20 °C) | (OECD Guideline 114) |
| | 4.25 mPa.s<br>(40 °C) | (OECD Guideline 114) |
| Viscosity, kinematic: | 6.6 mm2/s<br>(20 °C) | (OECD Guideline 114) |
| | 3.38 mm2/s<br>(40 °C) | (OECD Guideline 114) |
| Molar mass: | 58.04 g/mol | |

## 10. Stability and Reactivity

Conditions to avoid:
Temperature: > 50 °C
See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if correctly stored and handled.

Substances to avoid:
strong alkalies

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:
Reacts with strong alkalies. Exothermic reaction.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

## 11. Toxicological Information

### Routes of exposure

#### Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): 3,300 mg/kg (OECD Guideline 401)

#### Acute inhalation toxicity

LC50 rat (by inhalation): 2.44 mg/l 4 h (OECD Guideline 403)
An aerosol was tested.

#### Acute dermal toxicity

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)
Limit concentration test only (LIMIT test).

#### Assessment of acute toxicity

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Of moderate toxicity after short-term inhalation.

#### Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

### Irritation

Assessment of irritating effects:
Eye contact causes irritation. Skin contact causes irritation.

Experimental/calculated data:
Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

### Respiratory/Skin sensitization

Assessment of sensitization:
Caused skin sensitization in animal studies. Caused sensitization in humans.

Experimental/calculated data:
Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)

Human Maximization Test human: skin sensitizing (Patch test)
Literature data.

### Germ cell mutagenicity

Assessment of mutagenicity:
The substance was mutagenic in various test systems with microorganisms and cell cultures; however, these results could not be confirmed in tests with mammals.

### Carcinogenicity

Assessment of carcinogenicity:
The whole of the information assessable provides no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity:
The results of animal studies gave no indication of a fertility impairing effect.

### Developmental toxicity

Assessment of teratogenicity:
No indications of a developmental toxic / teratogenic effect were seen in animal studies.

### Specific target organ toxicity (single exposure)

Causes temporary irritation of the respiratory tract.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation.

### Aspiration hazard

No aspiration hazard expected.

## 12. Ecological Information

### Ecotoxicity

Assessment of aquatic toxicity:
Acutely harmful for aquatic organisms. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 186 - < 272 mg/l, Leuciscus idus (DIN 38412 Part 15, static)
The details of the toxic effect relate to the nominal concentration. The ecological data given are those of the active ingredient.

Aquatic invertebrates:
EC50 (48 h) 161 mg/l, Daphnia magna (Directive 79/831/EEC, static)
Nominal concentration. The ecological data given are those of the active ingredient.

LC50 (96 h) 76.0 mg/l, Americamysis bahia (other, semistatic)
The details of the toxic effect relate to the nominal concentration. The ecological data given are those of the active ingredient.

Aquatic plants:
EC50 (72 h) > 40 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)
The details of the toxic effect relate to the nominal concentration. The ecological data given are those of the active ingredient.

EC10 (72 h) > 10 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)
The details of the toxic effect relate to the nominal concentration. The ecological data given are those of the active ingredient.

EC50 (72 h) 347.1 mg/l (growth rate), Skeletonema costatum (OECD Guideline 201)
The details of the toxic effect relate to the nominal concentration. The ecological data given are those of the active ingredient.

No observed effect concentration (72 h) 118.4 mg/l (growth rate), Skeletonema costatum (OECD Guideline 201)
The details of the toxic effect relate to the nominal concentration. The ecological data given are those of the active ingredient.

Microorganisms/Effect on activated sludge:
EC10 (16 h) 22.8 mg/l, Pseudomonas putida (DIN 38412 Part 8, static)
The details of the toxic effect relate to the nominal concentration. The ecological data given are those of the active ingredient.

EC50 (0.5 h) > 400 mg/l, activated sludge (OECD Guideline 209, static)
The details of the toxic effect relate to the nominal concentration. The ecological data given are those of the active ingredient.

Chronic toxicity to fish:
No observed effect concentration (34 d) 112 mg/l, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)
The ecological data given are those of the active ingredient. The statement of the toxic effect relates to the analytically determined concentration.

Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d), 3.19 mg/l, Daphnia magna (OECD Guideline 211, semistatic)
The statement of the toxic effect relates to the analytically determined concentration. The ecological data given are those of the active ingredient.

Assessment of terrestrial toxicity:

Soil living organisms:
LC50 (14 d) > 135 mg/kg, Eisenia foetida (OECD Guideline 207, artificial soil)

The ecological data given are those of the active ingredient. The details of the toxic effect relate to the nominal concentration.

EC50 (28 d) > 1,054 mg/kg, soil dwelling microorganisms (OECD Guideline 217, natural soil)
The details of the toxic effect relate to the nominal concentration. The data have been calculated from values for a preparation with a lower substance concentration. The ecological data given are those of the active ingredient.

EC50 (28 d) > 1,054 mg/kg, soil dwelling microorganisms (OECD Guideline 216, natural soil)
The details of the toxic effect relate to the nominal concentration. The data have been calculated from values for a preparation with a lower substance concentration. The ecological data given are those of the active ingredient.

Terrestrial plants:
No observed effect concentration (21 d), Brassica napus (OECD Guideline 208)
The ecological data given are those of the active ingredient. The data have been deduced from values for a preparation or mixture with a lower substance concentration.

Other terrestrial non-mammals:
No data available.

## Mobility

Assessment transport between environmental compartments:
The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is not expected.

## Persistence and degradability

Elimination information:
90 - 100 % DOC reduction (19 d) (OECD 301 A (new version)) (aerobic, activated sludge, domestic, non-adapted) Readily biodegradable (according to OECD criteria).

Assessment of stability in water:
According to structural properties, hydrolysis is not expected/probable.

Information on Stability in Water (Hydrolysis):
The product has not been tested. The statement has been derived from the structure of the product.

## Sum parameter

Chemical oxygen demand (COD): 350 mg/g

Biochemical oxygen demand (BOD) Incubation period 5 d: 175 mg/g

## Bioaccumulation potential

Assessment bioaccumulation potential:
Significant accumulation in organisms is not to be expected.

Bioaccumulation potential:
Bioconcentration factor: 3.2, Fish (calculated)

## 13. Disposal Considerations

Information on disposal regulations: Must comply with regulations on hazardous waste such as:

- Decree No. 08/2022/ND-CP of the Government: detailing a number of articles of the Law on Environmental Protection.

- Circular No. 02/2022/TT-BTNMT of the Ministry of Natural Resources and Environment: detailing a number of articles of the Law on Environmental Protection.

Incinerate in suitable incineration plant, observing local authority regulations.
A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.
The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities.

Contaminated packaging:
Uncontaminated packaging can be recycled.

## 14. Transport Information

**Domestic transport:**

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Sea transport**
IMDG

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| | Marine pollutant: no |
| Special precautions for user | None known |

**Air transport**
IATA/ICAO

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number | Not applicable |
| Proper shipping name: | Not applicable |

| | |
|---|---|
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

## 15. Regulatory Information

**Other regulations**

The SDS is composed based on the Global Harmonization Globally Harmonized System of Classification and Labeling of Chemicals and applicable local chemical regulations as following:
- The Chemical Law 06/2007/QH12 issued on 21/11/2007.
- The decree No. 113/2017/ND-CP specifying and providing guidelines for implementation of certain articles of the law on chemicals.
- The decree No. 82/2022/ND-CP Amendments to some articles of government's decree no.113/2017/ND-CP dated October 09, 2017 specifying and providing guidelines for implementation of certain articles of the law on chemicals.
- Circular 17/2022/TT-BCT Amendments to some articles of circular no. 32/2017/TT-BCT dated December 28, 2017 of the Minister Of Industry And Trade on elaboration and provision of guidelines for implementation of certain articles of the law on chemicals and the government's decree no. 113/2017/ ND-CP dated October 09, 2017 on elaboration and provision of guidelines for implementation of certain articles of the law on chemicals.
- The decree No. 17/2020/ND-CP Amendments to some articles of decrees related to necessary business conditions in fields under the management of the Ministry Of Industry and Trade.
- The decree No. 42/2020/ND-CP on list of dangerous goods, transport of dangerous goods by land motor vehicles and transport of dangerous goods by inland waterways.
- The Circular 32/2017/TT-BCT specifying and providing guidelines for implementation of certain articles of the law on chemicals and the government's decree no. 113/2017/ND-CP dated October 09, 2017 specifying and providing guidelines for implementation of certain articles of the law on chemicals.

## 16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.