# Safety Data Sheet
## ULTRAMID®3470 UNCOLORED POLYAMIDE



## 1. Identification

### Product identifier used on the label

## ULTRAMID®3470 UNCOLORED POLYAMIDE

### Recommended use of the chemical and restriction on use

Recommended use*: Polymer; for industrial processing only
Suitable for use in industrial sector: Polymers industry
Unsuitable for use: Uses other than recommended

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

### Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

### Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Chemical family: polyamide

## 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

### Classification of the product

| | | |
|---|---|---|
| STOT RE | 2 (oral) | Specific target organ toxicity — repeated exposure |

### Label elements

Pictogram:

Signal Word:
Warning

Hazard Statement:

| | |
|---|---|
| H373 | May cause damage to organs (Kidney) through prolonged or repeated exposure (oral). |

Precautionary Statements (Prevention):

| | |
|---|---|
| P260 | Do not breathe dust. |

Precautionary Statements (Response):

| | |
|---|---|
| P314 | Get medical advice/attention if you feel unwell. |

Precautionary Statements (Disposal):

| | |
|---|---|
| P501 | Dispose of contents/container in accordance with local regulations. |

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

Labeling of special preparations (GHS):
UNDER HOT MELT PROCESSING CONDITIONS, WEAR PERSONAL PROTECTIVE EQUIPMENT TO PREVENT THERMAL BURNS.

## 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

N-butyl benzene sulphonamide
CAS Number: 3622-84-2
Content (W/W): >= 5.0 - < 10.0%
Synonym: N-Butylbenzenesulfonamide

## 4. First-Aid Measures

### Description of first aid measures

**General advice:**
Avoid contact with the skin, eyes and clothing. Remove contaminated clothing.

**If inhaled:**
If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

**If on skin:**
Wash thoroughly with soap and water Burns caused by molten material require hospital treatment. If irritation develops, seek medical attention.

**If in eyes:**
In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Remove contact lenses, if present. Immediate medical attention required.

**If swallowed:**
Rinse mouth and then drink 200-300 ml of water. Ingestion is not likely in the available physical form. If ingested, seek medical attention. Do not induce vomiting.

### Most important symptoms and effects, both acute and delayed

Symptoms: Ingestion may provoke the following symptoms:, kidney damage

*Information on: N-butyl benzene sulphonamide*
*Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.*
---
Hazards: No hazard is expected under intended use and appropriate handling.

### Indication of any immediate medical attention and special treatment needed

Note to physician

| | |
|---|---|
| Treatment: | Treat according to symptoms (decontamination, vital functions), no known specific antidote. |

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:
water spray, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:
Ammonium hydroxide, carbon monoxide, carbon dioxide, caprolactam, hydrogen cyanide, nitriles can be emitted at > 320 °C
Under special fire conditions traces of other toxic substances are possible. Formation of further decomposition and oxidation products depends upon the fire conditions.

### Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

**Further information:**
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## 6. Accidental release measures

Further accidental release measures:
High risk of slipping due to leakage/spillage of product.

### Personal precautions, protective equipment and emergency procedures
Wear suitable personal protective clothing and equipment. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice.

### Environmental precautions
No special precautions necessary. This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

### Methods and material for containment and cleaning up
For small amounts: Pick up with suitable appliance and dispose of.
For large amounts: Pick up with suitable appliance and dispose of.
For residues: Sweep/shovel up.
Dispose of absorbed material in accordance with regulations.

## 7. Handling and Storage

### Precautions for safe handling
Avoid inhalation of dusts/mists/vapours.

Protection against fire and explosion:
Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities
The product in undamaged packing need not be stored separately.

Suitable materials for containers: Low density polyethylene (LDPE), High density polyethylene (HDPE), Aluminium, Carbon steel (Iron)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Avoid dust formation, product dust can form an explosive mixture with air.

Storage stability:
Protect against moisture.

## 8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

**Advice on system design:**
Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

**Personal protective equipment**

**Respiratory protection:**
Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

**Hand protection:**
Wear gloves to prevent contact during mechanical processing and/or hot melt conditions.

**Eye protection:**
Tightly fitting safety goggles (chemical goggles).

**Body protection:**
Body protection must be chosen based on level of activity and exposure.

**General safety and hygiene measures:**
Avoid inhalation of dust. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. After use of gloves apply skin-cleaning agents and skin cosmetics. Wash soiled clothing immediately.

## 9. Physical and Chemical Properties

| | | |
|---|---|---|
| Form: | pellets | |
| Odour: | odourless | |
| Odour threshold: | not applicable | |
| Colour: | various, depending on the colourant | |
| pH value: | not applicable | |
| Melting temperature: | approx. 220 °C<br>( 1,013 hPa) | (DIN 53765) |
| Freezing point: | No data available. | |
| Boiling point: | The substance / product decomposes therefore not determined. | |
| Sublimation point: | No applicable information available. | |
| Flash point: | not applicable | |
| Flammability: | not self-igniting | |
| Flammability of Aerosol Products: | not applicable, the product does not form flammable aerosoles | |
| Lower explosion limit: | For solids not relevant for classification and labelling. | |
| Upper explosion limit: | For solids not relevant for classification and labelling. | |
| Autoignition: | > 400 °C | (ASTM D1929) |
| Vapour pressure: | not applicable | |
| Density: | 1.00 - 1.20 g/cm3<br>( 20 °C, 1,013 hPa) | (EN ISO 1183-1) |
| Relative density: | Study does not need to be conducted. | |
| Bulk density: | 500 - 800 kg/m3<br>( 20 °C, 1,013 hPa) | (DIN 53466) |
| Vapour density: | not applicable | |
| Partitioning coefficient n-octanol/water (log Pow): | not applicable | |
| Self-ignition temperature: | not self-igniting | |
| Thermal decomposition: | > 320 °C (TGA) | |

| | |
|---|---|
| Viscosity, dynamic: | not applicable, the product is a solid |
| Viscosity, kinematic: | not applicable, the product is a solid |
| Particle size: | spheroidal |
| Solubility in water: | ( 20 °C, 1,013 hPa)<br>insoluble |
| Solubility (quantitative): | No applicable information available. |
| Solubility (qualitative): | No applicable information available. |
| Evaporation rate: | The product is a non-volatile solid. |

## 10. Stability and Reactivity

### Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
No corrosive effect on metal.

Oxidizing properties:
not fire-propagating

### Chemical stability
The product is stable if stored and handled as prescribed/indicated.
The product is chemically stable.

### Possibility of hazardous reactions
The product is chemically stable.
No hazardous reactions known.

### Conditions to avoid
Temperature: > 320 degrees Celsius
See SDS section 7 - Handling and storage.

### Incompatible materials
No substances known that should be avoided.

### Hazardous decomposition products

Decomposition products:
Possible decomposition products: Ammonium hydroxide, carbon monoxide, carbon dioxide, caprolactam, hydrogen cyanide, nitriles

Thermal decomposition:
> 320 °C (TGA)

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Contact with molten product may cause thermal burns. The resin in pelleted form poses a low hazard.

Inhalation
Not inhalable due to the physico-chemical properties of the product.

Assessment other acute effects
No applicable information available.

Irritation / corrosion
Assessment of irritating effects: Irritation is possible when the product comes in contact with the skin, respiratory tract or the eyes. Thermal decomposition products of the substance can irritate the eyes, skin, and respiratory tract.

Sensitization
Assessment of sensitization: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Aspiration Hazard
No aspiration hazard expected.

### Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: Repeated exposure may affect certain organs.

*Information on: N-butyl benzene sulphonamide*
*Assessment of repeated dose toxicity: Repeated exposure may affect certain organs.*
---

Genetic toxicity
Assessment of mutagenicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Carcinogenicity
Assessment of carcinogenicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Reproductive toxicity
Assessment of reproduction toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Teratogenicity
Assessment of teratogenicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Other Information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

## 12. Ecological Information

### Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
The product has not been tested. The statement has been derived from the structure of the product. There is a high probability that the product is not acutely harmful to aquatic organisms.

### Persistence and degradability

Assessment biodegradation and elimination (H2O)
Experience shows this product to be inert and non-degradable.
The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

Elimination information

Poorly biodegradable.

Assessment of stability in water
According to structural properties, hydrolysis is not expected/probable.

### Bioaccumulative potential

Assessment bioaccumulation potential
Does not significantly accumulate in organisms.

Bioaccumulation potential
The product will not be readily bioavailable due to its consistency and insolubility in water.

### Mobility in soil

Assessment transport between environmental compartments
Adsorption to solid soil phase is not expected.

### Additional information

Adsorbable organically-bound halogen(AOX):
This product contains no organically-bound halogen.

Other ecotoxicological advice:
The product is a polymeric compound.

## 13. Disposal considerations

**Waste disposal of substance:**
Check for possible recycling. Incinerate in suitable incineration plant, observing local authority regulations.

**Container disposal:**
Dispose of in accordance with national, state and local regulations.

## 14. Transport Information

**Land transport**
USDOT
Not classified as a dangerous good under transport regulations

**Sea transport**
IMDG
Not classified as a dangerous good under transport regulations

**Air transport**
IATA/ICAO
Not classified as a dangerous good under transport regulations

## 15. Regulatory Information

**Federal Regulations**

**Registration status:**
Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

**Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:**

**WARNING:** This product can expose you to chemicals including ETHYLBENZENE, which is known to the State of California to cause cancer, and METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

**NFPA Hazard codes:**
Health: 1 Fire: 1 Reactivity: 0 Special:

**HMIS III rating**
Health: 1¤ Flammability: 1 Physical hazard: 0

## 16. Other Information

**SDS Prepared by:**
BASF NA Product Regulations
SDS Prepared on: 2024/07/10

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in

a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

ULTRAMID®3470 UNCOLORED POLYAMIDE is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET