We create chemistry

Safety data sheet

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 25.05.2017 Version: 1.0
Product: **INFINERGY SP 32-100 U10**
(ID no. 30678654/SDS_GEN_00/EN)
Date of print 30.06.2025

1. Identification

Product identifier

INFINERGY SP 32-100 U10
Recommended use: for industrial processing only

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Telephone: +49 621 60-0
E-mail address: global.info@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):
UNDER HOT MELT PROCESSING CONDITIONS, WEAR PERSONAL PROTECTIVE EQUIPMENT TO PREVENT THERMAL BURNS.

Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Preparation based on: polyurethane, stabilizing agents, additives

Hazardous ingredients (GHS)
According to UN GHS criteria

No particular hazards known.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:
Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

On skin contact:
Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention. Skin contact with hot molten substance/product may cause thermal burns.

On contact with eyes:
If difficulties occur: Wash affected eyes for at least 15 minutes under running water with eyelids held open. If symptoms persist, seek medical advice.

On ingestion:

Rinse mouth and then drink plenty of water. If difficulties occur: Seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: No significant reaction of the human body to the product known.

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, fumes/smoke, carbon black, harmful vapours, isocyanate, nitrogen oxides
Formation of further decomposition and oxidation products depends upon the fire conditions. Under special fire conditions traces of other toxic substances are possible.

Advice for fire-fighters

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
The degree of risk is governed by the burning substance and the fire conditions. In case of combustion evolution of toxic gases/vapours possible. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid skin contact and inhalation of dust/aerosol.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up
Sweep/shovel up. Dispose of absorbed material in accordance with regulations.

Reference to other sections
Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

Precautions for safe handling
Protect against moisture. Avoid the formation and deposition of dust. Processing machines must be fitted with local exhaust ventilation. When working on exaust systems special safety precautions must be taken, because dangerous substances can accumulate in the residue of the exaust system.

Protection against fire and explosion:
Avoid dust formation. Dust can form an explosive mixture with air. Provide exhaust ventilation. When the product is ground (chopped), dust explosion regulations should be noted.

Conditions for safe storage, including any incompatibilities
Segregate from foods and animal feeds.

Suitable materials for containers: Carbon steel (Iron), High density polyethylene (HDPE), Low density polyethylene (LDPE), Polypropylene (PP)
Further information on storage conditions: Keep container tightly closed. Keep away from heat. Protect against moisture. Avoid all sources of ignition: heat, sparks, open flame.

Storage class according to TRGS 510 (originally VCI, Germany): (11) Combustible solids.

Storage stability:
Protect against moisture.

Specific end use(s)
For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

6683-19-8: Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate)

Exposure controls

Personal protective equipment

Respiratory protection:
Breathing protection if dusts are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1) Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed.

Hand protection:
Wear gloves to prevent contact during mechanical processing and/or hot melt conditions.

Eye protection:
Required when there is a risk of eye contact., Safety glasses

Body protection:
Body protection not required.

General safety and hygiene measures
Wear protective clothing to prevent contact during mechanical processing and/or hot melt conditions. Avoid inhalation of dust. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	solid in various forms	
Colour:	various, depending on the colourant	
Odour:	product specific	
Odour threshold:	not determined	
pH value:	not applicable	
softening temperature:	> 100 °C	
Boiling range:	The substance / product decomposes therefore not determined.	
Sublimation point:	No applicable information available.	
Flash point:	> 200 °C	(ASTM D1929)
Evaporation rate:	not applicable, The product is a non-volatile solid.	
Flammability:	not highly flammable	

Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	> 360 °C	(ASTM D1929)
Vapour pressure:	not applicable	
Density:	approx. 10 - 400 kg/m3 (20 °C, 1.013 hPa)	
Relative density:	(20 °C, 1.013 hPa) Study does not need to be conducted., Enclosed air bubbles cause the product to float on water.	
Relative vapour density (air):	not applicable, The product is a non-volatile solid.	
Solubility in water:	not soluble (20 °C, 1.013 hPa)	
Solubility (qualitative) :	No applicable information available.	
Solubility (quantitative) :	No applicable information available.	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Self ignition:	not self-igniting	
Thermal decomposition:	> 230 °C To avoid thermal decomposition, do not overheat. Prolonged thermal loading can result in products of degradation being given off.	
Viscosity, dynamic:	not applicable, the product is a solid	
Viscosity, kinematic:	not applicable, the product is a solid	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	

Other information

Self heating ability:	It is not a substance capable of spontaneous heating.
Bulk density:	8 - 300 kg/m3 (20 °C, 1.013 hPa)

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.
The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid
Avoid extreme heat. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

Substances to avoid:
strong acids, strong oxidizing agents

Hazardous decomposition products

Possible decomposition products:
At prolonged and/or strong thermal stressing above the decomposition temperature dangerous decomposition products can be formed.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Inhalation of particulates may cause respiratory tract irritation. Ingestion may cause gastrointestinal disturbances. Contact with molten product may cause thermal burns. The resin in pelleted form poses a low hazard.

Experimental/calculated data:
LD50 rat (oral): > 5.000 mg/kg

Irritation

Assessment of irritating effects:
Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Respiratory/Skin sensitization

Assessment of sensitization:
Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Germ cell mutagenicity

Assessment of mutagenicity:
Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Carcinogenicity

Assessment of carcinogenicity:
Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Reproductive toxicity

Assessment of reproduction toxicity:
Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Developmental toxicity

Assessment of teratogenicity:
Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms.
The product has not been tested. The statement has been derived from the structure of the product.

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The polymer component of the product is poorly biodegradable. The insoluble fraction can be removed by mechanical means in suitable waste water treatment plants.
In accordance with the required stability the product is not readily biodegradable. The product has not been tested. The statement has been derived from the structure of the product.

Elimination information:
Poorly biodegradable.

Bioaccumulative potential

Bioaccumulation potential:
Because of the product's consistency and low water solubility, bioavailability is improbable.

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: Study scientifically not justified.

Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

Additional information

Adsorbable organically-bound halogen (AOX):
This product contains no organically-bound halogen.

Add. remarks environm. fate & pathway:
Due to the consistency of the product, dispersion into the environment is impossible. Therefore no negative effects on the environment may be anticipated based on the present state of knowledge.

13. Disposal Considerations

Waste treatment methods

Check for possible recycling.
Observe national and local legal requirements.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.
Completely emptied packagings can be given for recycling.

14. Transport Information

UN number
See corresponding entries for “UN number” for the respective regulations in the tables above.

UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

Special precautions for user
See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS (Safety Data Sheet) in accordance with NBR14725-2.

16. Other Information

In addition to the information given in the safety data sheet we refer to the product specific 'Technical Information'.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.