amended



CONVISO ONE

Version 3 / GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name CONVISO ONE

Product code (UVP) 80979444

**UFI** T4V0-30VG-E00D-VS6S (for Northern Ireland only)

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited

230 Cambridge Science Park

Milton Road

CB4 0WB Cambridge United Kingdom

**Telephone** +44(0)1223 226500

**Telefax** +44(0)1223 426240

FOR IRELAND & Bayer CropScience Ltd

NORTHERN IRELAND: Bayer Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan Co. Dublin A94 H2K7 Ireland

**Telephone** +353 1 216 3300

**Responsible Department** Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

**Emergency telephone no.** 0330 678 3382 (24 hr)

For Medical Professionals:

You can also contact the relevant NPIS.

For Members to the Public:

You can contact NHS111 (for GB) or your local GP (for Northern

Ireland)

National Poisons Information Centre UK: 0344 892 0111 National Poisons Information Centre Dublin: +353 1 809 2166

amended



CONVISO ONE

 Version 3 / GB
 Revision Date: 13.03.2025

 102000025743
 Print Date: 13.03.2025

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Aspiration hazard: Category 1

H304 May be fatal if swallowed and enters airways.

Skin irritation: Category 2

H315 Causes skin irritation.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Serious eye damage: Category 1

H318 Causes serious eye damage.

Acute toxicity: Category 4

H332 Harmful if inhaled.

Carcinogenicity: Category 2

H351 Suspected of causing cancer.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

### Hazardous components which must be listed on the label:

- Thiencarbazone-methyl
- Foramsulfuron
- Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene
- Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated









Signal word: Danger

#### **Hazard statements**

H304	May be fatal if swallowed a	nd enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

amended



CONVISO ONE
Version 3 / GB
Revision Date: 13.03.2025

102000025743 Revision Date: 13.03.2025 Revision Date: 13.03.2025

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

# **Precautionary statements**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P331 Do NOT induce vomiting.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

+ P338 present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.

Foramsulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

#### Chemical nature

Oil dispersion (OD)

Thiencarbazon-methyl 30g/l; Foramsulfuron 50 g/l

# **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Foramsulfuron	173159-57-4	Aquatic Chronic 1, H410 Aquatic Acute 1, H400 Carc. 2, H351	4.85
Thiencarbazone-methyl	317815-83-1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	2.91

amended



**CONVISO ONE**Version 3 / GB
Revision Date: 13.03.2025

102000025743 Revision Date: 13.03.2025

Hydrocarbons, C10-C13, aromatics, <1% naphthalene	922-153-0 01-2119451097-39-xxxx	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	>= 50 - < 70
Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated	1492044-51-5	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	>= 3 - < 10
Docusate sodium	577-11-7 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	>= 3 - < 10
Hydrocarbons, C9, aromatics	918-668-5 01-2119455851-35-XXXX	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H335 STOT SE 3, H336 Aquatic Chronic 2, H411	>= 2.5 - < 10
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	1335202-81-7 932-231-6 01-2119560592-37-xxxx	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	>= 1 - < 2.5

#### **Further information**

Foramsulfuron	173159-57-4	M-Factor: 1,000 (acute), 100 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **Particle characteristics**

This substance/ mixture does not contain nanoforms

# **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** Symptoms and hazards refer to the solvent.

Headache, Nausea, Dizziness, Somnolence

amended



**CONVISO ONE** 5/14

Version 3/GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

Aspiration may cause pulmonary oedema and pneumonitis.

Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever

4.3 Indication of any immediate medical attention and special treatment needed

**Risks** Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

Treat symptomatically. In case of ingestion gastric lavage should be **Treatment** 

> considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

**SECTION 5: FIREFIGHTING MEASURES** 

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2),

Nitrogen oxides (NOx), Sulphur oxides

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

**SECTION 6: ACCIDENTAL RELEASE MEASURES** 

6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

Additional advice Check also for any local site procedures.

amended



CONVISO ONE 6/14

Version 3 / GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials

Coex HDPE/EVOH/HDPE

7.3 Specific end use(s)

Refer to the label and/or leaflet.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Foramsulfuron	173159-57-4	10 mg/m3 (TWA)		OES BCS*
Thiencarbazone-methyl	317815-83-1	10 mg/m3 (TWA)		OES BCS*
2-Ethylhexanol	104-76-7	5.4 mg/m3/1 ppm (TWA)	08 2018	EH40 WEL

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

amended



CONVISO ONE 7/14

Version 3 / GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating.

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent)

and faceshield (conforming to EN166, Field of Use = 3 or

equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Form suspension

Colour beige to brown

**Odour** aromatic

Odour Threshold

Melting point/ range

Boiling Point

No data available

No data available

No data available

No data available

Upper explosion limit 7.00 %(V)

The data refer to the solvent.

Lower explosion limit 0.8 %(V)

The data refer to the solvent.

Flash point 83.5 °C

amended



CONVISO ONE 8/14

Version 3 / GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

Auto-ignition temperature No data available

Ignition temperature 420 °C

Self-accelarating

decomposition temperature

(SADT)

No data available

**pH** 4.0 - 5.5 (10 %) (23 °C) (deionized water)

Viscosity, dynamic No data available

Viscosity, kinematic 20 mm²/s (40 °C) Water solubility No data available

Partition coefficient: n-

octanol/water

Foramsulfuron: log Pow: 0.60

Thiencarbazone-methyl: log Pow: -0.13

Surface tension 29 mN/m (25 °C)

Determined in the undiluted form.

35 mN/m (20 °C)

Determined as a 0,1% solution in distilled water (1 g/l).

Vapour pressure

No data available

1.03 g/cm³ (20 °C)

Relative density

No data available

Relative vapour density 1.00

The data refer to the solvent.

Assessment nano particles This substance/ mixture does not contain nanoforms

Particle size No data available

9.2 Other information

Impact sensitivity Not impact sensitive.

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

Oxidizing properties No oxidizing properties

**Evaporation rate** No data available

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

### **SECTION 10: STABILITY AND REACTIVITY**

amended



CONVISO ONE 9/14

Version 3 / GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

**10.1 Reactivity** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of**No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

decomposition products

10.6 Hazardous

No decomposition products expected under normal conditions of use.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) 4.91 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg Skin corrosion/irritation Irritating to skin. (Rabbit)

Serious eye damage/eye

irritation

Risk of serious damage to eyes. (Rabbit)

Respiratory or skin Skin: Sensitising (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

### Assessment STOT Specific target organ toxicity - single exposure

Foramsulfuron: Based on available data, the classification criteria are not met.

Thiencarbazone-methyl: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Foramsulfuron did not cause specific target organ toxicity in experimental animal studies.

Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies.

### **Assessment mutagenicity**

Foramsulfuron was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### **Assessment carcinogenicity**

Foramsulfuron: Suspected of causing cancer.

Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.

# Assessment toxicity to reproduction

amended



CONVISO ONE 10/14

Version 3 / GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

Foramsulfuron did not cause reproductive toxicity in a two-generation study in rats.

Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.

# Assessment developmental toxicity

Foramsulfuron did not cause developmental toxicity in rats and rabbits.

Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### **Further information**

No further toxicological information is available.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

**Assessment** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 6.72 mg/l

static test; Exposure time: 96 h

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) 6.21 mg/l static test; Exposure

time: 48 h

**Toxicity to aquatic plants** EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.81 mg/l

Growth rate; Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)) 0.0134 mg/l

Growth rate; Exposure time: 7 d

### 12.2 Persistence and degradability

**Biodegradability** Foramsulfuron:

Not rapidly biodegradable Thiencarbazone-methyl: Not rapidly biodegradable

**Koc** Foramsulfuron: Koc: 38 - 151

Thiencarbazone-methyl: Koc: 100

# 12.3 Bioaccumulative potential

**Bioaccumulation** Foramsulfuron:

Does not bioaccumulate. Thiencarbazone-methyl: Does not bioaccumulate.

#### 12.4 Mobility in soil

amended



**CONVISO ONE** 11/14

Version 3/GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

Mobility in soil Foramsulfuron: Mobile in soils

Thiencarbazone-methyl: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Foramsulfuron: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have

> endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No further ecological information is available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Contaminated packaging Triple rinse containers.

Do not re-use empty containers.

Not completely emptied packagings should be disposed of as

hazardous waste.

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.

# **SECTION 14: TRANSPORT INFORMATION**

ADR/RID/ADN

14.1 UN number

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIENCARBAZONE-METHYL SOLUTION)

14.3 Transport hazard class(es)

9 Ш

14.4 Packing group 14.5 Environm, Hazardous Mark

YES 90

Hazard no.

**Tunnel Code** 

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

amended



CONVISO ONE

Version 3 / GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

**IMDG** 

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIENCARBAZONE-METHYL SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

**IATA** 

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIENCARBAZONE-METHYL SOLUTION)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environm. Hazardous Mark
YES

**UK 'Carriage' Regulations** 

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIENCARBAZONE-METHYL SOLUTION)

14.3 Transport hazard class(es)914.4 Packing groupIII14.5 Environm. Hazardous MarkYESEmergency action code3Z

#### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

# 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# **UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### **Transport**

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

#### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

amended



CONVISO ONE

Version 3 / GB Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

### **Waste Treatment**

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

#### **Further information**

WHO-classification: III (Slightly hazardous)

### **SECTION 16: OTHER INFORMATION**

#### Text of the hazard statements mentioned in Section 3

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

# Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x % EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

amended



CONVISO ONE
Version 3 / GB
Revision Date: 13.03.2025

102000025743 Print Date: 13.03.2025

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument
TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** The following sections have been revised: Section 3: Composition /

Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.