amended



1/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name PACIFICA PLUS

Product code (UVP) 80008880

UFI PQU0-K0EG-V00X-J29F (for Northern Ireland only)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited

230 Cambridge Science Park

Milton Road

CB4 0WB Cambridge United Kingdom

Telephone +44(0)1223 226500

Telefax +44(0)1223 426240

FOR IRELAND & Bayer CropScience Ltd

NORTHERN IRELAND: Bayer Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan Co. Dublin A94 H2K7 Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 0330 678 3382 (24 hr)

For Medical Professionals:

You can also contact the relevant NPIS.

For Members to the Public:

You can contact NHS111 (for GB) or your local GP (for Northern

Ireland)

National Poisons Information Centre UK: 0344 892 0111 National Poisons Information Centre Dublin: +353 1 809 2166

amended



2/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Serious eye damage: Category 1

H318 Causes serious eye damage.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Amidosulfuron-sodium
- lodosulfuron-methyl-sodium
- · Mesosulfuron-methyl, sodium salt
- Mefenpyr-diethyl







Signal word: Danger Hazard statements

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

+ P338 present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P310 Immediately call a POISON CENTER/doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

amended



3/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

2.3 Other hazards

No additional hazards known beside those mentioned.

Amidosulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Water dispersible granules (WG)

Amidosulfuron/lodosulfuron-methyl -sodium/Mesosulfuron -methyl/Mefenpyr-diethyl 5,0:1,0:3,0:9,0 %

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Amidosulfuron-sodium	596120-00-2 01-0000019399-56-0000	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	5.3
lodosulfuron-methyl- sodium	144550-36-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	1
Mesosulfuron-methyl, sodium salt	208465-19-4 606-652-8 01-2121007338-60-0000	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	3.1
Mefenpyr-diethyl	135590-91-9 01-2119480146-39-0000	Aquatic Chronic 2, H411	9
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5 01-2119451097-39-XXXX	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 10 - < 25
Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412	> 0.5 - < 5

amended



PACIFICA PLUS 4/16

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

Aromatic hydrocarbons, C10-13, reaction products with branched nonene, sulfonated, sodium salts	1258274-08-6 01-2119980591-31-xxxx	Skin Irrit. 2, H315 Eye Dam. 1, H318	> 0.1 - < 5
Docusate sodium	577-11-7 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 0.1 - < 0.5
Kaolin	1332-58-7	Not classified	> 15 - < 30
Diacetone alcohol	123-42-2	Flam. Liq. 3, H226 STOT SE 3, H335 Eye Irrit. 2, H319	< 0.1
Amorphous silica	63231-67-4	Not classified	
Naphthalene	91-20-3	Acute Tox. 4, H302 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.1 - < 0.5
Calcium dodecylbenzenesulphonat e	26264-06-2 01-2119560592-37-XXXX	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	>1-<5

Further information

lodosulfuron-methyl- sodium	144550-36-7	M-Factor: 1,000 (acute)
Mesosulfuron-methyl, sodium salt	208465-19-4	M-Factor: 100 (acute), 100 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately and dispose of safely. When symptoms develop and persist, seek

medical advice.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

amended



PACIFICA PLUS 5/16

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. Gastric lavage is not normally required.

> However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides, Hydrogen iodide (HI)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Remove product from areas of fire, or otherwise cool containers with

water in order to avoid pressure being built up due to heat. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting

to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800

807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment. Keep in suitable, closed

containers for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

amended



6/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened

packs/containers; follow relevant manual handling advice. Ensure

adequate ventilation. Avoid dust formation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials

Cylindrical bottles 0.25 – 1 L : COEXEV/COEXPA Aluminium composite film (min. 0,007 mm Aluminium)

7.3 Specific end use(s)

Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
lodosulfuron-methyl-sodium	144550-36-7	1 mg/m3 (TWA)		OES BCS*
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
Kaolin (Respirable dust.)	1332-58-7	2 mg/m3 (TWA)	12 2011	EH40 WEL
Synthetic amorphous silica (Inhalable dust.)	112926-00-8	6 mg/m3 (TWA)	2007	EH40 WEL
Synthetic amorphous silica (Respirable dust.)	112926-00-8	2.4 mg/m3 (TWA)	2007	EH40 WEL
Synthetic amorphous silica (Inhalable dust.)	112926-00-8	10 mg/m3 (TWA)	01 2020	EH40 WEL

amended



7/16

PACIFICA PLUS

 Version 5 / GB
 Revision Date: 17.12.2024

 102000020526
 Print Date: 19.03.2025

Synthetic amorphous silica	112926-00-8	4 mg/m3 (TWA)	01 2020	EH40 WEL
(Respirable dust.)		,		
lodosulfuron-methyl-sodium	144550-36-7	1 mg/m3 (TWA)		OES BCS*
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
Amorphous silica	63231-67-4	6 mg/m3 (TWA)	2007	EH40 WEL
(Inhalable dust.)				
Amorphous silica	63231-67-4	2.4 mg/m3 (TWA)	2007	EH40 WEL
(Respirable dust.)				
Amorphous silica	63231-67-4	10 mg/m3 (TWA)	01 2020	EH40 WEL
(Inhalable dust.)		,		
Amorphous silica	63231-67-4	4 mg/m3 (TWA)	01 2020	EH40 WEL
(Respirable dust.)				
Kaolin	1332-58-7	2 mg/m3 (TWA)	12 2011	EH40 WEL
(Respirable dust.)				
Diacetone alcohol	123-42-2	241 mg/m3/50 ppm (TWA)	2007	EH40 WEL
Diacetone alcohol	123-42-2	362 mg/m3/75 ppm (STEL)	01 2020	EH40 WEL

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with a particle filter mask (protection factor 4) conforming to European Norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated

amended



8/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

inside, when perforated or when contamination on the outside cannot

be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Break through time > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent)

and faceshield (conforming to EN166, Field of Use = 3 or

equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form water-dispersible granules

Colour beige to brown

Odour aromatic

Odour Threshold No data available

Melting point/ range No data available

Boiling Point No data available

Flammability The product is not highly flammable.

Upper explosion limitNo data availableLower explosion limitNo data availableFlash pointNo data availableAuto-ignition temperatureNo data available

Ignition temperature 270 °C

Minimum ignition energy 100 - 300 mJ

Thermal decomposition 120 °C Heating rate: 3 K/min Decomposition energy: 10 kJ/kg,

Self-accelarating

decomposition temperature

(SADT)

No data available

pH 7.5 - 9.5 (10 %) (23 °C) (deionized water)

Viscosity, dynamic No data available

amended



9/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

Viscosity, kinematic No data available Water solubility No data available

Partition coefficient: n-

octanol/water

Amidosulfuron: log Pow: -1.56 (22 °C) (pH 7)

lodosulfuron-methyl-sodium: log Pow: -0.7

Mesosulfuron-methyl: log Pow: -0.48 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)

Vapour pressure No data available **Density** No data available Relative density No data available

0.637 - 0.747 g/ml (loose) **Bulk density**

Relative vapour density No data available

This substance/ mixture does not contain nanoforms Assessment nano particles

9.2 Other information

Explosivity Not explosive

Oxidizing properties No oxidizing properties No data available **Evaporation rate**

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Stable under normal conditions. 10.1 Reactivity

Stable under recommended storage conditions. 10.2 Chemical stability

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Strong oxidizing agents, Strong reducing agents, Store only in the

original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

amended



10/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Acute inhalation toxicity

Inhalation is no relevant route of exposure for this formulation. No

volatility, no aerosols under normal conditions.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye

Respiratory or skin

irritation

Risk of serious damage to eyes. (Rabbit)

Skin: Sensitising (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Amidosulfuron: Based on available data, the classification criteria are not met.

lodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met. Mesosulfuron-methyl: Based on available data, the classification criteria are not met. Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Amidosulfuron did not cause specific target organ toxicity in experimental animal studies. Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies. Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Amidosulfuron was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. lodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Amidosulfuron was not carcinogenic in lifetime feeding studies in rats and mice. lodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice. Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Amidosulfuron did not cause reproductive toxicity in a two-generation study in rats. lodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats. Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Amidosulfuron did not cause developmental toxicity in rats and rabbits. lodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits. Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits. Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

amended



PACIFICA PLUS 11/16

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

No further toxicological information is available.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 11.5 mg/l

Exposure time: 96 h

Toxicity to aquatic

invertebrates Exposure time: 48 h

EC50 (Daphnia magna (Water flea)) 15 mg/l

Growth rate; Exposure time: 72 h

ErC50 (Lemna gibba (gibbous duckweed)) 0.0199 mg/l

Growth rate; Exposure time: 7 d

12.2 Persistence and degradability

Biodegradability Amidosulfuron:

Not rapidly biodegradable lodosulfuron-methyl-sodium: Not rapidly biodegradable Mesosulfuron-methyl: Not rapidly biodegradable

Mefenpyr-diethyl:

Not rapidly biodegradable

Koc Amidosulfuron: Koc: 36

Iodosulfuron-methyl-sodium: Koc: 45

Mesosulfuron-methyl: Koc: 347; log Koc: 2.54

Mefenpyr-diethyl: Koc: 625

12.3 Bioaccumulative potential

Bioaccumulation Amidosulfuron:

Does not bioaccumulate.
lodosulfuron-methyl-sodium:
Does not bioaccumulate.
Mesosulfuron-methyl:

On the basis of the partition coefficient n-octanol/water (log pOW) no

amended



12/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

accumulation in organisms is expected.

Mefenpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Amidosulfuron: Mobile in soils

lodosulfuron-methyl-sodium: Mobile in soils Mesosulfuron-methyl: Moderately mobile in soils

Mefenpyr-diethyl: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Amidosulfuron: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

lodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part

of the Environment Agency in the UK).

amended



13/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

Contaminated packaging Triple rinse containers.

Do not re-use empty containers.

Not completely emptied packagings should be disposed of as

hazardous waste.

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3077**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL-SODIUM, MESOSULFURON-

METHYL-SODIUM)

14.3 Transport hazard class(es) 9

14.4 Packing group III

14.5 Environm. Hazardous Mark YES Hazard no. 90 Tunnel Code -

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1	UN number	3077
------	-----------	------

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL-SODIUM, MESOSULFURON-

METHYL-SODIUM)

14.3 Transport hazard class(es) 9
14.4 Packing group III

14.5 Marine pollutant YES

IATA

14.1 UN number **3077**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

9

(IODOSULFURON-METHYL-SODIUM, MESOSULFURON-

METHYL-SODIUM)

14.3 Transport hazard class(es)

14.4 Packing group III

14.5 Environm. Hazardous Mark YES

UK 'Carriage' Regulations

14.1 UN number 3077

amended



14/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL-SODIUM, MESOSULFURON-

METHYL-SODIUM)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES
Emergency action code 2Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

amended



PACIFICA PLUS 15/16

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

May be fatal if swallowed and enters airways. H304

H315 Causes skin irritation.

Causes serious eye damage. H318 Causes serious eye irritation. H319 May cause respiratory irritation. H335 Suspected of causing cancer. H351 Very toxic to aquatic life. H400

Very toxic to aquatic life with long lasting effects. H410 Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

Acute toxicity estimate ATE

Chemical Abstracts Service number CAS-Nr.

Concentration Conc.

European community number EC-No. **EC**x Effective concentration to x %

EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

European list of notified chemical substances **ELINCS**

ΕN European Standard EU **European Union**

IATA International Air Transport Association

International Code for the Construction and Equipment of Ships Carrying Dangerous IBC

> Chemicals in Bulk (IBC Code) Inhibition concentration to x %

International Maritime Dangerous Goods **IMDG**

Lethal concentration to x % LCx

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships MARPOL

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

Organization for Economic Co-operation and Development OECD

Regulations concerning the International Carriage of Dangerous Goods by Rail RID

SI Statutory Instrument Time weighted average **TWA**

UN **United Nations**

WHO World health organisation

The above information is intended to give general health and safety guidance on the storage and



16/16

PACIFICA PLUS

Version 5 / GB Revision Date: 17.12.2024 102000020526 Print Date: 19.03.2025

transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: The following sections have been revised: Section 14: Transport

Information.

The following sections have been revised: Section 3: Composition /

Information on Ingredients. Section 4: First Aid Measures.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.