amended



 CERONE
 1/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name CERONE Product code (UVP) 05927242

UFI 3GS0-E0G5-X002-C64S (for Northern Ireland only)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Growth regulator

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited

230 Cambridge Science Park

Milton Road

CB4 0WB Cambridge United Kingdom

Telephone +44(0)1223 226500

Telefax +44(0)1223 426240

FOR IRELAND & Bayer CropScience Ltd

NORTHERN IRELAND: Baver Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan Co. Dublin A94 H2K7 Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 0330 678 3382 (24 hr)

For Medical Professionals:

You can also contact the relevant NPIS.

For Members to the Public:

You can contact NHS111 (for GB) or your local GP (for Northern

Ireland)

National Poisons Information Centre UK: 0344 892 0111 National Poisons Information Centre Dublin: +353 1 809 2166

amended



 CERONE
 2/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Corrosive to metals: Category 1

H290 May be corrosive to metals.

Serious eye damage: Category 1

H318 Causes serious eye damage. Long-term (chronic) aquatic hazard: Category 2

H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Ethephon





Signal word: Danger Hazard statements

H290 May be corrosive to metals.H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

+ P338 present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Ethephon: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

amended



 CERONE

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Soluble concentrate (SL) Ethephon 480 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Ethephon	16672-87-0	Aquatic Chronic 2, H411 Skin Corr. 1C, H314 Acute Tox. 3, H311 Acute Tox. 4, H302 Acute Tox. 4, H332	40.00
2-Butoxyethanol	111-76-2	Skin Irrit. 2, H315 Acute Tox. 4, H332 Eye Irrit. 2, H319 Acute Tox. 4, H302	> 1.00 - < 3.00

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest.

amended



 CERONE

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

Skin contact Wash off immediately with soap and plenty of water. Get medical

attention if irritation develops and persists.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

Ingestion Do NOT induce vomiting. Keep at rest. Rinse mouth. Obtain medical

attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Local:, Burns on skin and mucosal tissues

Systemic:, Gastro-intestinal irritation, This product causes reversible

cholinesterase inhibition without long term effects.

4.3 Indication of any immediate medical attention and special treatment needed

Risks Must NOT be confused with organophosphorus compounds!

Treatment Treat symptomatically. Gastric lavage is not normally required.

However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is

no specific antidote. Contraindication: atropine.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Carbon monoxide (CO), Nitrogen oxides (NOx), Oxides of phosphorus, Hydrogen

chloride (HCI)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear self-

contained breathing apparatus and protective suit.

Further information Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep people away from and upwind of spill/leak. Avoid contact with

spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective

equipment.

amended



 CERONE
 5/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800

807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Recover the product by pumping, suction or absorption using a dry

and inert absorbent clay. Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened

packs/containers; follow relevant manual handling advice. Ensure

adequate ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Remove contaminated clothing immediately and dispose of safely. Wash hands before breaks and immediately after handling the

product. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a cool, well-ventilated

place. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Ethephon	16672-87-0	1.4 mg/m3 (TWA)		OES BCS*
2-Butoxyethanol	111-76-2	123 mg/m3/25 ppm (TWA)	12 2011	EH40 WEL

amended



 CERONE
 6/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

2-Butoxyethanol	111-76-2	246 mg/m3/50 ppm	01 2020	EH40 WEL
		(STEL)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
2-Butoxyethanol	111-76-2	Butoxyacetic acid	Creatinine in urine	Sampling time: End of shift.	240 mmol/mol	UKEH40BMG V

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot

be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent)

and faceshield (conforming to EN166, Field of Use = 3 or

equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

General protective measures In normal use and handling conditions please refer to the label

amended



 CERONE
 7/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

and/or leaflet. In all other cases the above mentioned recommendations would apply.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form Liquid

Colourcolourless to brownOdourNo data availableOdour ThresholdNo data availableMelting point/ rangeNo data available

Boiling point/boiling range 100 °C

Flammability

Upper explosion limit

Lower explosion limit

No data available

No data available

Flash point Not relevant; aqueous solution

Auto-ignition temperature > 600 °C

Thermal decomposition 250 - 400 °CThe value mentioned relates to the active ingredient.

Self-accelarating

decomposition temperature

(SADT)

PH <= 1.8 (1 %) (23 °C) (deionized water)

No data available

Viscosity, dynamic No data available

Viscosity, kinematic 2.52 mm²/s (40 °C)

Water solubility miscible

Partition coefficient: n-

octanol/water

Ethephon: log Pow: -1.89

Surface tension 37.9 mN/m (20 °C)

Determined as a 1% solution in distilled water.

Vapour pressure No data available

Density ca. 1.20 g/cm³ (20 °C)

Relative density

No data available

Relative vapour density

No data available

Assessment nano particles This substance/ mixture does not contain nanoforms

amended



 CERONE
 8/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

Particle size No data available

9.2 Other information

ExplosivityNo data availableOxidizing propertiesNo data availableEvaporation rateNo data available

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Corrodes metals in the presence of water or moisture. Risk of ethylene emission in case of increasing pH.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Metals

10.6 Hazardous

Gaseous hydrocarbons that may form explosive mixtures with air.

decomposition products Hydrogen chloride formation.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Acute inhalation toxicity

Not relevant

During intended and foreseen applications, no respirable aerosol is

formed.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

ATE (Mix) (Rabbit) > 2,000 mg/kg

Calculation method

Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye

irritation

Risk of serious damage to eyes. (Rabbit)

Respiratory or skin

sensitisation

Skin: Non-sensitizing.

amended



 CERONE
 9/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

Assessment STOT Specific target organ toxicity - single exposure

Ethephon: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Ethephon did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Ethephon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Ethephon was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Ethephon did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Ethephon did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/n

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l

Exposure time: 96 h

Toxicity to aquatic

Exposure time: 48 h

invertebrates

The value mentioned relates to the active ingredient.

(Daphnia magna (Water flea)) > 721 mg/l

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) 98 mg/l

Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)) > 1.6 mg/l

Exposure time: 14 d

The value mentioned relates to the active ingredient ethephon.

EC10 (Lemna gibba (gibbous duckweed)) 0.21 mg/l

The value mentioned relates to the active ingredient ethephon.

12.2 Persistence and degradability

Biodegradability Ethephon:

amended



 CERONE
 10/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

Not rapidly biodegradable

Koc Ethephon: Koc: 2540

12.3 Bioaccumulative potential

Bioaccumulation Ethephon:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Ethephon: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Ethephon: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part

of the Environment Agency in the UK).

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling.

Dispose of empty and cleaned packaging safely.

Large containers (> 25 I or > 25 kg) should not be rinsed or re-used for

any other purpose.

Return large containers to supplier.

Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number 3265

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(ETHEPHON SOLUTION)

amended



 CERONE
 11/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

14.3 Transport hazard class(es)814.4 Packing groupIII14.5 Environm. Hazardous MarkYESHazard no.80Tunnel CodeE

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number 3265

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(ETHEPHON SOLUTION)

14.3 Transport hazard class(es)814.4 Packing groupIII14.5 Marine pollutantYES

Segregation group according to IMDG SEGREGATION GROUP 1 - ACIDS

5.4.1.5.11.1

IATA

14.1 UN number 3265

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(ETHEPHON SOLUTION)

14.3 Transport hazard class(es) 8
14.4 Packing group III
14.5 Environm. Hazardous Mark YES

UK 'Carriage' Regulations

14.1 UN number 3265

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(ETHEPHON SOLUTION)

14.3 Transport hazard class(es)814.4 Packing groupIII14.5 Environm. Hazardous MarkYESEmergency action code2X

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

amended



CERONE 12/13 Version 10 / GB Revision Date: 12.12.2024 102000001937 Print Date: 18.03.2025

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Laver 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

European Agreement concerning the International Carriage of Dangerous Goods by ADN

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

Chemical Abstracts Service number CAS-Nr.

Concentration Conc.

European community number EC-No. ECx Effective concentration to x % EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

European list of notified chemical substances **ELINCS**

ΕN European Standard

amended



 CERONE
 13/13

 Version 10 / GB
 Revision Date: 12.12.2024

 102000001937
 Print Date: 18.03.2025

EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument
TWA Time weighted average

UN United Nations

WHO World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.