



## PREVICUR ENERGY

Version 1 / GB  
102000004473

1/12  
Revision Date: 22.01.2025  
Print Date: 19.03.2025

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Trade name** PREVICUR ENERGY  
**Product code (UVP)** 06396712, 81705194  
**UFI** KE50-2081-X006-HDSF (for Northern Ireland only)  
**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Fungicide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer CropScience Limited  
230 Cambridge Science Park  
Milton Road  
CB4 0WB Cambridge  
United Kingdom

**Telephone** +44(0)1223 226500

**Telefax** +44(0)1223 426240

**FOR IRELAND & NORTHERN IRELAND:** Bayer CropScience Ltd  
Bayer Ltd  
1st Floor, The Grange Offices  
The Grange, Brewery Road  
Stillorgan  
Co. Dublin  
A94 H2K7  
Ireland

**Telephone** +353 1 216 3300

**Responsible Department** Email: gb-bcs-crop-regulatory-affairs@bayer.com

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 0330 678 3382 (24 hr)

For Medical Professionals:  
You can also contact the relevant NPIS.

For Members to the Public:  
You can contact NHS111 (for GB) or your local GP (for Northern Ireland)

National Poisons Information Centre UK: 0344 892 0111  
National Poisons Information Centre Dublin: +353 1 809 2166



## PREVICUR ENERGY

Version 1 / GB  
102000004473

2/12  
Revision Date: 22.01.2025  
Print Date: 19.03.2025

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

#### 2.2 Label elements

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Propamocarb
- Fosetyl



**Signal word:** Warning

#### Hazard statements

H317 May cause an allergic skin reaction.  
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

#### Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.

Propamocarb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Fosetyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f)



## PREVICUR ENERGY

Version 1 / GB  
102000004473

3/12  
Revision Date: 22.01.2025  
Print Date: 19.03.2025

or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

##### Chemical nature

Soluble concentrate (SL)  
Propamocarb/Fosetyl 530:310 g/l

##### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Propamocarb	24579-73-5	Skin Sens. 1, H317	47.30
Fosetyl	15845-66-6	Eye Dam. 1, H318	27.70
Sodium chloride	7647-14-5	Not classified	>= 1.0

##### Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

##### Particle characteristics

This substance/ mixture does not contain nanoforms

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move the victim to fresh air and keep at rest. If symptoms persist, call a physician.
<b>Skin contact</b>	Wash off with soap and water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists, see an ophthalmologist.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	The following symptoms may occur: lethargy, ataxia, Spasm, Local; sensitising effects
-----------------	---



## PREVICUR ENERGY

Version 1 / GB  
102000004473

4/12

Revision Date: 22.01.2025  
Print Date: 19.03.2025

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Risks</b>	This product, although being a carbamate, is NOT a cholinesterase inhibitor.
<b>Treatment</b>	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote. Contraindication: atropine. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet

<b>5.2 Special hazards arising from the substance or mixture</b>	Dangerous gases are evolved in the event of a fire.
--	---

### 5.3 Advice for firefighters

<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>Precautions</b>	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

<b>6.2 Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).
--------------------------------------	---

### 6.3 Methods and materials for containment and cleaning up

<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
<b>Additional advice</b>	Check also for any local site procedures.



## PREVICUR ENERGY

Version 1 / GB  
102000004473

5/12

Revision Date: 22.01.2025  
Print Date: 19.03.2025

### 6.4 Reference to other sections

Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

<b>Advice on safe handling</b>	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
<b>Advice on protection against fire and explosion</b>	No special precautions required.
<b>Hygiene measures</b>	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Wash hands immediately after work, if necessary take a shower.

### 7.2 Conditions for safe storage, including any incompatibilities

<b>Requirements for storage areas and containers</b>	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.
<b>Advice on common storage</b>	Keep away from food, drink and animal feedingstuffs.
<b>Suitable materials</b>	HDPE (high density polyethylene)
<b>7.3 Specific end use(s)</b>	Refer to the label and/or leaflet.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Propamocarb	24579-73-5	1.1 mg/m <sup>3</sup> (TWA)		OES BCS*
Sodium chloride	7647-14-5	10 mg/m <sup>3</sup> (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

**Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

<b>Respiratory protection</b>	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of
-------------------------------	---



## PREVICUR ENERGY

Version 1 / GB  
102000004473

6/12

Revision Date: 22.01.2025  
Print Date: 19.03.2025

short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

### Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

### Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

### General protective measures

If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	colourless to light yellow
Odour	odourless
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	> 120 °C (1,013 hPa),
Auto-ignition temperature	300 °C



## PREVICUR ENERGY

Version 1 / GB  
102000004473

7/12  
Revision Date: 22.01.2025  
Print Date: 19.03.2025

<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>pH</b>	6.0 - 7.5 (100 %) (23 °C)
<b>Viscosity, dynamic</b>	No data available
<b>Viscosity, kinematic</b>	36.9 mm <sup>2</sup> /s (40 °C)
<b>Water solubility</b>	completely miscible
<b>Partition coefficient: n-octanol/water</b>	Propamocarb: log Pow: 0.84  Fosetyl: log Pow: -0.70
<b>Surface tension</b>	59 mN/m (20 °C) Determined as a 1% solution in distilled water.
<b>Vapour pressure</b>	No data available
<b>Density</b>	ca. 1.12 g/cm <sup>3</sup> (20 °C)
<b>Relative density</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Assessment nano particles</b>	This substance/ mixture does not contain nanoforms
<b>Particle size</b>	No data available
<b>9.2 Other information</b>	
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>Oxidizing properties</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Other physico-chemical properties</b>	Further safety related physical-chemical data are not known.

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.



## PREVICUR ENERGY

Version 1 / GB  
102000004473

8/12  
Revision Date: 22.01.2025  
Print Date: 19.03.2025

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

<b>Acute oral toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 2.27 mg/l Exposure time: 4 h Highest attainable concentration.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit)
<b>Serious eye damage/eye irritation</b>	No eye irritation (Rabbit)
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

#### Assessment STOT Specific target organ toxicity – single exposure

Propamocarb: Based on available data, the classification criteria are not met.

Fosetyl: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Propamocarb did not cause specific target organ toxicity in experimental animal studies.

Fosetyl did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Propamocarb was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Fosetyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Propamocarb was not carcinogenic in lifetime feeding studies in rats and mice.

Fosetyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Propamocarb did not cause reproductive toxicity in a two-generation study in rats.

Fosetyl did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Propamocarb caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Propamocarb are related to maternal toxicity.

Fosetyl did not cause developmental toxicity in rats and rabbits.

#### Aspiration hazard





## PREVICUR ENERGY

Version 1 / GB  
102000004473

9/12  
Revision Date: 22.01.2025  
Print Date: 19.03.2025

Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) > 98 mg/l  
Exposure time: 96 h

**Toxicity to aquatic invertebrates** EC50 (Daphnia magna (Water flea)) > 97 mg/l  
Exposure time: 48 h

**Toxicity to aquatic plants** EC50 (Raphidocelis subcapitata (freshwater green alga)) > 97 mg/l  
Exposure time: 72 h

### 12.2 Persistence and degradability

**Biodegradability** Propamocarb:  
rapidly biodegradable  
Fosetyl:  
rapidly biodegradable

**Koc** Propamocarb: Koc: 719  
Fosetyl: Koc: 0.1

### 12.3 Bioaccumulative potential

**Bioaccumulation** Propamocarb:  
Does not bioaccumulate.  
Fosetyl:  
Does not bioaccumulate.

### 12.4 Mobility in soil

**Mobility in soil** Propamocarb: Slightly mobile in soils  
Fosetyl: Highly mobile in soils

### 12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Propamocarb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Fosetyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

### 12.6 Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have



## PREVICUR ENERGY

Version 1 / GB  
102000004473

10/12

Revision Date: 22.01.2025  
Print Date: 19.03.2025

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Additional ecological information

No other effects to be mentioned.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

#### Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
Add washings to sprayer at time of filling.  
Dispose of empty and cleaned packaging safely.  
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.  
Return large containers to supplier.  
Follow advice on product label and/or leaflet.

## SECTION 14: TRANSPORT INFORMATION

**According to ADN/ADR/UK 'Carriage' Regulations/RID/IMDG/IATA not classified as dangerous goods.**

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**14.1 – 14.5** Not applicable.

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent



## PREVICUR ENERGY

Version 1 / GB  
102000004473

11/12  
Revision Date: 22.01.2025  
Print Date: 19.03.2025

amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

### Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

### Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

### Further information

WHO-classification: III (Slightly hazardous)

---

## SECTION 16: OTHER INFORMATION

### Text of the hazard statements mentioned in Section 3

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union



## PREVICUR ENERGY

Version 1 / GB  
102000004473

12/12  
Revision Date: 22.01.2025  
Print Date: 19.03.2025

IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

**Reason for Revision:** Section 6. Accidental Release Measures.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.