

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**Revision date** 16-Mar-2023 **Revision Number** 2.2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Pure substance/mixture

**Product Name** BioPlex 2200 EBV IgM Calibrator Set

Catalogue Number(s) 6631300

Contains 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone

Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use In vitro diagnostic

Restricted to professional users

Use according to package label instructions

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

**Corporate Headquarters** Manufacturer Bio-Rad Laboratories Inc. **Bio-Rad Laboratories** 1000 Alfred Nobel Drive 6565-185th Ave NE Redmond, WA 98052 Hercules, CA 94547 USA

USA

**Legal Entity / Contact Address** 

Bio-Rad Laboratories Ltd

The Junction Station Road Watford, WD17 1ET

UK

Bio-Rad Laboratories Pvt. Ltd.

Bio-Rad House

86-87, Udyog Vihar Phase IV Gurgaon

122005 Haryana India

Bio-Rad Laboratories (Pty) Ltd.

34 Bolton Road

Parkwood, Johannesburg 2193

South Africa

For further information, please contact

00800 00246 723 **Technical Service** 

Ireland: Techsupport.UK@bio-rad.com India: support.india@bio-rad.com

South Africa: cdg\_techsupport\_eemea@bio-rad.com

1.4. Emergency telephone number

CHEMTREC Ireland: 353-19014670 24 Hour Emergency Phone Number

CHEMTREC India: 000-800-100-7141 CHEMTREC South Africa: 0-800-983-611

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Page 1/12

Skin sensitisation	Category 1A - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

### 2.2. Label elements

Contains 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone



Signal word Warning

## **Hazard statements**

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

EUH210 - Safety data sheet available on request

## Precautionary Statements - EU (§28, 1272/2008)

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P273 - Avoid release to the environment

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P280 - Wear protective gloves/protective clothing/eye protection/face protection

## 2.3. Other hazards

Harmful to aquatic life.

Contains human source material and / or potentially infectious components

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Component	Description		
CAL	Two (2) 0.5 mL EBV IgM calibrator vials. The calibrators are provided in a human serum matrix made		
	from defibrinated plasma with added known analyte concentrations of EBV VCA IgM, and Heterophile		
	IgM derived from human disease state plasma, and added preservatives including ProClin 300 at a		
	concentration of ≤ 0.3% and sodium benzoate (≤ 0.1%)		

Chemical name	Weight-%	REACH registration number	,	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sodium benzoate 532-32-1	0.1 - 0.299	No data available	208-534-8	No data available	-	-	-
Sodium azide 26628-22-8	0.01 - 0.099	No data available	247-852-1	Acute Tox. 2 (H300) Acute Tox. 1 (H310) (EUH032) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	-	-
5-Chloro-2-methyl-3 (2H)-isothiazolone,		No data available	-	Acute Tox. 3 (H301) Acute Tox. 3 (H311)	Eye Irrit. 2 :: 0.06%<=C<0.6	100	100

EGHS / BE Page 2/12

mixture with	Acute Tox. 3 (H331) %
2-methyl-3(2H)-isoth	Skin Corr. 1B (H314) Skin Corr. 1C ::
iazolone	Eye Dam. 1 (H318)   C>=0.6%
55965-84-9	Skin Sens. 1A (H317) Skin Irrit. 2 ::
	(EUH071) 0.06%<=C<0.6
	Aquatic Acute 1 (H400) %
	Aquatic Chronic 1 Skin Sens. 1A
	(H410) :: C>=0.0015%
	Eye Dam. 1 ::
	C>=0.6%

#### Full text of H- and EUH-phrases: see section 16

#### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Sodium benzoate 532-32-1	4070	No data available	No data available	No data available	No data available
Sodium azide 26628-22-8	27	20	No data available	No data available	No data available
5-Chloro-2-methyl-3(2H)-i sothiazolone, mixture with 2-methyl-3(2H)-isothiazol		87.12	No data available	No data available	No data available
one 55965-84-9					

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Call a doctor. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a doctor.

Call a doctor. Contains human source material and / or potentially infectious components. Ingestion

## 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically. Contains human

source material and / or potentially infectious components.

Page 3/12

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not allow into any sewer, on the ground or into any body of water.

**Methods for cleaning up**Clean contaminated surface thoroughly. Use:. Disinfectant.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash it before reuse.

**General hygiene considerations** Follow universal and standard precautions for handling potentially infectious materials.

7.2. Conditions for safe storage, including any incompatibilities

EGHS / BE Page 4/12

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Store according to product and label instructions.

# 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bu	Igaria	Croatia
Sodium azide 26628-22-8	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ *	TWA: 0.1 mg/m³ STEL 0.3 mg/m³ H*	*	TWA: (	0.3 mg/m³ 0.1 mg/m³ K*	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ *
5-Chloro-2-methyl-3(2H)-i sothiazolone, mixture with 2-methyl-3(2H)-isothiazol one	-	TWA: 0.05 mg/m <sup>3</sup> Skin sensitizer	-		-	-
55965-84-9	•	0 1 5 11	5 1			F: 1 1
Chemical name	Cyprus	Czech Republic	Denmark		stonia	Finland
Sodium azide 26628-22-8	STEL: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m³ Ceiling: 0.3 mg/m³	TWA: 0.1 mg/m³ H*	STEL:	0.1 mg/m <sup>3</sup> 0.3 mg/m <sup>3</sup> A*	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ iho*
Chemical name	France	Germany TRGS	Germany DFG	Gı	reece	Hungary
Sodium benzoate 532-32-1	-	TWA: 10 mg/m³ H*	TWA: 10 mg/m <sup>3</sup> Peak: 20 mg/m <sup>3</sup>		-	-
Sodium azide 26628-22-8	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> *	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> Peak: 0.4 mg/m <sup>3</sup>	TWA: (	0.1 ppm 0.3 mg/m <sup>3</sup> : 0.1 ppm 0.3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>
Chemical name	Ireland	Italy MDLPS	Italy AIDII		atvia	Lithuania
Sodium azide 26628-22-8	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ Sk*	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> pelle*	Ceiling: 0.29 mg/m <sup>3</sup> Ceiling: 0.11 ppm		0.1 mg/m <sup>3</sup> 0.3 mg/m <sup>3</sup>	* TWA: 0.1 mg/m³ STEL: 0.3 mg/m³
Chemical name	Luxembourg	Malta	Netherlands		orway	Poland
Sodium azide 26628-22-8	* STEL: 0.3 mg/m³ TWA: 0.1 mg/m³	* STEL: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ H*	STEL:	0.1 mg/m <sup>3</sup> 0.3 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> *
Chemical name	Portugal	Romania	Slovakia		ovenia	Spain
Sodium benzoate 532-32-1	-	-	-		10 mg/m <sup>3</sup> 20 mg/m <sup>3</sup> *	-
Sodium azide 26628-22-8	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ Ceiling: 0.29 mg/m³ Ceiling: 0.11 ppm P*	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> *	TWA: 0.1 mg/m <sup>3</sup> * Ceiling: 0.3 mg/m <sup>3</sup>		0.1 mg/m <sup>3</sup> 0.3 mg/m <sup>3</sup> *	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> vía dérmica*
Chemical name	Sv	veden	Switzerland		Uni	ted Kingdom
Sodium benzoate 532-32-1		-	TWA: 0.2 ppm TWA: 1 mg/m³ TWA: 10 mg/m³ STEL: 0.8 ppm STEL: 4 mg/m³ STEL: 20 mg/m H*	3 1 3		_
Sodium azide	NGV:	0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m	3	TW	A: 0.1 mg/m <sup>3</sup>

EGHS / BE Page 5/12

26628-22-8	Bindande KGV: 0.3 mg/m <sup>3</sup>	STEL: 0.4 mg/m <sup>3</sup>	STEL: 0.3 mg/m³ Sk*
5-Chloro-2-methyl-3(2H)-isothia zolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	<del>-</del>	TWA: 0.2 mg/m <sup>3</sup> STEL: 0.4 mg/m <sup>3</sup>	-

### **Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves.

**Skin and body protection**Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Follow universal and standard precautions for handling potentially infectious materials.

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

**Appearance** aqueous solution

**Colour** amber

OdourNo information available.Odour thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known Autoignition temperature No data available None known Decomposition temperature None known

рΗ

pH (as aqueous solution) No data available No information available

Kinematic viscosity

No data available

None known

No data available

None known

Water solubility Miscible in water

Solubility(ies) No data available None known

EGHS / BE Page 6/12

## **BioPlex 2200 EBV IgM Calibrator Set**

Revision date 16-Mar-2023

No data available **Partition coefficient** None known No data available None known Vapour pressure Relative density 1

None known

None known

**Bulk density** No data available **Liquid Density** No data available

No data available Vapour density

Particle characteristics

**Particle Size** No information available **Particle Size Distribution** No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Avoid contact with metals. This product contains Sodium azide. Sodium azide can react with Possibility of hazardous reactions

Copper, Brass, Lead, and solder in piping systems to form explosive compounds and toxic

gases.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Metals.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is

EGHS / BE 7/12 Page

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives.

Acute toxicity

**Numerical measures of toxicity** 

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium benzoate	= 4070 mg/kg (Rat)	-	-
Sodium azide	= 27 mg/kg ( Rat )	= 20 mg/kg(Rabbit)	0.054 - 0.52 mg/L (Rat) 4 h
5-Chloro-2-methyl-3(2H)-isothia zolone, mixture with 2-methyl-3(2H)-isothiazolone	= 53 mg/kg ( Rat )	= 87.12 mg/kg ( Rabbit )	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

No information available. Serious eye damage/eye irritation

Respiratory or skin sensitisation May cause an allergic skin reaction.

No information available. Germ cell mutagenicity

No information available. Carcinogenicity

Reproductive toxicity No information available.

No information available. STOT - single exposure

STOT - repeated exposure No information available.

No information available. **Aspiration hazard** 

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

Page 8/12

# **SECTION 12: Ecological information**

### 12.1. Toxicity

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**Unknown aquatic toxicity**Contains 0.005 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium benzoate	-	LC50: 420 - 558mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas)	<u>-</u>	EC50: <650mg/L (48h, Daphnia magna)
Sodium azide	-	LC50: =0.8mg/L (96h, Oncorhynchus mykiss) LC50: =0.7mg/L (96h, Lepomis macrochirus) LC50: =5.46mg/L (96h, Pimephales promelas)	-	-

## 12.2. Persistence and degradability

Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

#### Bioaccumulation

Component Information

	Component information						
Chemical name		Partition coefficient					
Sodium benzoate		-2.13					
	5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with	0.7					
	2-methyl-3(2H)-isothiazolone						

### 12.4. Mobility in soil

**Mobility in soil** No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

PBT and vPvB assessment	
The substance is not PBT / vPvB	
The substance is not PBT / vPvB	
The substance is not PBT / vPvB	

# 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

## 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

EGHS / BE Page 9/12

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Flush pipes with water frequently if discarding solutions

containing Sodium azide into metal piping systems.

Contaminated packaging Do not reuse empty containers.

# **SECTION 14: Transport information**

#### IATA

14.1 UN number or ID number Not regulated Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

**Special Provisions** None

**IMDG** 

Not regulated 14.1 UN number or ID number 14.2 UN proper shipping name Not regulated Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

**Special Provisions** None

14.7 Maritime transport in bulk No information available

according to IMO instruments

RID

14.1 UN number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

**Special Provisions** None

ADR

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

**Special Provisions** None

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

**European Union** 

Page 10/12

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone - 55965-84-9	75.	-

## **Persistent Organic Pollutants**

Not applicable

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### Biocidal Products Regulation (EU) No 528/2012 (BPR)

International Inventories Contact supplier for inventory compliance status

## 15.2. Chemical safety assessment

Chemical Safety Report No information available

# **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

EUH032 - Contact with acids liberates very toxic gas

EUH071 - Corrosive to the respiratory tract

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eve damage

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

## Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method

EGHS / BE Page 11/12

Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Note Reviewed existing information and made minor updates

Revision date 16-Mar-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

EGHS / BE Page 12/12