

### 02.09.2020 Kit components

Product code	Description
171V60020M	Bio-Plex Pro <sup>TM</sup> - Cell Signaling Assays
171V50002M	
171V50003M	
171V50004M	
171V50005M	
171V50006M	
171V50007M	
171V50008M	
171V50009M	
171V50010M	
171V50011M	
171V50012M 171V50013M	
171V50013M 171V50014M	
171V50014M 171V50015M	
171V50016M	
171V50017M	
171V50018M	
171V50019M	
171V50020M	
171V50021M	
171V50022M	
171V50023M	
171V60001M	
171V60002M	
171V60019M	
171V60004M 171V60005M	
171V60006M	
171V60007M	
171V60008M	
171V60009M	
171V60010M	
171V60011M	
171EH0001M	
171V60018M	
171V60017M	
171V50001M	
171V60003M	
171V50024M	
171V60012M 171V60013M	
171V60013M 171V60014M	
171V60014M 171V60016M	
171V60016M	
1/1/00013111	

Components:

10024145	Bio-Plex Pro - Coupled Magnetic Beads (20X)	
10024216	Bio-Plex Pro - Detection Antibodies	





Printing date 02.09.2020 Revision: 30.07.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Bio-Plex Pro Coupled Magnetic Beads (20X)
- · Article number:

 $10024145,\ 10024146,\ 10024147,\ 10024148,\ 10024149,\ 10024150,\ 10024151,\ 10024152,\ 10024153,\ 10024153,\ 10024154,\ 10024155,\ 10024156,\ 10024157,\ 10024158,\ 10024159,\ 10024160,\ 10024161,\ 10024162,\ 10024163,\ 10024164,\ 10024164,\ 10024165,\ 10024166,\ 10024167,\ 10024168,\ 10024169,\ 10024170,\ 10024171,\ 10024172,\ 10024173,\ 10024174,\ 10024175,\ 10024175,\ 10024177,\ 10024178,\ 10024179,\ 10027607,\ 10027611,\ 10027612,\ 10027613,\ 10027614,\ 10028186,\ 10028187,\ 10028188,\ 10028189,\ 10031505,\ 10031505,\ 10031506,\ 10031507,\ 10031508,\ 10031509,\ 10031520,\ 10031521,\ 10031522,\ 10031523,\ 10031523,\ 10031524,\ 10031528,\ 10031529,\ 10031512,\ 10032925,\ 10031513,\ 10032926,\ 10031518,\ 10032931$ 

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories Ltd.

The Junction Station Road Watford Hertfordshire

WD17 1ET e:mail contact: techsupport.uk@bio-rad.com

phone: +44 00 800 00 246 723 fax: +44 01 923 47 1340

- · Information department: techsupport.uk@bio-rad.com
- · 1.4 Emergency telephone number: 020-8328-2000

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
- · Hazard statements

H317 May cause an allergic skin reaction.

(Contd. on page 2)





Printing date 02.09.2020 Revision: 30.07.2020

Trade name: Bio-Plex Pro - Coupled Magnetic Beads (20X)

(Contd. of page 1)

#### · Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330
Skin Corr. 1C, H314; Eye Dam. 1, H318
Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Skin Sens. 1A, H317

· Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Page 3/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.09.2020 Revision: 30.07.2020

Trade name: Bio-Plex Pro - Coupled Magnetic Beads (20X)

(Contd. of page 2)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.

(Contd. on page 4)





Printing date 02.09.2020 Revision: 30.07.2020

Trade name: Bio-Plex Pro - Coupled Magnetic Beads (20X)

(Contd. of page 3)

- Material of gloves Synthetic gloves
   Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

SECTION 9: Physical and chemic 9.1 Information on basic physical and c	
9.1 Imormation on basic physical and c General Information	memical properties
Appearance:	
Form:	Suspension
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.
pH-value at 20 °C:	7.4
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	: 100 ℃
Flash point:	Not applicable
	Not determined.
Flammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Self igniting:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density:	Not determined
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content:	
Water:	77.1 %

(Contd. on page 5)



Page 5/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.09.2020 Revision: 30.07.2020

Trade name: Bio-Plex Pro - Coupled Magnetic Beads (20X)

(Contd. of page 4)

Solids content: 3.9 %

• 9.2 Other information No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

#### Proprietary Reagent D

Oral LD50 27 mg/kg (mouse) 27 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.

(Contd. on page 6)





Printing date 02.09.2020 Revision: 30.07.2020

Trade name: Bio-Plex Pro - Coupled Magnetic Beads (20X)

(Contd. of page 5)

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Not Reguated	
· 14.2 UN proper shipping name · ADR · ADN, IMDG, IATA	Not Reguated Not Reguated Not Reguated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Not Reguated	
· 14.4 Packing group · ADR, IMDG, IATA	Not Reguated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex I and the IBC Code	<b>II of Marpol</b> Not applicable.	
· UN "Model Regulation":	Not Reguated	

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 7)





Printing date 02.09.2020 Revision: 30.07.2020

Trade name: Bio-Plex Pro - Coupled Magnetic Beads (20X)

(Contd. of page 6)

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations
- · Water hazard class: Generally not hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 2: Acute toxicity - dermal – Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

\* Data compared to the previous version altered.





Printing date 02.09.2020 Revision: 11.08.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Bio-Plex Pro Detection Antibodies
- · Article number:

10024216, 10024217, 10024218, 10024219, 10024220, 10024221, 10024222, 10024223, 10024224, 10024225, 10024226, 10024227, 10024228, 10024229, 10024230, 10024231, 10024232, 10024233, 10024234, 10024235, 10024236, 10024237, 10024238, 10024239, 10024240, 10024241, 10024242, 10024243, 10024244, 10024245, 10024246, 10024247, 10024248, 10024249, 10024250, 10031532, 10031533, 10031534, 10031535, 10031536, 10031537, 10031538, 10031539, 10031544, 10031540, 10031541, 10031542, 10031543, 10031545, 10031546, 10031547, 10031548, 10031549, 10031550, 10031551, 10031552, 10031553, 10031554, 10031555, 10031556, 10031557, 10031558, 10032968, 10032970, 10032975, 10032955, 10032974, 10032959

 $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories Ltd.

The Junction Station Road Watford Hertfordshire

WD17 1ET e:mail contact: techsupport.uk@bio-rad.com

phone: +44 00 800 00 246 723 fax: +44 01 923 47 1340

- · Information department: techsupport.uk@bio-rad.com
- · 1.4 Emergency telephone number: 020-8328-2000

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Not applicable.

(Contd. on page 2)



Page 2/6

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.09.2020 Revision: 11.08.2020

Trade name: Bio-Plex Pro - Detection Antibodies

(Contd. of page 1)

· Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · **6.2 Environmental precautions:** Dilute with plenty of water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)





Printing date 02.09.2020 Revision: 11.08.2020

Trade name: Bio-Plex Pro - Detection Antibodies

(Contd. of page 2)

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to when handling chemicals.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Safety glasses

SECTION 9: Physical and chemical pro	

<ul> <li>9.1 Information on basic phy</li> <li>General Information</li> </ul>	sical and chemical properties	
· Appearance:		
Form:	Liquid	
Colour:	Colourless	
· Odour:	Odourless	
· Odour threshold:	Not determined.	

• pH-value at 20 °C: 7.4

· Change in condition

**Melting point/freezing point:** undetermined **Initial boiling point and boiling range:** 100 °C

· Flash point: Not applicable

Not determined.

· Flammability (solid, gaseous) Not applicable.

· Decomposition temperature: Not determined.

· **Self igniting:** Product is not selfigniting.

· Explosive properties: Not determined.

(Contd. on page 4)





Printing date 02.09.2020 Revision: 11.08.2020

Trade name: Bio-Plex Pro - Detection Antibodies

	(Contd. of page
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density:	Not determined
· Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic at 20 °C:	0.952 mPas
kinematic:	Not determined.
Solvent content:	
Water:	98.0 %
Solids content:	1.0 %
9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)





Printing date 02.09.2020 Revision: 11.08.2020

Trade name: Bio-Plex Pro - Detection Antibodies

(Contd. of page 4)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Not Reguated	
· 14.2 UN proper shipping name		
ADR	Not Reguated	
	Not Reguated	
· ADN, IMDG, IATA	Not Reguated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Not Reguated	
· 14.4 Packing group		
· ADR, IMDG, IATA	Not Reguated	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
		(Contd. on page

.. page (





Printing date 02.09.2020 Revision: 11.08.2020

Trade name: Bio-Plex Pro - Detection Antibodies

(Contd. of page 5)

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of Marpol

and the IBC Code Not applicable.

· UN "Model Regulation": Not Reguated

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · National regulations
- · Water hazard class: Generally not hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· \* Data compared to the previous version altered.