

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: UK REACH Regulations (SI 2019/758 as amended)

Revision date 23-May-2022 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name FIXATIVE - #10498

Safety data sheet number 10498

Pure substance/mixture Mixture

Contains Formaldehyde, Methanol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use For research use only

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

<u>Corporate Headquarters</u> <u>Manufacturer</u> <u>Legal Entity / Contact Address</u>

Bio-Rad Laboratories Inc.

Bio-Rad

Bio-Rad

Bio-Rad Laboratories Ltd

1000 Alfred Nobel Drive

Hercules, CA 94547

USA

Bio-Rad

Endeavour House

Langford Business Park

Kidlington

Oxford

UK

Bio-Rad Laboratories Ltd

The Junction

Station Road

Watford, WD17 1ET

Oxford OX5 1GE United Kingdom

e-mail:

 $antibody_safety data sheets@bio-rad.com$

For further information, please contact

Technical Service 00800 00246 723

Techsupport.UK@bio-rad.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC UK: 44-870-8200418

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Gases)	Category 4 - (H332)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Germ cell mutagenicity	Category 2 - (H341)
Carcinogenicity	Category 1B - (H350)

KITX / BE Page 1/12

FIXATIVE - #10498

Specific target organ toxicity (single exposure)	Category 2 Category 3 - (H371, H335)

2.2. Label elements

Contains Formaldehyde, Methanol



Signal word

Danger

Hazard statements

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H371 - May cause damage to organs

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P310 - Immediately call a POISON CENTER or doctor

P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Formaldehyde 50-00-0	10 - 20%	200-001-8	-	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Muta. 2 (H341)	-	-	-

KITX / BE Page 2/12

				Carc. 1B (H350)			
Methanol 67-56-1	0 - 10%	200-659-6	-	Flam. Liq. 2 (H225) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370)	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical attention. May cause an allergic skin reaction.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapors or mists. Use personal protective equipment as required. See

section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in

breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

KITX / BE Page 3/12

FIXATIVE - #10498 Revision date 23-May-2022

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May

cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Avoid breathing

KITX / BE Page 4/12

vapors or mists.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing must not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Protect from moisture. Store locked up. Store away from other materials. Store

according to product and label instructions.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	United Kingdom
Formaldehyde	TWA: 2 ppm
50-00-0	TWA: 2.5 mg/m ³
	STEL: 2 ppm
	STEL: 2.5 mg/m ³
Methanol	TWA: 200 ppm
67-56-1	TWA: 266 mg/m ³
	STEL: 250 ppm
	STEL: 333 mg/m ³
	Sk*

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration

(PNEC)

No information available.

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

KITX / BE Page 5/12

General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing must not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Clear to semi-clear **Appearance**

Colour Varies

Odour No information available. **Odour threshold** No information available

Property Values Remarks • Method

No data available Melting point / freezing point None known No data available None known Boiling point / boiling range Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Ha

Flash point No data available None known **Autoignition temperature** 423.89 None known

Decomposition temperature None known

None known None known pH (as aqueous solution) No data available No data available None known Kinematic viscosity None known

No data available **Dynamic viscosity** Water solubility Soluble in water

Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known No data available None known

Relative density **Bulk density** No data available **Liquid Density** No data available

Vapour density No data available None known

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

KITX / BE Page 6/12

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

10.5. Incompatible materials

Incompatible materials Acids. Bases. Oxidizing agent.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by

inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 714.30 mg/kg

 ATEmix (dermal)
 2,142.90 mg/kg

 ATEmix (inhalation-gas)
 7,000.00 ppm

 ATEmix (inhalation-dust/mist)
 3.5786 mg/l

 ATEmix (inhalation-vapor)
 1,042.40 mg/l

KITX / BE Page 7/12

Unknown acute toxicity

4 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

Oral LD50 No information available
Dermal LD50 No information available
Inhalation LC50 No information available
Inhalation LC50 No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Formaldehyde	= 100 mg/kg (Rat)	> 2000 mg/kg (Rat)	< 463 ppm (Rat) 4 h
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for

ingredients. Suspected of causing genetic defects.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). May cause damage to organs if swallowed. May cause damage to organs if inhaled. May cause

respiratory irritation.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

KITX / BE Page 8/12

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Formaldehyde	-	LC50: 0.032 - 0.226mL/L	-	EC50: 11.3 - 18mg/L
		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss)		LC50: =2mg/L (48h,
		LC50: 100 - 136mg/L		Daphnia magna)
		(96h, Oncorhynchus		_
		mykiss)		
		LC50: 22.6 - 25.7mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: 23.2 - 29.7mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: =1510µg/L (96h,		
		Lepomis macrochirus)		
		LC50: =41mg/L (96h,		
		Brachydanio rerio)		
Methanol	-	LC50: 13500 -	-	-
		17600mg/L (96h,		
		Lepomis macrochirus)		
		LC50: 18 - 20mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 19500 -		
		20700mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =28200mg/L (96h,		
		Pimephales promelas)		
		LC50: >100mg/L (96h,		
		Pimephales promelas)		

12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Formaldehyde	0.35
Methanol	-0.77

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment		
Formaldehyde	The substance is not PBT / vPvB PBT assessment do		
	not apply		
Methanol	The substance is not PBT / vPvB PBT assessment does		
	not apply Further information relevant for the PBT		
	assessment is necessary		

12.6. Endocrine disrupting properties

No information available.

KITX / BE Page 9/12

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

IMDG

14.1 UN number or ID numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

14.7 Maritime transport in bulk No information available according to IMO instruments

RID

14.1 UN numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

ADR

14.1 UN number or ID numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (UK REACH - Annex XIV). This product does not contain substances subject to restriction (UK REACH - Annex XVII).

KITX / BE Page 10/12

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

<u>International Inventories</u> Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H370 - Causes damage to organs

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitisers

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP] Method Used Acute oral toxicity Calculation method Acute dermal toxicity Calculation method Acute inhalation toxicity - gas Calculation method Acute inhalation toxicity - Vapour Calculation method Acute inhalation toxicity - dust/mist Calculation method Skin corrosion/irritation Calculation method Serious eye damage/eye irritation Calculation method Respiratory sensitisation Calculation method

KITX / BE Page 11/12

Skin sensitisation Calculation method Mutagenicity Calculation method Carcinogenicity Calculation method Reproductive toxicity Calculation method STOT - single exposure Calculation method STOT - repeated exposure Calculation method Acute aquatic toxicity Calculation method Chronic aquatic toxicity Calculation method Aspiration hazard Calculation method Ozone Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 23-May-2022

Revision Note

Significant changes throughout SDS. Review all sections

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended) Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

KITX / BE Page 12/12