

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 07-Aug-2024 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Protein A MAPS II Regeneration Buffer

Catalogue Number(s) 1536166, 9700703, 9700776

Nanoforms Not applicable

Pure substance/mixture Mixture

Contains Methanol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory chemicals

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Corporate Headquarters

Bio-Rad Laboratories Inc. 1000 Alfred Nobel Drive Hercules, CA 94547

USA

Manufacturer

Bio-Rad Laboratories, Life Science Group 2000 Alfred Nobel Drive

Hercules, California 94547

USA

Legal Entity / Contact Address

The Junction Station Road Watford, WD17 1ET

UK

Bio-Rad Laboratories Pvt. Ltd.

Bio-Rad House

86-87, Udyog Vihar Phase IV Gurgaon

122005 Haryana India

Bio-Rad Laboratories (Pty) Ltd.

43 Bolton Road

Parkwood, Johannesburg 2192

South Africa

EU Representative:

Bio-Rad

3 bld Raymond Poincaré 92430 Marnes-la-Coquette

France

Phone: (33) 1-4795-6000

For further information, please contact

Technical Service 00800 00246 723

Ireland: Techsupport.UK@bio-rad.com India: support.india@bio-rad.com

South Africa: lsg_techsupport_eemea@bio-rad.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Ireland: 353-19014670

CHEMTREC India: 000-800-100-7141

EGHS / BE Page 1/14

CHEMTREC South Africa: 0-800-983-611

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Specific target organ toxicity — single exposure	Category 1 - (H370)
Flammable liquids	Category 2

2.2. Label elements





Signal word Danger

Hazard statements

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H332 - Harmful if inhaled

H370 - Causes damage to organs

H225 - Highly flammable liquid and vapour

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)

EGHS / BE Page 2/14

				1272/2008 [CLP]	limit (SCL)		
Methanol	35 - 50	Not available	200-659-6	Acute Tox. 3 (H301)	STOT SE 1 ::	-	-
67-56-1			(603-001-00	Acute Tox. 3 (H311)	C>=1%		
			-X)	Acute Tox. 3 (H331)			
			,	STOT SE 1 (H370)			
				Flam. Liq. 2 (H225)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Methanol 67-56-1	6200	15840	No data available	41.6976	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If symptoms

persist, call a doctor. If breathing has stopped, give artificial respiration. Get medical

attention immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours

or mists.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

EGHS / BE Page 3/14

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid breathing

vapours or mists.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

EGHS / BE Page 4/14

Advice on safe handling

Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up. Store according to product and label instructions.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 266 mg/m ³	TWA: 260.0 mg/m ³	TWA: 260 mg/m ³
	*	STEL 800 ppm	STEL: 250 ppm	K*	*
		STEL 1040 mg/m ³	STEL: 333 mg/m ³		
		H*	D*		
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Methanol	*	TWA: 250 mg/m ³	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 200 ppm	Ceiling: 1000 mg/m ³	TWA: 260 mg/m ³	TWA: 250 mg/m ³	TWA: 270 mg/m ³
	TWA: 260 mg/m ³	D*	H*	STEL: 250 ppm	STEL: 250 ppm
			STEL: 400 ppm	STEL: 350 mg/m ³	STEL: 330 mg/m ³
			STEL: 520 mg/m ³	Α*	iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Methanol	TWA: 200 ppm	TWA: 100 ppm	TWA: 100 ppm	TWA: 200 ppm	TWA: 260 mg/m ³
67-56-1	TWA: 260 mg/m ³	TWA: 130 mg/m ³	TWA: 130 mg/m ³	TWA: 260 mg/m ³	TWA: 200 ppm
	STEL: 1000 ppm	H*	Peak: 200 ppm	STEL: 250 ppm	b*
	STEL: 1300 mg/m ³		Peak: 260 mg/m ³	STEL: 325 mg/m ³	
	*		*	*	
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	O*
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 262 mg/m ³	TWA: 260 mg/m ³	TWA: 200 ppm
	STEL: 600 ppm	cute*	STEL: 250 ppm	Ada*	TWA: 260 mg/m ³

EGHS / BE Page 5/14

	STEL: 780 mg/m³ Sk*		STEL: 328 mg/m³ cute*		
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Methanol 67-56-1	Peau* TWA: 200 ppm TWA: 260 mg/m³	skin* TWA: 200 ppm TWA: 260 mg/m³	TWA: 100 ppm TWA: 133 mg/m ³ H*	TWA: 100 ppm TWA: 130 mg/m³ STEL: 150 ppm STEL: 162.5 mg/m³ H*	STEL: 300 mg/m³ TWA: 100 mg/m³ Prohibited - substances or mixtures containing Methanol in weight concentration >3%;except fuels used in the model building, powerboating, fuel cells and biofuels skóra*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm Cutânea*	TWA: 200 ppm TWA: 260 mg/m³ P*	TWA: 200 ppm TWA: 260 mg/m³ K*	TWA: 200 ppm TWA: 260 mg/m³ STEL: 800 ppm STEL: 1040 mg/m³ K*	TWA: 200 ppm TWA: 266 mg/m³ vía dérmica*
Chemical name		weden	Switzerland		nited Kingdom
Methanol NGV: 200 ppm 67-56-1 NGV: 250 mg/m³ Vägledande KGV: 250 p Vägledande KGV: 350 mg H*		250 mg/m³ e KGV: 250 ppm KGV: 350 mg/m³	TWA: 200 ppm TWA: 260 mg/n STEL: 400 ppn STEL: 520 mg/r H*	n ³ TV n S ⁻	WA: 200 ppm /A: 266 mg/m³ FEL: 250 ppm EL: 333 mg/m³ Sk*

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulg	garia	Croatia		Czech Republic
Methanol	-	-		-			0.47 mmol/L (urine -
67-56-1					urine (Methanol		Methanol end of
					the end of the v	work	shift)
					shift		15 mg/L (urine -
							Methanol end of
							shift)
Chemical name	Denmark	Finland	Fra	nce	Germany DF		Germany TRGS
Methanol	-	-		ethanol) -	15 mg/L (urin		15 mg/L (urine -
67-56-1			end o	of shift	Methanol end	of	Methanol end of
					shift)		shift)
					15 mg/L (urin		15 mg/L (urine -
					Methanol fo	r	Methanol for
					long-term		long-term
					exposures: at		exposures: at the
							end of the shift after
					several shifts		several shifts)
					15 mg/L - BAT		
					of exposure or		
				14 1	of shift) urin	<u>e</u>	I AIDII
Chemical name	Hungary	Irelan	-		/ MDLPS		Italy AIDII
Methanol	30 mg/L (urine - Methar				-	,	15 mg/L - urine
67-56-1	end of shift)	end of sl	nift)			(Me	thanol) - end of shift
	940 µmol/L (urine -						
	Methanol end of shift)						
Chemical name	Latvia	Luxembo	ourg		omania		Slovakia
Methanol	-	-					g/L (urine - Methanol
67-56-1				- er	nd of shift	end	of exposure or work
							shift)

EGHS / BE Page 6/14

				30 mg/L (urine - Methanol after all work shifts)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Methanol	15 mg/L - urine	15 mg/L (urine - Methanol	30 mg/L (urine - Methanol	-
67-56-1	(Methanol) - at the end of	end of shift)	end of shift, and after	
	the work shift; for		several shifts (for	
	long-term exposure: at the		long-term exposures))	
	end of the work shift after		936 µmol/L (urine -	
	several consecutive		Methanol end of shift, and	
	workdays		after several shifts (for	
			long-term exposures))	

Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Do not eat, drink or smoke when using this product. Contaminated work clothing should not General hygiene considerations

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance aqueous solution Colour Clear, colourless Odour Odourless.

Odour threshold No information available

Remarks • Method Property Values None known

Melting point / freezing point No data available

Initial boiling point and boiling range> 64 °C

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive

No data available limits

Lower flammability or explosive

No data available

limits

Flash point > 11 °C **Autoignition temperature** 464 °C

EGHS / BE Page 7/14

Revision date 07-Aug-2024

Decomposition temperatureNo data availableNone knownpHNo data availableNone known

pH (as aqueous solution) No data available No information available

Kinematic viscosity
Dynamic viscosity
No data available
None known
No data available
None known
Water solubility
Miscible in water

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk density
No data available
Liquid Density
No data available

Relative vapour density

No data available

None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

EGHS / BE Page 8/14

Product Information

Inhalation Specific test data for the substance or mixture is not available. Harmful by inhalation (based

on components).

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Toxic in contact with skin

(based on components).

Ingestion Specific test data for the substance or mixture is not available. Toxic if swallowed (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 250.00 mg/kg
ATEmix (dermal) 750.00 mg/kg
ATEmix (inhalation-dust/mist) 1.252 mg/l
ATEmix (inhalation-vapour) 104.2440 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicityNo information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

STOT - repeated exposureNo information available.

EGHS / BE Page 9/14

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Not applicable.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methanol	-	LC50: =28200mg/L (96h,	-	-
		Pimephales promelas)		
		LC50: >100mg/L (96h,		
		Pimephales promelas)		
		LC50: 19500 - 20700mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 18 - 20mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 13500 - 17600mg/L		
		(96h, Lepomis		
		macrochirus)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient		
Methanol	-0.77		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Methanol	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Not applicable.

EGHS / BE Page 10/14

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN1230

14.2 UN proper shipping name Vinylpyridines, stabilized

14.3 Transport hazard class(es) Subsidiary hazard class 6.1

14.4 Packing group

UN1230, Zinc cyanide, 3 (6.1), II Description

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A113

IMDG

UN1230 14.1 UN number or ID number 14.2 UN proper shipping name Nitric acid 14.3 Transport hazard class(es) 3 6.1

Subsidiary hazard class 14.4 Packing group

Description UN1230, Toluene, 3 (6.1), II, (11°C C.C.)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 279 EmS-No. F-E. S-D

14.7 Maritime transport in bulk according to IMO instruments

No information available

RID

14.1 UN number or ID number UN1230

14.2 UN proper shipping name METHANOL SOLUTION

14.3 Transport hazard class(es) 3 Subsidiary hazard class 6.1 14.4 Packing group

Description UN1230, METHANOL SOLUTION, 3 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 279 FT1

Classification code

14.1 UN number or ID number 1230

EGHS / BE Page 11/14 14.2 UN proper shipping name METHANOL SOLUTION

14.3 Transport hazard class(es) 3Subsidiary hazard class 6.114.4 Packing group II

Description 1230, METHANOL SOLUTION, 3 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 279
Classification code FT1
Tunnel restriction code (D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Methanol	RG 84	-
67-56-1		

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Methanol - 67-56-1	Use restricted. See entry 69.	-
	Use restricted. See entry 75.	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

H3 - STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per Seveso Directive (2012/18/EU)

		=======================================	
Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)	
Methanol - 67-56-1	500	5000	

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

<u>International Inventories</u> Contact supplier for inventory compliance status

15.2. Chemical safety assessment

EGHS / BE Page 12/14

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H370 - Causes damage to organs

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Classification procedure			
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Acute oral toxicity	Calculation method		
Acute dermal toxicity	Calculation method		
Acute inhalation toxicity - gas	Calculation method		
Acute inhalation toxicity - vapour	Calculation method		
Acute inhalation toxicity - dust/mist	Calculation method		
Skin corrosion/irritation	Calculation method		
Serious eye damage/eye irritation	Calculation method		
Respiratory sensitisation	Calculation method		
Skin sensitisation	Calculation method		
Mutagenicity	Calculation method		
Carcinogenicity	Calculation method		
Reproductive toxicity	Calculation method		
STOT - single exposure	Calculation method		
STOT - repeated exposure	Calculation method		
Acute aquatic toxicity	Calculation method		
Chronic aquatic toxicity	Calculation method		
Aspiration hazard	Calculation method		
Ozone	Calculation method		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

EGHS / BE Page 13/14

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Note Significant changes throughout SDS. Review all sections.

Revision date 07-Aug-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

EGHS / BE Page 14/14