

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision date 06-Sep-2023 Revision Number 3

1. Identification

Product identifier

Product Name ProteOn Maintenance Solution 2, 70% Isopropyl Alcohol

Other means of identification

Catalog Number(s) 1764116, 10022904

UN/ID no UN1219

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

Restrictions on use No information available

Details of the supplier of the safety data sheet

Corporate HeadquartersManufacturer AddressLegal Entity / Contact AddressBio-Rad Laboratories Inc.Bio-Rad Laboratories, Life Science GroupBio-Rad Laboratories (Canada) Ltd.

1000 Alfred Nobel Drive2000 Alfred Nobel Drive1329 Meyerside DriveHercules, CA 94547Hercules, California 94547Mississauga, ON L5T 1C9USACanada

Technical Service 1-800-361-1808

support@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Canada:1 (800) 424-9300

2. Hazard(s) identification

Classification

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

Label elements

Danger

Hazard statements

Causes serious eye irritation May cause drowsiness or dizziness Highly flammable liquid and vapor

HGHS / EN Page 1/9



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Ground and bond container and receiving equipment
Use non-sparking tools
Take action to prevent static discharges

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

Fire

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other information

May be harmful if inhaled.

3. Composition/information on ingredients

<u>Substance</u>

Not applicable.

<u>Mixture</u>

	Chemical name	CAS No	Weight-%	Hazardous Material	Date HMIRA filed and
ı				Information Review Act	date exemption granted

HGHS / EN Page 2/9

			registry number (HMIRA registry #)	(if applicable)
Isopropyl alcohol	67-63-0	50 - 100	-	

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the Risk of ignition

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition.

In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Revision date 06-Sep-2023

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store according to product and label instructions.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	Alberta	British Columbia	Ontario	Quebec
Isopropyl alcohol 67-63-0	TWA: 200 ppm TWA: 492 mg/m³ STEL: 400 ppm STEL: 984 mg/m³	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm

Appropriate engineering controls

HGHS / EN Page 4/9

Engineering controls Showers

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Eye/face protection

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Do not eat, drink or smoke when using this product. Contaminated work clothing should not **General hygiene considerations**

> be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

> > None known

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance aqueous solution

Color colorless Odor Alcohol

Odor threshold No information available

Remarks • Method Property Values

None known pН

Melting point / freezing point No data available None known

82 °C / 179.6 °F Boiling point / boiling range Flash point 13 °C / 55.4 °F

Evaporation rate No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

No data available Lower flammability or explosive

limits

Vapor pressure No data available None known No data available Vapor density None known Relative density 0.85 None known

Water solubility Miscible in water Solubility in other solvents No data available None known **Partition coefficient** No data available None known

No data available Autoignition temperature

Decomposition temperature None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

Explosive properties Not applicable. **Oxidizing properties** Not applicable. Softening point Not applicable

HGHS / EN Page 5/9

Revision date 06-Sep-2023

Molecular weightNot applicableVOC contentNot applicable

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness. May be harmful if inhaled.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapor) 46.50 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	-	Group 3	-	X
67-63-0				

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Target organ effects Respiratory system, Eyes, Skin.

Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl alcohol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
67-63-0	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =11130mg/L (96h,		
	EC50: >1000mg/L (72h,	Pimephales promelas)		
	Desmodesmus	LC50: >1400000µg/L		
	subspicatus)	(96h, Lepomis		
		macrochirus)		

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Isopropyl alcohol	0.05
67-63-0	

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

14. Transport information

TDG

UN/ID no UN1219

UN proper shipping name ISOPROPANOL SOLUTION

Transport hazard class(es) 3
Packing group | |

Description UN1219, ISOPROPANOL SOLUTION, 3, II

DOT

UN/ID no UN1219

Extended proper shipping name ISOPROPANOL SOLUTION

Transport hazard class(es) 3
Packing group | |

Special Provisions IB2, T4, TP1

Description UN1219, ISOPROPANOL SOLUTION, 3, II

Emergency Response Guide 129

Number

MEX

UN/ID no UN1219

UN proper shipping name ISOPROPANOL SOLUTION

Transport hazard class(es) 3
Packing group |

Description UN1219, ISOPROPANOL SOLUTION, 3, II

IATA

UN number or ID number UN1219

UN proper shipping name Isopropanol solution

Transport hazard class(es) 3
Packing group II
ERG Code 3L
Special Provisions A180

Description UN1219, Isopropanol solution, 3, II

IMDG

UN number or ID number UN1219

UN proper shipping name ISOPROPANOL SOLUTION

Transport hazard class(es) 3
Packing group II
EmS-No F-E, S-D
Marine pollutant NP

Description UN1219, ISOPROPANOL SOLUTION, 3, II, (13°C C.C.)

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

16. Other information

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and chemical

properties -

Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Prepared By Bio-Rad Laboratories, Environmental Health and Safety.

Revision date 06-Sep-2023

Revision Note Significant changes throughout SDS. Review all sections.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet