

SAFETY DATA SHEET

1st and 2nd Floor, Lumpini 1 Building

239/2, Rajdamri Road, Lumpini,

Pathumwan, Bangkok 10330

Thailand

This safety data sheet complies with the requirements of: \$\$586: 2008 (2014)

Revision date 08-Nov-2021 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name Affi-Gel Hz Hydrazide

Other means of identification

Catalogue Number(s) 1536047, 1536050, 9701043

UN proper shipping name ISOPROPANOL

Description 1219, ISOPROPANOL, 3, II

Pure substance/mixture Mixture

Contains Isopropyl alcohol

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

Uses advised against No information available

Details of the supplier of the safety data sheet

<u>Corporate Headquarters</u>
Bio-Rad Laboratories Inc.

Manufacturer
Bio-Rad Laboratories, Life Science Group
Bio-Rad Laboratories Ltd.

Bio-Rad Laboratories Inc.

Bio-Rad Laboratories, Life Science Group
1000 Alfred Nobel Drive

Hercules, CA 94547

Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive

Hercules, California 94547

USA USA

For further information, please contact

Technical Service +66 2 652 8313

ctsthailand@bio-rad.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Singapore: 65-31581349

SECTION 2: Hazards identification

GHS Classification

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

Label elements

SGPE / BE Page 1/10





Signal word Danger

Hazard statements

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H225 - Highly flammable liquid and vapor

Precautionary Statements - Prevention

Keep container tightly closed

Keep cool

Avoid breathing dust/fume/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Call a POISON CENTRE or doctor if you feel unwell

IF INHALED: Remove person to fresh air and keep comfortable for breathing

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	EC No	CAS No	Weight-%
Isopropyl alcohol	200-661-7	67-63-0	50 - 100

Non-hazardous Proprietary Balance

ingredients

SECTION 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

SGPE / BE Page 2/10

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

For emergency responders

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

SGPE / BE Page 3/10

Revision date 08-Nov-2021

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In

case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical name	Singapore	ACGIH TLV
Isopropyl alcohol	PEL: 400 ppm	STEL: 400 ppm
67-63-0	PEL: 983 mg/m ³	TWA: 200 ppm
	STEL: 500 ppm	
	STEL: 1230 mg/m ³	

Biological occupational exposure limits

SGPE / BE Page 4/10

Chemical name	Singapore	ACGIH
Isopropyl alcohol	No data available	40 mg/L - urine (Acetone) - end of shift
67-63-0		at end of workweek

Appropriate engineering controls

Showers **Engineering controls**

> **Evewash stations** Ventilation systems.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Eye/face protection

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Wear suitable gloves. Impervious gloves. Hand protection

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Slurry Colour colourless Odour Alcohol.

Odour threshold No information available

Remarks • Method **Property** <u>Values</u>

None known рΗ

Melting point / freezing point -89.5 °C Boiling point / boiling range 82 °C Flash point 13 °C

Evaporation rate No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available limits

Lower flammability or explosive

No data available

limits

None known Vapour pressure No data available Vapour density No data available None known Relative density No data available None known

Water solubility Partially miscible Solubility(ies) No data available

None known Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

No data available Kinematic viscosity None known Dynamic viscosity No data available None known

Other information No information available

SECTION 10: Stability and reactivity

Page 5/10

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h

SGPE / BE Page 6/10

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Classification not possible.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Isopropyl alcohol	EC50: >1000mg/L (72h,	LC50: =11130mg/L (96h,	EC50: =13299mg/L (48h,
	Desmodesmus subspicatus)	Pimephales promelas)	Daphnia magna)
	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-
	Desmodesmus subspicatus)	Pimephales promelas)	
		LC50: >1400000µg/L (96h,	
		Lepomis macrochirus)	

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
Isopropyl alcohol	0.05

Mobility

Mobility in soil No information available.

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment	
Isopropyl alcohol	The substance is not PBT / vPvB PBT assessment does	
	not apply	

Other adverse effects

SGPE / BE Page 7/10

Other adverse effects No information available

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

ADR

UN number or ID number 1219

UN proper shipping name ISOPROPANOL

Transport hazard class(es)

Labels

Packing group

Classification code

Tunnel restriction code

Special Provisions

3

R

(D/E)

601

Description 1219, ISOPROPANOL, 3, II

IMDG

UN number or ID number UN1219
UN proper shipping name ISOPROPANOL

Description UN1219, ISOPROPANOL, 3, II, (13°C C.C.)

Transport hazard class(es) 3
Packing group II
Marine pollutant NP
EmS-No F-E, S-D

Transport in bulk according to No information available

Annex II of MARPOL and the IBC

Code

<u>IATA</u>

UN number or ID number UN1219 UN proper shipping name Isopropanol

Description UN1219, Isopropanol, 3, II

Transport hazard class(es) 3
Packing group II
Special Provisions A180
ERG Code 3L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Singapore

Environmental Public Health Act

Dispose of waste product or used containers according to local regulations.

SGPE / BE Page 8/10

Revision date 08-Nov-2021

Page 9/10

Fire Safety (Petroleum and Flammable Materials) Regulations

Verify that licence requirements are met.

Chemical name	Regulated	Hazard class
Isopropyl alcohol	SCDIPA1219L2	3

Hazardous Waste (Control of Export, Import and Transit) Act

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Maritime and Port Authority of Singapore (Dangerous Goods, Petroleum and Explosives) Regulations

Regulated. See section 14 for more information.

Poison

None Listed

Workplace Safety and Health Act

See section 8 for national exposure control parameters. Comply with the health and safety at work laws.

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA STEL

Ceiling Maximum limit value Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

Revision date 08-Nov-2021

World Health Organization

Label elements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P312 - Call a POISON CENTER or doctor if you feel unwell

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

Issuing Date Bio-Rad Laboratories, Environmental Health and Safety

Revision date 08-Nov-2021

Revision Note Significant changes throughout SDS. Review all sections.

This safety data sheet complies with the requirements of: SS586: 2008 (2014)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SGPE / BE Page 10/10