

Printing date 13.02.2017 Version number 32 Revision: 10.02.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

· Article number: 1843014

• CAS Number: 7790-28-5 • EC number: 232-197-6

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture In-Vitro-laboratory reagent or component
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories Ltd.

Bio-Rad House Maxted Road Hemel Hempstead

Hertfordshire HP2 7DX Freephone: 0800 181134 Tel: +44 (0)208 328 2000 Fax: +44 (0) 208 328 2550

· Further information obtainable from:

Technical Support:

techsupport.uk@bio-rad.com

· 1.4 Emergency telephone number:

GBK Gefahrgut Büro GmbH Tel.: 0049(0)6123-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Ox. Sol. 1 H271 May cause fire or explosion; strong oxidiser.

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS03

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling: sodium periodate
- · Hazard statements

H271 May cause fire or explosion; strong oxidiser.

(Contd. on page 2)



Printing date 13.02.2017 Version number 32 Revision: 10.02.2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 1)

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P283 Wear fire/flame resistant/retardant clothing. P210 Keep away from heat. - No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

7790-28-5 sodium periodate

- · Identification number(s)
- · EC number: 232-197-6

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

GB



Printing date 13.02.2017 Version number 32 Revision: 10.02.2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid formation of dust.

Wear protective clothing.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep receptacles tightly sealed.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)



Printing date 13.02.2017 Version number 32 Revision: 10.02.2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and cl General Information | iemem properties |
|---|---|
| Appearance: | |
| Form: | Solid |
| Colour: | Whitish |
| Odour: | Odourless |
| Odour threshold: | Not determined. |
| pH-value: | ~5.2 |
| Change in condition | |
| Melting point/freezing point: | 175 °C |
| Initial boiling point and boiling range: | 300 °C |
| Flash point: | Not applicable. |
| Flammability (solid, gas): | Contact with combustible material may cause fire. |
| Ignition temperature: | |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Not determined. |
| Explosive properties: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapour pressure: | Not applicable. |
| Density at 20 °C: | 3.87 g/cm³ |
| Bulk density at 20 °C: | 2.000-2,400 kg/m³ |
| Relative density | Not determined. |
| Vapour density | Not applicable. |
| Evaporation rate | Not applicable. |
| Solubility in / Miscibility with | |
| water at 20 °C: | 91 g/l |

(Contd. on page 5)



Printing date 13.02.2017 Version number 32 Revision: 10.02.2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 4)

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
- · 10.3 Possibility of hazardous reactions Danger of explosion.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eve irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 6)



Printing date 13.02.2017 Version number 32 Revision: 10.02.2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

(Contd. of page 5)

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport informat | |
|---|--|
| 14.1 UN-Number ADR, IMDG, IATA | UN1479 |
| 14.2 UN proper shipping name ADR IMDG, IATA | 1479 OXIDIZING SOLID, N.O.S. (sodium periodate) OXIDIZING SOLID, N.O.S. (sodium periodate) |
| 14.3 Transport hazard class(es) | |
| ADR, IMDG, IATA | |
| Class Label | 5.1 Oxidising substances. 5.1 |
| 14.4 Packing group ADR, IMDG, IATA | I |
| 14.5 Environmental hazards: Marine pollutant: | No |
| 14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category Segregation Code | Warning: Oxidising substances. F-A,S-Q D SG38 Stow "separated from" ammonium compounds. SG49 Stow "separated from" cyanides SG60 Stow "separated from" peroxides SG61 Stow "separated from" powdered metals |
| 14.7 Transport in bulk according to Anno Marpol and the IBC Code | ex II of Not applicable. |
| Transport/Additional information: | |
| ADR Limited quantities (LQ) Excepted quantities (EQ) | 0 Code: E0 Not permitted as Excepted Quantity |
| Transport category | 1 |



Printing date 13.02.2017 Version number 32 Revision: 10.02.2017

Trade name: KETOCHROME/17-OHCS by Column Test, REAG C

| | (Contd. of page |
|---|---|
| Tunnel restriction code | E |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 0 Code: E0 Not permitted as Excepted Quantity |
| · UN "Model Regulation": | UN 1479 OXIDIZING SOLID, N.O.S. (SODIUM PERIODATE), 5.1, I |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Bio-Rad Laboratories GmbH Heidemannstrasse 164

D-80939 Munich

· Contact:

Technical Support:

E-Mail: cts-ce@bio-rad.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 1: Oxidizing solids - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

GB ·