

Printing date 13.02.2017 Version number 60 Revision: 10.02.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: VMA by Column Test, REAG 3

· Article number: 1896054

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture In-Vitro-laboratory reagent or component

1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Bio-Rad Laboratories Ltd.

Bio-Rad House

Maxted Road

Hemel Hempstead

Hertfordshire HP2 7DX Freephone: 0800 181134

*Tel:* +44 (0)208 328 2000 *Fax:* +44 (0) 208 328 2550

· Further information obtainable from:

Technical Support:

techsupport.uk@bio-rad.com

· 1.4 Emergency telephone number:

GBK Gefahrgut Büro GmbH Tel.: 0049(0)6123-84463

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Ox. Sol. 2 H272 May intensify fire; oxidiser.

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS03

GHS07

- · Signal word Danger
- Hazard-determining components of labelling:

sodium periodate

· Hazard statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

(Contd. on page 2)



Printing date 13.02.2017 Version number 60 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 3

(Contd. of page 1)

#### · Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P210 Keep away from heat. - No smoking.

P220 Keep/Store away from clothing/combustible materials.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

| · Dangerous compone | ents:  |         |
|---------------------|--|---------|
|                     | T  | 50-100% |
| EINECS: 232-197-6   | © Ox. Sol. 1, H271; (1) Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 |         |

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

GB



Printing date 13.02.2017 Version number 60 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 3

(Contd. of page 2)

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Provide suction extractors if dust is formed.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from flammable substances.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:





Printing date 13.02.2017 Version number 60 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 3

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Crystalline Colour: Colourless **Odourless** · Odour: Not determined. · Odour threshold: Not applicable. · pH-value: · Change in condition 175 °C Melting point/freezing point: Initial boiling point and boiling range: 300 °C

| · Flash point:                             | Not applicable.                                     |
|--|---|
| · Flammability (solid, gas):               | Contact with combustible material may cause fire.   |
| · Ignition temperature:                    |   |
| Decomposition temperature:                 | Not determined.                                     |
| · Auto-ignition temperature:               | Product is not selfigniting.                        |
| · Explosive properties:                    | Product does not present an explosion hazard.       |
| · Explosion limits:<br>Lower:<br>Upper:    | Not determined.<br>Not determined.                  |
| · Vapour pressure:                         | Not applicable.                                     |
| · Density at 20 °C:                        | $3.87 \text{ g/cm}^3$                               |
| Bulk density at 20 °C:<br>Relative density | $2.000$ - $2,400 \text{ kg/m}^3$<br>Not determined. |

(Contd. on page 5)



Printing date 13.02.2017 Version number 60 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 3

|   |  | (Contd. of page 4 |
|---|--|-------------------|
| Vapour density                          | Not applicable.                            |                   |
| Evaporation rate                        | Not applicable.                            |                   |
| Solubility in / Miscibility with        |  |                   |
| water at 20 °C:                         | 91 g/l                                     |                   |
| Partition coefficient: n-octanol/water: | Not determined.                            |                   |
| Viscosity:                              |  |                   |
| Dynamic:                                | Not applicable.                            |                   |
| Kinematic:                              | Not applicable.                            |                   |
| 9.2 Other information                   | No further relevant information available. |                   |

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with flammable substances.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)



Printing date 13.02.2017 Version number 60 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 3

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

| 14.1 UN-Number<br>ADR, ADN, IMDG, IATA  | Void            |  |
|---|-----------------|--|
| 14.2 UN proper shipping name            |                 |  |
| ADR, ADN, IMDG, IATA                    | Void            |  |
| 14.3 Transport hazard class(es)         |                 |  |
| ADR, ADN, IMDG, IATA                    |                 |  |
| Class                                   | Void            |  |
| 14.4 Packing group                      |                 |  |
| ADR, IMDĞ, İATA                         | Void            |  |
| 14.5 Environmental hazards:             |                 |  |
| Marine pollutant:                       | No              |  |
| 14.6 Special precautions for user       | Not applicable. |  |
| Stowage Category                        | B               |  |
| 14.7 Transport in bulk according to Ann | ex II of        |  |
| Marpol and the IBC Code                 | Not applicable. |  |
| UN "Model Regulation":                  | Void            |  |

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

(Contd. on page 7)



Printing date 13.02.2017 Version number 60 Revision: 10.02.2017

Trade name: VMA by Column Test, REAG 3

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

## · Department issuing SDS:

Bio-Rad Laboratories GmbH

Heidemannstrasse 164

D-80939 Munich

#### · Contact:

Technical Support:

E-Mail: cts-ce@bio-rad.com

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 1: Oxidizing solids - Category 1

Ox. Sol. 2: Oxidizing solids – Category 2 Acute Tox. 4: Acute toxicity – Category 4

Skin Innit 2: Skin compagion/innitation Catac

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

GB ·