

20.08.2020 Kit components

Product code	Description
7007101	Experion TM Pro260 Reagents for 10/25 Chips
7007152	
7007102	
7007158	
7007151	

Components:

9706150	Experion™ Pro260 Stain
7007270	Experion Pro260 Sample Buffer
9706153	Experion TM Pro260 Gel
7007256	Experion™ Pro260 Ladder

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Experion™ Pro260 Stain
- · Article number: 9706150, 10000254
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Pacific Ltd.

Unit 1101 DCH Commericial Centre

25 Westlands Road

Quarry Bay Hong Kong

Hong Kong phone: 852-2789-3300 fax: 852-2789-1290

- · Information department: sales.hongkong@bio-rad.com
- · 1.4 Emergency telephone number: 852-2789-3300

SECTION 2: Hazards identification

· Emergency overview:

Blue, Fluid, Causes mild skin irritation.

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Corr. 3 H316 Causes mild skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Not Applicable
- · Signal word Warning
- · Hazard statements

H316 Causes mild skin irritation.

· Precautionary statements

P332+P313 If skin irritation occurs: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 1)

· Dangerous components:			
CAS: 67-68-5 EINECS: 200-664-3	dimethyl sulfoxide	substance with a Community workplace exposure limit	50-100%
CAS: 151-21-3 EINECS: 205-788-1	sodium dodecyl sulphate	Flam. Sol. 2, H228 Acute Tox. 3, H301; Acute Tox. 3, H311 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	5-<10%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

— н



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

67-68-5 dimethyl sulfoxide

OEL (China (Chinese)) Long-term value: 160 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Blue
Odour: Odourless
Odour threshold: Not determined.

• pH-value: Not determined.

· Change in condition

Melting point/freezing point: undetermined

(Contd. on page 4)





Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

	(Contd. of page		
Initial boiling point and boiling range: 189 °C			
· Flash point:	> 60 °C		
· Flammability (solid, gaseous)	Not applicable.		
· Ignition temperature:	270 °C		
· Decomposition temperature:	Not determined.		
· Self igniting:	Product is not selfigniting.		
· Explosive properties:	Not determined.		
· Explosion limits: Lower: Upper:	1.8 Vol % 63 Vol %		
· Vapour pressure at 20 °C:	2.5 hPa		
 Density: Relative density Vapour density Evaporation rate 	Not determined Not determined. Not determined. Not determined. Not determined.		
· Solubility in / Miscibility with Water:	Fully miscible		
Partition coefficient: n-octanol/water:	Not determined.		
· Viscosity: dynamic: kinematic:	Not determined. Not determined.		
· Solvent content: Organic solvents:	93.2 %		
Solids content: · 9.2 Other information	6.8 % No further relevant information available.		

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

——Н



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

67-68-5 dimethyl sulfoxide

Oral LD50 14,500 mg/kg (rat)

151-21-3 sodium dodecyl sulphate

Oral LD50 1,288 mg/kg (rat) Dermal LD50 580 mg/kg (Rabbit)

- Primary irritant effect:
- Skin corrosion/irritation

Causes mild skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)





Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 5)

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information	
14.1 UN-Number ADR, ADN, IMDG, IATA	Not Reguated
14.2 UN proper shipping name ADR ADN, IMDG, IATA	Not Reguated Not Reguated Not Reguated
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Not Reguated
14.4 Packing group ADR, IMDG, IATA	Not Reguated
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.	
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Not Reguated

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Technical instructions (air):

Class	Share in %	
NK	50-100	

· Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

(Contd. on page 7)





Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Stain

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids – Category 2

Acute Tox. 3: Acute toxicity - oral – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Corr. 3: Skin corrosion/irritation – Category 3

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

HK





Printing date 20.08.2020 Revision: 13.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Experion Pro260 Sample Buffer
- · Article number: 7007270, 10000255, 10016796, 9706151
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Pacific Ltd.

Unit 1101 DCH Commericial Centre

25 Westlands Road

Quarry Bay Hong Kong

Hong Kong phone: 852-2789-3300 fax: 852-2789-1290

- · Information department: sales.hongkong@bio-rad.com
- · 1.4 Emergency telephone number: 852-2789-3300

SECTION 2: Hazards identification

· Emergency overview:

Colourless, Liquid, May be harmful if inhaled. Causes mild skin irritation. Causes serious eye irritation.

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Acute Tox. 5 H333 May be harmful if inhaled.

Skin Corr. 3 H316 Causes mild skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GH507

- · Signal word Warning
- · Hazard statements

H333 May be harmful if inhaled. H316 Causes mild skin irritation.

H319 Causes serious eye irritation.
• Precautionary statements

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

(Contd. on page 2)



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 1)

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 56-81-5 EINECS: 200-289-5		Acute Tox. 5, H303; Acute Tox. 5, H333	10-20%
CAS: 2044-56-6 EINECS: 218-058-2	Lithium dodecyl sulphate	Flam. Sol. 2, H228 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 Acute Tox. 5, H313; Aquatic Acute 3, H402	2.5-<3%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

(Contd. on page 3)



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 2)

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand. diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

(Contd. on page 4)





Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

Tightly sealed goggles.

(Contd. of page 3)

9.1 Information on basic physical and chemical properties			
· 9.1 Information on basic physical and chemical properties · General Information			
Appearance:			
Form:	Liquid		
Colour:	Colourless		
Odour:	Odourless		
Odour threshold:	Not determined.		
pH-value at 20 °C:	6.9		
Change in condition			
Melting point/freezing point:	undetermined		
Initial boiling point and boiling range:	100 ℃		
Flash point:	> 100 °C		
Flammability (solid, gaseous)	Not applicable.		
lgnition temperature:	400 °C		
Decomposition temperature:	Not determined.		
Self igniting:	Product is not selfigniting.		
Explosive properties:	Not determined.		
Explosion limits:			
Lower:	0.9 Vol %		
Upper:	Not determined.		
Vapour pressure at 20 °C:	23 hPa		
Density:	Not determined		
Relative density	Not determined.		
Vapour density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Fully miscible		
Partition coefficient: n-octanol/water:	Not determined.		
Viscosity:			
dynamic:	Not determined.		
kinematic:	Not determined.		
Solvent content:			
Organic solvents:	10.4 %		
Water:	86.9 %		
Solids content:	2.8 %		



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

May be harmful if inhaled.

· LD/LC50 values that are relevant for classification:

56-81-5 glycerol

Oral LD50		4,090 mg/kg (mouse)	
		12,600 mg/kg (rat)	
Dermal	LD50	10,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	>30 mg/l (Rat)	

- · Primary irritant effect:
- Skin corrosion/irritation

Causes mild skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)





Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4.1 UN-Number	
ADR, ADN, IMDG, IATA	Not Reguated
4.2 UN proper shipping name	
ADR	Not Reguated
	Not Reguated
ADN, IMDG, IATA	Not Reguated
4.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Not Reguated
4.4 Packing group	
ADR, IMDG, IATA	Not Reguated
4.5 Environmental hazards:	
Marine pollutant:	No
4.6 Special precautions for user	Not applicable.
4.7 Transport in bulk according to Annex li	of Marpol
and the IBC Code	Not applicable.
ransport/Additional information:	Not dangerous according to the above specifications.
JN "Model Regulation":	Not Reguated





Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion Pro260 Sample Buffer

(Contd. of page 6)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	10-20

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids – Category 2

Acute Tox. 4: Acute toxicity - oral – Category 4 Acute Tox. 5: Acute toxicity - oral – Category 5

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Corr. 3: Skin corrosion/irritation – Category 3

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

· * Data compared to the previous version altered.

HK





Printing date 20.08.2020 Revision: 10.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Experion™ Pro260 Gel
- · Article number: 9706153, 10000257
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Pacific Ltd.

Unit 1101 DCH Commericial Centre

25 Westlands Road

Quarry Bay Hong Kong

phone: 852-2789-3300 fax: 852-2789-1290

- · Information department: sales.hongkong@bio-rad.com
- · 1.4 Emergency telephone number: 852-2789-3300

SECTION 2: Hazards identification

· Emergency overview:

Colourless, Fluid, No Data Available

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
	Proprietary Reagent PZ 1	Acute Tox. 3, H301 Flam. Liq. 4, H227	5-10%
CAS: 598-50-5 EINECS: 209-935-0	methylurea	Acute Tox. 3, H301	2.5-5%

· Additional information For the wording of the listed hazard phrases refer to section 16.



Page 2/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)





Printing date 20.08.2020 Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 2)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to when handling chemicals.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Synthetic gloves

· Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical ar General Information Appearance: 	nd chemical properties
Form:	Fluid
Colour:	Colourless
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value at 20 °C:	7.6
· Change in condition Melting point/freezing point: Initial boiling point and boiling rar	undetermined nge: undetermined
· Flash point:	Not applicable Not determined.
· Flammability (solid, gaseous)	Not applicable.
· Decomposition temperature:	Not determined.
· Self igniting:	Product is not selfigniting.

(Contd. on page 4)





Printing date 20.08.2020 Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

	(Contd. of page
· Explosive properties:	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density:	Not determined
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Water:	88.5 %
Solids content:	6.3 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)



Printing date 20.08.2020 Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

(Contd. of page 4)

Page 5/6

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Not Reguated	
· 14.2 UN proper shipping name		
ADR	Not Reguated	
	Not Reguated	
· ADN, IMDG, IATA	Not Reguated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Not Reguated	

(Contd. on page 6)





Printing date 20.08.2020 Revision: 10.08.2020

Trade name: Experion™ Pro260 Gel

	(Contd. of page 5
· 14.4 Packing group · ADR, IMDG, IATA	Not Reguated
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of and the IBC Code	Marpol Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not Reguated

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 3: Acute toxicity - oral - Category 3

· * Data compared to the previous version altered.

ш

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Experion™ Pro260 Ladder
- · Article number: 7007256, 9706152, 10000256
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Pacific Ltd.

Unit 1101 DCH Commericial Centre

25 Westlands Road

Quarry Bay Hong Kong

phone: 852-2789-3300 fax: 852-2789-1290

- · Information department: sales.hongkong@bio-rad.com
- · 1.4 Emergency telephone number: 852-2789-3300

SECTION 2: Hazards identification

Emergency overview:

Colourless, Fluid, Causes mild skin irritation.

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 3 H316 Causes mild skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Not Applicable
- · Signal word Warning
- · Hazard statements

H316 Causes mild skin irritation.

· Precautionary statements

P332+P313 If skin irritation occurs: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

		(Conto	d. of page 1)
· Dangerous components:			
CAS: 56-81-5 EINECS: 200-289-5	glycerol	Acute Tox. 5, H303; Acute Tox. 5, H333	20-35%
CAS: 151-21-3 EINECS: 205-788-1	sodium dodecyl sulphate	Flam. Sol. 2, H228 Acute Tox. 3, H301; Acute Tox. 3, H311 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	0.1-1%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse mouth with water. Seek medical attention and appropriate follow-up.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

HK



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Colourless
Odour: Characteristic
Odour threshold: Not determined.

• **pH-value at 20 °C:** 6.8

· Change in condition

Melting point/freezing point: undetermined Initial boiling point and boiling range: undetermined

(Contd. on page 4)





Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

	(Contd. of page
· Flash point:	Not applicable Not determined.
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	400 °C
Decomposition temperature:	Not determined.
Self igniting:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits: Lower: Upper:	0.9 Vol % Not determined.
Vapour pressure at 20 °C:	23 hPa
Density: Relative density Vapour density Evaporation rate	Not determined Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: dynamic: kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: Water:	30.0 % 60.4 %
Solids content: 9.2 Other information	9.6 % No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

HK



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:			
56-81-5 g	lycerol		
Oral	LD50	4,090 mg/kg (mouse)	
		12,600 mg/kg (rat)	
Dermal	LD50	10,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	>30 mg/l (Rat)	
77-86-1 T	77-86-1 Tris(hydroxymethyl)aminomethane		
Oral	LD50	5,900 mg/kg (Rat)	
Dermal	LD50	>5,000 mg/kg (Rat)	
151-21-3	151-21-3 sodium dodecyl sulphate		
Oral	LD50	1,288 mg/kg (rat)	
Dermal	LD50	580 mg/kg (Rabbit)	

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes mild skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)





Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 5)

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14.1 UN-Number	
14.1 ON-NUMBER ADR, ADN, IMDG, IATA	Not Reguated
14.2 UN proper shipping name	g
ADR	Not Reguated
	Not Reguated
ADN, IMDG, IATA	Not Reguated
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Not Reguated
14.4 Packing group	
ADR, IMDG, IATA	Not Reguated
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex I	l of Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Not Reguated

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 7)





Printing date 20.08.2020 Revision: 13.08.2020

Trade name: Experion™ Pro260 Ladder

(Contd. of page 6)

- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	25-35

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

Abbreviations and acronvms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids - Category 2

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 5: Acute toxicity - oral - Category 5 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Skin Corr. 3: Skin corrosion/irritation - Category 3

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

· * Data compared to the previous version altered.